

Serving the American Farmer for Over Forty Years

800-642-1222
Toll Free Ordering
402-665-2401
Fax Us Your Order
www.agrisalesinc.com





















VISA Masiercarc DISCOVER 1-800-642-1222

Visit us online at: www.agrisales-inc.com Order Online 24 Hours a Day – 7 Days a Week!

We at AGRIsales have for more than 44 years offered the confinement livestock producer name brand products at prices, we believe, are the most competitive in the industry.

To Order: Call **AGRIsales**, use our toll free 800 number between

> 8:00 a.m. and 5:00 p.m., Monday through Friday, central time. We accept Visa, MasterCard, American Express, and Discover, and will ship C.O.D.

New Customers:

Besides C.O.D., Visa, MasterCard, American Express, and Discover, we will, to qualified customers, ship products open account. To open an account with AGRIsales, we need basic information much like that required for obtaining a credit card. You may download the forms at www.agrisales-inc.com

Order Information:

We welcome your call and your business. Thousands of producers nationwide rely on **AGRIsales** for their equipment needs.

Please see the inside back cover for more details.

If you have questions about your account, you may now email us at **accounting@agrisales-inc.com**. If you would like to know about a product or service, or would like to order, feel free to email us at sales@agrisales-inc.com.



Due to current market fluctuations, please note that we may not be able to honor prices printed in the catalog. We try to hold prices the best we can, but we may not be able to on certain products.

We are committed to providing quality products and service. We truly appreciate your business and continued support.

For the most up to date prices and availability visit us online: www.agrisales-inc.com



If you are traveling in eastern Nebraska, we would welcome your visit. Our warehouse and showroom is located at 100 Main Street in Ceresco, Nebraska on U.S. Highway 77.

Α	
A.I. Supplies 75	Fans, Exhaust
A.T. Newell Parts 25	Feed Carts 59
Aerotech Fans 10	Feed Pans
Aerotech Motors 15	Feed Scoops 59
Air Chute 12	Feed System Parts 56-58
Air Inlets	Feeders, Poly & Rubber 59, 61
Alarms	Feeders, Stainless Steel 59, 61
Anchors & Bolts 41-43	Flashlights 88
Ant Bait 53	Fly Bait, Spray & Traps 52-55
Apron46 & 75	, , . , . ,
	G-H
В	Garden Hose & Sprayers 30, 83-84
Bait & Traps, Fly 52-55	Gate Latches 44
Bait Boxes 54	Glasses & Goggles, Safety 45
Bait, Mouse & Rat 52-53	Globe, Plastic & Glass 70
Ball Valves, Brass 35	Gloves, Work 82
Ball Valves, PVC	Gloves: Latex & Nitrile 75
Bib Overalls 47	Glue 51
Bird Controll Fencing 27	Gopher Bait 53
Bits, Drill 87	Hand Cleaner 82
Bolts, Stainless Steel 43	Hand Tools 86-87
Bolts, U 34	Hearing Protection 45
Boot, Scraper 50	Heat Lamp Cords 69
Boots 48-50	Heat Lamps 69
Boots, Disposable 75	Heat Mats 68
Brooms & Mops 83	Heater Repair Parts 65-67
Bulbs, Flourescent 70	Heaters 66-67
Bulbs, Heat	Hinges, Stainless Steel 44
Bulbs, LED 71	Hinges, Zinc Strap 44
,	Hog Snare 62
_	Hose & Hose Clamps 32
C	Hot Shot 72
Cable 28	
Cable Cutters 28	
Carcass Cart 90	I-J-L
Chain 29	Inlets: Ceiling & Wall 10,11
Chemicals, Cleaning &	Insulated Clothing 47
Sanitizing 80	Insulated Curtain 27
Chore-Time Feeding System. 56-57	J-Bolts 42
Clock 63	Lawn & Garden 84-85
Clothing 46-47	LED Bulbs 7 1
Controllers: Heating, Cooling,	Light Bulbs 70-71
Variable Speed 10, 22-23	Light Fixtures, LED 71
Cooler Pumps5	Light Switches 89
Cords, Extension 88	Lights: Security & Emergency 71, 73
Cords, Heat Lamp 69	Livestock Markers 39
Cords, Power Supply 88	Lubricant 41
Cotter & Hair Pins 74	8.4 NI
Coveralls	M – N
Curtain & Curtain Supplies 26-29	Markers & Marking
Curtain Drop8	Equipment39
Curtain Machine8	Medicators
Curtain Repair 27	Mister Kits & Nozzles 12
. .	Motors, Fan Duty 15-16, 18
D-E	Motors, Farm Duty 16-17
Disinfectant	Motors, Feed Auger 19
Disinfectant Mat 38	Muck Boots 48-49
Disposable Coveralls 75	Needles
Door Knobs 44	Nipple Drinkers 33
Door Latches 44	Nozzles, Spraying & Misting 4, 12
Drinker Cups & Bowls 34-35	Nylon Fittings 32
Dripper / Sprayer Controls &	\circ \circ \circ
Accessories 4-5	O-P-Q-R
Dust Masks 45	Odor Control 82
Ear Protection 45	Paint Stick Markers 39
Ear Tags 40	Pest & Rodent Control 52-55
Electrical Connectors 89	Pig Toys 68
Electrical Supplies 88-89	Pipe Cutters, PVC 30
Evaporative Cooling5	Pipe Straps
Eye Protection 45	Pipe Wrenches 30
F	Pipe, Stainless Steel 35
F	Pit Fan
Fan Blades 14	Plumbing Kits & Parts 31
Fan Covers 12	Porcelain Sockets
Fans, Ceiling	Power Wash Equipment 76-79
Fans, Circulation 6, 13,14	Pregnancy Detection 81

Duagassua Cassasa	70
Pressure Gauges	/ 3
Pressure Regulators	30, 35
Pulleys	28-29
Quick Links	20
Rain Gauges	63
naiii Gauges	
Rain Wear	/১
Respirators	45
Rope	27
порешини	
S	
Scales	90
Scalpels	38
Scrapers & Hoes	70 93
Scrapers & rives	/ 9, 03
Screws	42-43
Sheaves, V-Belt	20
Shock Prod	72
Shovel	50
Shutters	11
Snutters	
Soap & Shampoo	82
Socks	46
Solenoid Valves	
Sorting Paddles & Panel	
Sprayers	84
Springhooks	74
Squeegee	70
Stun Gun	20
Sweatshirts	46
Syringes	37
, -	
Т	
	20
Tail Dockers	39
Tail Dockers	51
Tail Dockers	51
Tail Dockers Tape Tattoo Equipment & Su	51 pplies 81
Tail Dockers	51 pplies 81 42
Tail Dockers	51 pplies 81 42 46
Tail Dockers	51 pplies 81 42 46
Tail Dockers	
Tail Dockers	
Tail Dockers	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats. Threaded Rod Timer Controls. Toilet Tissue	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats. Threaded Rod Timer Controls. Toilet Tissue	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Traps, Mouse	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - W	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - W	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - W	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt Vinyl Cement	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt Vinyl Cement Voltage Meter	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt Vinyl Cement Voltage Meter Wall Anchors	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt Vinyl Cement Voltage Meter Wall Anchors	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt Vinyl Cement Voltage Meter Wall Anchors Water Cup	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt Vinyl Cement Voltage Meter Wall Anchors Water Cup Water Filters	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt Vinyl Cement Voltage Meter Wall Anchors Water Cup Water Filters Water Pressure Regular	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt Vinyl Cement Voltage Meter Wall Anchors Water Cup Water Filters Water Pressure Regular	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt Vinyl Cement Voltage Meter Wall Anchors Water Cup Water Filters Water Pressure Regular Water Valve Waterers	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt Vinyl Cement Voltage Meter Wall Anchors Water Cup Water Filters Water Pressure Regular Water Valve Waterers	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt Vinyl Cement Voltage Meter Wall Anchors Water Cup Water Filters Water Pressure Regular Water Valve Waterers	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats. Threaded Rod Timer Controls. Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt Vinyl Cement Voltage Meter Wall Anchors Water Cup Water Filters Water Pressure Regular Water Valve Waterers Whips Winches	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats Threaded Rod Timer Controls Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt Voltage Meter Wall Anchors Water Cup Water Filters Water Valve Water Valve Water Valve Waters Whips Winches Wind Meter	
Tail Dockers Tape Tattoo Equipment & Su T-Bolts Tee Shirts Thermometers Thermostats. Threaded Rod Timer Controls. Toilet Tissue Tools Traps, Mouse U - V - V Utility Light Fixture Variable Speed Control V-Belt Vinyl Cement Voltage Meter Wall Anchors Water Cup Water Filters Water Pressure Regular Water Valve Waterers Whips Winches	

Call Toll Free 1-800-642-1222 Fax: 402-665-2401





CHECK WITH AGRISALES Inc. FOR YOUR **DRIPPER SPRAYER NEEDS!**

BUY ONLY THE PARTS YOU NEED —

•NO KITS! •NO ADD-ONS! •AT THE RIGHT \$ PRICE!

Econo-Cool

Econo-Cool offers producers an economical way to keep livestock & poultry comfortable and profitable during periods of warm weather.



- · Controller and Thermostat in one unit
- Does **Not** need an electrician to install
- Safe 12 volt operation
- Remote mount 1" solenoid
- In field repair 2 vear warrantv
- · Backed by more than 30 years of experience

Econo-Cool Control Only Econo-Cool Control with Solenoid

• Inexpensive to buy & economical to own

• 1 to 55 minute off cycle • 1 to 15 minute on cycle

Recommended Accessories Check Valve D5485CS60 \$9.25

> D5485S550 \$204.95 D5485S500 \$240.00

1" Plastic Solenoid Valve

- Molded from heavy duty, high impact glass-reinforced nylon material
- Internally molded brass screw inserts Internal bleed control lever for
- manual operation Can withstand high water pressure up to 150 PSI
- Flow control which will regulate the water from full on to completely off
- Self-cleaning orifice w/metering rod, prevents dirty water from entering diaphragm chamber

D8480SV10



Call AGRIsales inc. 1-800-642-1222

For All Your Cooler Needs!


Rotor Max™ Midi Sprinklers

Features:

- Dual outlet spinner enhances performance.
- Inverted model has a 0° flat trajectory.
- Easily taken apart for servicing.
- UV stabilized materials for long life.

Applications:

Inverted Rotor Max[™] is ideal for over-head watering in glasshouse, nursery and shade house applications. Also it works great as a soak down nozzle before cleaning. The 0° trajectory sprinkler is also suited to standard upright operation, excellent for under foliage or wind affected locations.



\$**5**²⁰

FortiCool D

Scale build up on cool cell pads block airflow. reducing the cooling efficiency of your evaporative coolers.

FortiCool D eliminates scale build-up on old and new evaporative cool cell pads.

Unique time release neutral pH cleanser works continuously and will not corrode your equipment like acid based products.



FortiCool A

Evaporative cooler cells are a breeding ground for a broad range of microbes.

FortiCool A provides 24 hour time-release antimicrobial protection.

FortiCool A is a high performance, EPA Registered "dual-quat" antimicrobial.

\$26⁵⁰





- 1/4" Compression Fitting
- **Brass Inlet**
- Polypropylene Float & Cover

\$**5**⁷⁵ D20004101



- 3/8" Compression Fitting
- Heavy Duty Bronze Body
- Brass Plunger Arm & Stem

Polypropylene Float

\$13⁷⁵D20004164

CEL DEK®

Evaporative Cooling Pad with MI-T-edg®

More Air, Lower Humidity, & **Less Maintenance**

Advantages:

Wettability: MI-T-edg® protective coating has been formulated with special wetting agents to prevent water

beading. Water spreads over the surface of the coating as a thin film without loss in effectiveness

- Quick Drying: The protective coating dries out guickly when the water is turned off. This drying inhibits the growth of microorganisms which require moisture to live. Weather Resistant

Cooler Pumps



D10604355

Thermal Overload & Grounded Plug Pumps **LA 7500 — 115 VOLT** For 7500 CFM Cooler \$33⁹⁵ D20001414

7500-2 — 230 VOLT For 7500 CFM Cooler \$39⁵⁰D20001279

LA 11,000-2 — 230 VOLT For 11,000 CFM Cooler

Liberty Sump Pumps

1/3 HP Sump Pump

- 1/3 HP
- 1 1/2" Discharge 115 Volt
- 10'Cord • 40 US Gallons @ 7' Head
- Rugged and dependable heavy-duty cast iron

pump with powder coat finish. Liberty's "workhorse" sump pump features a unique

one-piece cast iron body, quick-disconnect power cord and our Vertical Magnetic Float design (VMF) for smaller water supply tank.



Call for Pricing

1/2 HP Sump Pump

- 1/2 HP
- 2" Discharge
- 115 Volt
- 10' Cord (25' Cord also available)
- · Manual Shut-off
- 128 US Gallons @ 8' Head



Sporting a new tough powder coat finish over heavy cast iron housings, Liberty's LE50-series is a commercial-grade workhorse for residential and light commercial sewage applications. Its efficient 1/2 hp motor with permanently lubricated bearings, stainless steel fasteners and quick-disconnect power cord design make this a favorite choice among plumbing professionals.

2"x11/2"Nylon Adapter H10053224 \$3.60

AIR MOVEMENT





ES Shutter Fans

- Unbelievable smooth and quiet operation
- Ships totally assembled just pull it out of the box and wire it!
- Aluminum blade with a zinc plated steel hub, balanced for smooth vibration-free operation
- Chrome grill allows for easy cleaning and meets OSHA guidelines
- OSHA approved on inlet side of fan at any height, and OSHA approved on shutter side when mounted above 7'
- High efficiency aluminum shutters with tie bar to eliminate shutter flapping and opening on windy days

Inventory #	Size	CFM	HP	Rough Opening	Price
E4702SF12	12"	1050	1/10	12.5" x 12.5"	\$212.50
E4702SF16	16"	1900	1/10	16.5" x 16.5"	\$210.00
E4702SF20	20"	4300	1/3	20.5" x 20.5"	\$285.00



Twister Shutter Fans

- Distribute fresh air throughout the building
- Improves air quality
- Removes gases, moisture, and bad odors
- Aluminum fan blade
- Includes 2 year warranty on the totally enclosed air over motor

Inventory#	Size	CFM	HP	Rough Opening	Price
E4702TW12	12"	1050	1/12	13 3/4"	\$298.50
E4702TW16	16"	2175	1/4	18"	\$410.00
E4702TW20	20"	3575	1/4	21 1/2"	\$410.00
E4702TW24	24"	6125	1/2	25 1/4"	\$445.00

10" Pit Fan



- Totally Enclosed
- 3,400 RPM, 230 Volt
- Variable Speed Capable
- Stainless Steel Motor Shaft
- 3/." Diameter Shaft
- 1,400 CFM

FITS 10" PVC PIPE • POLYPROPYLENE FAN BLADE POWDER COATED ALUMINUM MOTOR MOUNT

Call for Pricing

20" Stainless Steel Basket Fan

This new fan by J&D Manufacturing is the ultimate choice for corrosion resistance. The quard, prop, motor housing and hardware are all corrosion-resistant stainless steel for your needs. This 20" HAF fan is a high efficiency air circulator that effectively cools people, plants, animals and industrial equipment. Reduce condensation, dry animal liter and bedding, and create a uniform temperature throughout your building to reduce heating costs.

- 1/3 HP 1673 RPM
- 115/230 Volt
- Single Speed
- 3,640 Thrust CFM
- Guard is made of 316 Stainless

18" HAF Stir Fan

E4702SS20

The 18" HAF stir fan is designed to create uniform temperatures throughout your building to help reduce heating & cooling costs. It features powder coated, corrosion resistant fan guards with wide spacing to reduce buildup and allow for easy cleaning. Get maximum air circulation and improved air quality with minimal power usage. Choose from Variable or 3 Speed models. The HAF stir fan is pre-wired* ready to be hung up, plugged in, and turned on.



Inventory#	Volts	Amps	Speed	Max CFM	Price
E4702S180	115/230	1.0	Variable	1,880	\$151.50
E4702S183	115	0.90	Three	1,770	\$120.00

* Pre-Wired with plug-in cord for 115 Volt. If using in variable speed application, a separate control will be needed and a re-wire will be necessary.

Exhaust Fans

AP Performer Series Direct Drive Fans

When it comes to designing a reliable ventilation system, performance, efficiency, and longevity all need to be maintained. You will find the Performer Series ventilation fans have exceeded these goals with tremendous air output, extremely low power consumption and a heavy-duty construction.

Easy Access: By removing the plastic motor cap the whole rear of the motor is exposed allowing very easy access to the wiring terminals as opposed to the cramped area of most motors.

Motor Mounts: Heavy 3/16" all aluminum motor mounts provide a ridged mount to help eliminate vibration and will never rust. These mounts tend to be much sturdier than the commonly used thinner stainless

Fiberglass Props: AP fan props are carefully balanced to provide smooth and efficient operation. Constructed of a strong and durable fiberglass blend, these props will outlast most other blades of plastic, steel, or cast

Fan Guards: AP's fan guard is made of heavy steel with a baked on powder coat finish.

Discharge Cones: The optional discharge cone for the Performer series fans is designed to increase airflow and efficiency by approximately 15%



Shown here with optional cone



Fan Size	HP	RPM	Voltage	CFM@0.0SP	Rough Opening	Price	Price w/ Cone
12	1/4	1725	115/230	1700	17 3/8" H x 16 1/2"W	\$760.00	\$N/A
14	1/4	1625	115/230	2487/2830*	19 5/8" H x 19 3/8" W	\$775.00	\$905.00
18	1/3	1625	115/230	4387/5090*	25 1/2" H x 25 1/2"W	\$850.00	\$1015.00
24	1/3	1140	115/230	6442/7530*	35 1/2" H x 35 1/2" W	\$945.00	\$1130.00
36	1/2	825	115/230	11113/12290*	43 5/8" H x 43 5/8" W	\$1340.00	\$1690.00

^{*} Denotes CFM with Optional Cone attached

Tornado Fiberglass Fans

- Molded Fiberglass Housing
- Low Maintenance, Rust Free, Easy Cleaning, & High Performance
- Lifetime Warranty on all Housings & Stainless Steel Mounts
- Poly Cones Available on 24", 36", & 50" Fans
- PVC Fan Blades on 16"-24" Fans, Galvanized on 36" & 50" while the 50" also offers a Cast Aluminum Blade
- PVC Shutters for smooth operation and less air drag
- Flush mount design eliminates any protrusions or obstructions
- All variable speed fans can be operated with a variable speed fan control or a single stage thermostat for on / off operation

Part #	Size	НР	RPM	Volts	Speed	CFM @ .05 S.P.	Motor Drive	Cone	Blade Type	Mount	Rough Opening Width x Height	Price
E4702VF12	12"	1/3	1725	115/230	Variable	1,858	Direct	No	Plastic	S.S.	17 ½" x 18 ½"	\$500.00
E4702VF16	16"	1/3	1725	115/230	Variable	2,470	Direct	No	Plastic	S.S.	23" x 21 ½"	\$570.00
E4702VF20	20"	1/3	1725	115/230	Variable	3,110	Direct	No	Plastic	S.S.	27" x 25 ¾"	\$500.00
E4702VF24	24"	1/2	1725	115/230	Variable	4,750	Direct	No	Plastic	S.S.	31 ½" x 31 ½"	\$705.00
E4702VF24C	24"	1/2	1725	115/230	Variable	5,500	Direct	Yes	Plastic	S.S.	31 ½" x 31 ½"	\$910.00
E4702VF36C	36"	1/2	850	115/230	Single	9,100	Direct	Yes	Galv	Galv	44" x 44"	\$1140.00
E4702VF50C	50"	1	525	115/230	Single	20,000	Belt	Yes	Galv	Galv	56" x 56"	\$1965.00
E4702VF50AC	50"	1	525	115/230	Single	22,000	Belt	Yes	Cast Aluminum	S.S.	56" x 56"	\$1880.00

Curtain Controls

Chore-Time LINEAR-LIFT™

CHORE-TIME* LINEAR-LIFT* Winch provides the power to raise and lower curtains or tunnel doors, or for other applications.

- Cable torque is transferred through rolling wheels, rather than using the problematic sliding action of other curtain winches.
- Cable is attached near the center of the threaded rod, reducing the torque of unbalanced loading and providing smoother, more reliable movement.
- Winches can be wall or ceiling-mounted to match your application.

Designed for Long Life and Ease of Use:

- Corrosion-resistant galvanized steel housing and sealed, plastic electrical box.
- Durable interior wheels roll rather than slide for smoother, more reliable operation.
- Unit has an easy-access cover and uses proven CHORE-TIME gearhead and reversible motor.
- Greasable traveling bronze nut has a "grease storage pocket" to lubricate the entire rod.
- Redundant limit switches prevent over-travel and potential for structural damage.
- A cover with a potentiometer assembly is also available.
- Pulleys and sprockets swivel from -5 to 90 degrees for better alignment.


Size in Inches	Travel Distance (Inches)	60 RPM* 115V	30 RPM* 230V	60 RPM* 230V	Lift Capacity
26	22	12" Minimum	6" Minimum	12" Minimum	2000 lbs
36	32	12" Minimum	6" Minimum	12" Minimum	2000 lbs
48	44	12" Minimum	6" Minimum	12" Minimum	2000 lbs
66	62	12" Minimum	6" Minimum	12" Minimum	2000 lbs



Airstream Curtain Controller

The Curtain Controller from AP is a screw-driven automated curtain machine with a heavy duty 15, 30, or 60 RPM motor. Offered in several lengths makes it perfect for any application.

Actuator	H.P.	Voltage	Frequency	AMP Draw	Travel Speed	RPM
15 RPM Curtain Controller	1/12	115V	60 Hz	1.0 Amps	3" per minute	15
30 RPM Curtain Controller	1/8	115/220V	50/60 Hz	1.7 Amps	6" per minute	30
60 RPM Curtain Controller	1/6	115V	60 Hz	1.8 Amps	12" per minute	60



CHORE-TIME

Curt-O-Matic Emergency Ventilation System

CURT-O-MATIC automatically drops the side curtains of your confinement house if power should fail.

Features:

- CM II and CM III are available in 120 or 240 Volt models
- Curtain Chain Kit
- Easy Installation
- Simple 3-wire hook-up
- 5 Minute (Approximately) time delay
- 5 year warranty
- Curt-O-Matic III can be hooked up to your Alarm systems electronic audible, to signal alarm if arm on system should drop.

PowerDrop

Time delay curtain drop allows for natural ventilation when power fails.

The PowerDrop is a modem device to release a curtain winch handle for ventilation in a livestock environment during a total power failure. The PowerDrop will remain in the locked position with electromagnetic force as long as electrical power is supplied to the unit. When power is removed, the PowerDrop will continue to hold the winch handle for a delay time. If electrical power has not been restored at the end of the delay, the PowerDrop arm is forced open and will release the curtain winch.



120 Volt J1550P120

240 Volt

Agri Sales Inc Fiberglass Ventilation Fans

AS-24 Fiberglass Fan



E7004AS24C

- Equipped with PVC Shutter
- Powder Coated Motor Mount
- 24" x 27° Fan Blade
- 3/4 Hp 1075 RPM Dual Voltage Motor
- Produces 6900 CFM at 0 SP
- 2 Year Motor Warranty

Complete

Replacement Parts Available:

-		
Fiberglass Housing	E7004AS24	\$189.00
Guard	E85150024	\$ 51.25
56 Frame Motor Mount	E40100024	\$ 36.50
PVC Shutter	K5237LL27	\$ 112.25
24" Fan Blade	B63405597	\$ 66.75
5/8" Hub	B63400058	\$ 10.50
3/4HP 1075 RPM Motor	A52101322	\$475.00

Optional:

• PVC Fan Blade B154524458

▶ Shown with optional PVC Fan Blade ▶ Single Speed Only

AS-18 Fiberglass Fan Equipped with PVC Shutter



- Powder Coated Motor Mount
- 18" x 33° Fan Blade
- 1/3 Hp 1100 RPM Dual **Voltage Motor**
- Produces 3500 CFM at 0 SP
- 2 Year Motor Warranty

\$5**99**⁹⁹ Complete

Replacement Parts Available:

• Fiberglass Housing	E7004AS18	\$149.99
• Guard	E85150018	\$ 36.15
• Motor Mount	E40100148	\$ 18.15
• PVC Shutter	K5237LL20	\$ 90.99
18" Fan Blade	B63405607	\$ 57.75
• 1/2" Hub	B63400012	\$ 10.25
• 1/3 Hp 1100 RPM Motor	A5210X028	\$235.00
Optional:		

B154518458

MC-12 Fiberglass Fan . Equipped with PVC Shutter



- 12" PVC Fan Blade
- 1/4 HP 1725 RPM Dual voltage motor
- · Variable Speed Capability (control not included)
- Produces 1650 CFM @ .125 S.P.
- Two Year Motor Warranty

Complete

Replacement Parts Availables


PVC Fan Blade

replacement alto Avail	ubic.	
 Fiberglass Housing 	E7004MC12	\$104.99
• Guard	E85950011	\$ 15.10
 Motor Mount 	E85950012	\$ 16.25
 PVC Shutter 	K5237LL13	\$ 58.75
• PVC Fan Blade	B154512451	\$ 44.99
• 1/4 Hp 1725 RPM Motor	A52100803	\$220.00

MC-8 Mini Fiberglass Fan

Replacement Parts Available:

 Fiberglass Housing 	E7004MC08	\$99.99
• Guard	E85950008	\$ 13.15
 Motor Mount 	E85950007	\$ 14.25
 PVC Shutter 	K5237LL08	\$ 58.75
 PVC Fan Blade 	B154508453	\$ 37.75



Size specifications for AGRIsales Fiberglass Fans

VX Aerotech Fan

The VX Aerotech fan series is Munters premium exhaust fan line. Understanding the harsh environments in which VX fans must perform these fans were designed to optimize both performance and quality. The parts and components withstand corrosive gases from the internal environment as well as sunlight and heat from the external environment.

Standard Features:

- Cast aluminum propeller
- UV resistant fiberglass housing
- Stainless steel fasteners & hardware
- Poly cones

Available in sizes from 14" to 55"



JWI Wall Air Inlets

The JWI Series Wall Air Inlets operate on negative pressure that pulls back a frictionless styrofoam baffle to provide direct access of fresh air into your barn. They open wide when plenty of air is needed, flow adjusts automatically to protect animals during cooler periods. Insulated hinged cover can be closed tight in cold temperatures or adjusted to any degree for proper air distribution. The added counterweight can be adjusted to fine tune the air flow to your desired rate.

JWI-1200

Rough Opening: 14" x 22" 1,000 CFM @ .05 SP (Approx)

\$185⁰⁰

K52371200





20" Panel Fan

- Fiberglass housing
- Polv blade
- Produces 3,680 Thrust CFM
- Variable speed capable
- · Can be used as

tube-fan or panel-fan 115/230 Volt

\$340⁰⁰

E4702PF20

JWI-2400

Rough Opening: 14" x 45.5" 2,000 CFM @ .05 SP (Approx)

\$310⁰⁰

K52372400



Phason Plus-Touch 2 Variable stages | 6 Relays

Completely programmable in the little as 5 minutes. That's a bold statement, but Plus Touch is more than a new look and name; it is a completely new user experience. The buttons and LED display have been replaced with a 5-inch touchscreen that allows you to more easily configure, program, and monitor your room and equipment.

Plus Touch is backwards compatible with all earlier PEC Plus control (bottom) boards. To upgrade to a Plus Touch and add all the new features, you purchase a display upgrade kit, connect it to your existing PEC Plus control board, and then program your new control.

- Automatic temperature-based control range: -13 to 125°F (-25 to 51°C)
- VentGrid[™] merged ventilation mode
- Traditional staged ventilation mode
- Two variable AC stages
- Six pluggable general-purpose relays
- Relay staggering for distributing startup loads
- Alarm relay (for external siren or alarm system)



EDGE™

The Next Generation of Controllers

Ventilation • Cooling • Heating • Lighting • Feeding • Watering

EDGE™ is a versatile and intuitive single platform control that can handle all your controller applications. EDGE™ can be configured to match your operation's specific requirements including breeding, gestation, farrowing, nursery and finishing. It is flexible enough for new construction or be adapted to existing systems. Throughout your animals' growth stages, you and EDGE™ are in control.

- Information at a glance
- Multi-location control
- · Remote connectivity
- Wireless setup
- Configuration wizard
- Ventilation based on CFM per head



Call us today or scan w/ your phone or tablet for more info



Ventilation Inlets

PVC Shutter

K5237LL42 **\$220.00** $41^{5}/_{8}^{"} \times 41^{5}/_{8}^{"}$ $27^{1}/_{4}^{"} \times 27^{1}/_{4}^{"}$ K5237LL27 \$125.00 K5237LL21 \$106.50 21" x 21" K5237LL20 **\$72.50** 19" x 19" \$64.25 13" x 13" K5237LL13 $10^{5}/_{8}^{"} \times 10^{5}/_{8}^{"}$ \$58.75 K5237LL08

Aluminum Shutter

27" x 27"	K67300027	\$99.99
20 ¹ / ₂ " x 20 ¹ / ₂ "	K3020C559	\$60.50
$18^{1}/_{2}^{"} \times 18^{1}/_{2}^{"}$	K30200018	\$53.25
$12^{1}/_{2}^{-}$ " x $12^{1}/_{2}^{-}$ "	K30200012	\$38.25

C2200 Ceiling Air Inlet

- All season, 4 directional inlet improves room temperature & air distribution
- Made of ABS plastic for improved strength & durability
- Allows 2089 CFM @ .125 SP
- Vacuum formed housing for strength, durability and ease of washing
- Operates automatically off of the negative pressure supplied by the exhaust fans
- 22.5" x 22.5" Rough Opening




When ordering shutters, please

size of the fan housing or the

opening in the building.

understand, we need the opening.



PVC Air Inlet

- 400 CFM at
- ¹/_o" static pressure Approx. range 21'
- Dimension $22^{1}/_{4}^{"} \times 7^{1}/_{2}^{"}$







Top Jet Wall Air Inlets

NOTE



- Features a counterweight that is adjustable for balancing multiple inlets
- It can also be adjusted for lower and higher static pressure
- Translucent louver allows light into the room
- TopJet design directs airflow up towards the ceiling area
- 3/4" thick housing walls provide insulation
- Weight bar can be adjusted to balance airflow with multiple units

Inlet	Framed Opening	Approx. CFM	Price
TJW4312	43.75" X 12.5"	2,200	\$170.00
TJW2923	29.75" X 23.5"	3,000	\$200.00
TJW4323	43.75" X 23.5"	4,400	\$255.00

AC3010 Actuated Air Inlet



Call for Price

K52373010

From ease of installation to performance, the AC3010 4-Way Directional Actuated Swine Ceiling Air Inlet is proving to be an exceptional hog inlet. The AC3010 TopJet Ceiling Air Inlet allows air to enter inlet from the attic, traveling along the ceiling, and evenly distributes air in all four directions into pig space without falling directly onto pigs.

- Provides a better mixing of fresh intake air within the room and distributes air evenly from one inlet to another.
- No inlet blades to break, fall out, or get stuck open or closed.
- Proper air mixing creates an even temperature in the
- Humidity levels have been dramatically reduced by providing a better mixing of fresh intake air within the pig room, leaving no dead spots in the pig room
- Removable bottom piece for cleaning and service

Air Chute

Add Air Chutes to your exhaust fans to increase CFM as well as block cold air from entering during the winter when the fan is not

- Allows you to use fans in times of need without having to go take a cover off of them
- Helps keep static pressure levels correct by sealing off fans that
- Available in sizes up to fan diameters of 68"

Installation:

There are drawstrings with thumb nuts at both ends, but one end has a vinyl reinforcement sewn into it, which goes around the cone. After proper installation, start the fan and adjust the drawstring in the discharge end until it stands straight out and doesn't flap around.





Fan Covers

This product is designed to keep cold air from entering the confinement building through the cone of the intake fan. The fan cover, which is made from our standard black/ white polyethylene* curtain material, is designed to control heat loss from the building. If properly maintained, the cover should last for several winter seasons.



All covers include bungee cord, for tight and secure fit

33" Round Cover	S723733BW	\$24.95
44" Round Cover	S723744BW	\$26.50
49" Round Cover	S723749BW	\$28.75
55" Round Cover	5723755BW	\$20.75
		•
58" Round Cover	S723758BW	\$32.75
60" Round Cover	S723760BW	\$38.25
62" Round Cover	S723762BW	\$38.75
64" Round Cover	S723764BW	\$38.75
68" Round Cover	S723768BW	\$42.50

*10 oz Black/White Vinyl also available at a slightly higher price

Note: Custom made covers available to fit your application

Low Pressure Add-On Misting Kits

When air exchange and fan recirculation is not enough to cool your environment, consider an add-on misting system. Mist kits are available as poly rings or stainless steel crosses with 4 or 6 nozzles. The rigid construction of the stainless steel mist kits keeps nozzles perpendicular to the airflow for a consistent mist pattern. All models come completely assembled with nozzles, hose, and female hose connector. Mist Kits can be easily attached to any recirculation fan guard with cable ties.


6' Hose

0.7 GPH

Water Usage*:

4-Wav = 2.1 GPH6-Way = 4.2 GPH40 PSI Flow Rate

Be sure to add a sediment filter from page 32 or 33 to keep your system running smoothly





Item #	Description	Price	_
E4702P364	4-Way Poly Mist Kit	\$43.75	
E4702P366	6-Way Poly Mist Kit (Pictured)	\$61.50	
E4702S364	4-Way SS Cross Mist Kit (Pictured)	\$53.95	フ

^{*} Based on 40 PSI of Water Pressure

Spraying & Fogging Nozzles

Plastic spray & fogging nozzles are specially designed for adding humidity & cooling in livestock buildings, greenhouses, & other industrial applications. These conical 1/8" NPT with SS filter spray nozzles emit a round hollow wetting pattern and a fine mist.







Color	Inventory #	Approx. Flow Rate
Grey	D84808003	1.0 GPH
Blue	D84808008	1.5 GPH
Yellow	D84800M2P	2.0 GPH
Black	D84801202	3.0 GPH

Air Circulation

60" Agricultural Ceiling Fan

The CF60 Indoor/Outdoor ceiling fan provides a healthier, cooler environment for your plants and animals all year long. In the summer the fan creates a mild wind chill to gently cool. It vertically mixes warm stagnant air and disperses hot pockets which can be a breeding ground for germs and bacteria.



In the winter the fan prevents warm air from collecting in the rooftop and peaks to reduce condensation that drips down on animals, plants and bedding surfaces.

Throughout the year, CF60 ceiling fan dries litters and bedding, walls and floors. It continuously mixes air to save you money on heating and cooling bills. Continuous circulation dissipates ammonia, gasses and odors to keep the air not only cooler, but fresher too.

- Designed for high humidity and high moisture applications including poultry, swine, dairy, greenhouse and factories
- UL/CUL certified (File # E130543) for outdoor and agricultural use
- Passed UL/CUL water spray test and corrosion test
- Easily change fan from forward to reverse operation for upward or downward airflow by sliding the switch on fan
- Completely sealed motor and housing
- 115 Volts
- 16" grounded cord with 3-prong plug
- 10" down-rod (overall fan height is 21")
- High output curved steel blades
- Corrosion resistant white powder coated finish
- Energy efficient .74 amp motor uses less energy than a 100 watt light bulb.

Inventory #

L47020025

L47020050

L47020100

L47020150

Deluxe Basket Fan

- **Provides Constant Temperature**
- **Controls Flies**
- **Eliminate Condensation**
- **Reduces Heat Stress**
- Sealed Ball Bearings
- **Automatic Thermal Overload Protection**
- **Polyvinyl Coated Heavy-duty Guard for Superior Corrosion Resistance**
- **Guard Designed For Maximum Safety**



PROVIDES YEAR-ROUND AIR CIRCULATION! **Motors have 2 YEAR WARRANTY**

20" 1/3HP Motor **Dual Voltage Produces** 3340 Thrust CFM \$220⁰⁰

1/2HP Motor **Dual Voltage Produces** 5370 Thrust CFM \$265⁰⁰

E4702DB20

E4702DB24

30" Basket Fan Also Available

Variable Speed Ceiling Fan Controls

Control up to 12 fans on one control

Fan Count Max. Amps Price 2 Fans 2.5 Amps \$23.95 \$35.95 4 Fans 5.0 Amps \$64.95 8 Fans 10.0 Amps 12 Fans 15.0 Amps \$103.25



\$145²⁵

\$230⁰⁰

\$270⁰⁰

Barn Stormer

- Provides constant temperature.
- Reduces heat stress.
- Lowers maintenance cost up to 75%.
- Variable speed motors (except 36") for year around air circulation.
- **Epoxy coated front and rear guards.**
- Comes with ceiling/rafter tilt mount bracket.
- 115/230 volt single phase (3 phase available in 36")
- Special design guards allow more air flow through fan than other guards.

12" BARNSTORMER E4702BS12 970 Thrust CFM

20" BARNSTORMER E4702BS20 3650 Thrust CFM

24" BARNSTORMER E4702BS24 5250 Thrust CFM

36" BARNSTORMER E4702BS36 9880 Thrust CFM

\$33000

20"	Replacement Blades	\$ 52.95 B4702BL20
	•	\$ 64.25 B4702BL24
36"	Replacement Blades	\$91.75 R4702BI 36

PVC Fan Blades

Sizes from 8" up to 52"

· High Efficiency

- · Corrosion Resistant
- · Light Weight Yet Extremely Tough

Die Cast Aluminum Hub

Many more Fan Blades Available! Please Call Toll Free 1-800-642-1222 with your Motor HP, RPM, Shaft Size, & Fan Diameter

Blade Diameter	Motor RPM	Motor HP (min)	Shaft Size	# of Blades	Pitch	CFM (.125 SP)	Price	Inventory #
8	3450	1/10	5/16	3	45	550	\$37.75	B154508454
8	3450	1/10	3/8	3	45	550	\$37.75	B154508453
10	3450	1/6	5/16	3	45	1100	\$37.75	B154510454
10	3450	1/6	3/8	3	45	1100	\$37.75	B154510453
12	1700	1/12	1/2	3	35	1150	\$41.95	B154512351
12	1700	1/6	1/2	6	45	1650	\$44.99	B154512451
16	1700	1/6	1/2	3	30	2050	\$41.99	B154516301
16	1700	1/3	1/2	3	45	2900	\$37.75	B154516451
18	1100	1/3	1/2	6	45	3200	\$44.99	B154518458
18	1700	1/3	1/2	3	45	3900	\$40.50	B154518451
18	1700	1/3	5/8	3	45	3900	\$37.75	B154518452
20	1700	1/3	1/2	3	35	4200	\$44.99	B154520351
24	1100	1/3	1/2	4	40	5000	\$58.50	B154524401
24	1100	1/3	5/8	4	40	5000	\$58.50	B154524402
24	1100	1/2	1/2	4	45	5600	\$58.50	B154524451
24	1100	1/2	5/8	4	45	5600	\$58.50	B154524452

The high efficiency BVS20 HAF Fan can produce up to 6,100 Free Air CFM at max speed and can lower your yearly energy cost up to \$250 per fan! Easiliy adjust variable speed performace to provide exact airflow levels. Control the speed with any 0-10 volt signal, it's compatible with many different

- 30-70% more efficient than competing 20" HAF Fans
- Industrial grade, IP55 sealed motor
- Easy to open guard for quick cleaning
- Designed for damp or wet environments
- 100% serviceable
- 2 Year warranty
- 1/3 HP 115/208-277 VAC Motor

Dual Area Fan Controller

- Adjust entire room airflow with a simple dial adjustment
- Easy to install & operate
- Control up to 32 fans on 1 control



Breeza Industrial BVS HAF Fans

Permanent Magnet EC Technology

greenhouse control systems or the Breeza Industrial Dual Area Control (sold separately).







CALL AGRISAISS Inc. FOR YOUR SPECIAL MOTOR NEEDS!

Airstream Replacement Fan Motors

Features:

- 1/3 Horsepower
- 56 Frame
- 1/2" x 3" Shaft
- 1.80 FLA @230V
- 115/230 Volt
- Auto Overload
- 1.15 Service Factor
- Variable Speed Capable

Fits APP-18 Fans

Call • 1725 RPM

A27857432

Fits APP-24 Fans

• 1140 RPM





Features:

- 1/2" x 2 1/2" Shaft
- 1.75 FLA @230V
- 115/230 Volt
- Auto Overload
- Totally Enclosed Air Over
- Variable Speed Capable

Motor Mounts Also Available

Aerotech Replacement Fan Motors

Fits 18" Aerotech Exhaust Fans • 1/3 Horsepower • 1625 RPM

> Fits 24" Aerotech **Exhaust Fans**

• 1075 RPM



Call

A27857409





- 3/8" or 5/16" Diameter Shaft
- Bluffton Motor Works
- 1/6 Horsepower
- 3450 RPM
- Rigid Base
- 36 Frame
- 230 Volts PSC
- Variable Speed Capability

For 5/16" Shaft A27857456 For 3/8" Shaft A27857406





Call for

Pricing





1/2 HP Fits J&D Mfg, Schaefer, & Other 24" Fans

1/3 HP Fits J&D Mfg, Schaefer, & Other 20" Fans

• 115/230 Volt • 1725 RPM



LEESON

1/2 HP with 5/8" Shaft



1/3 HP with 1/2" Shaft

Call A52103822

• TEAO



1/2 HP

A27857416

56 Frame w/ 5/8" Shaft

115/230 Volts

Auto Overload

3.6 Amps F.L. 230V Variable Speed Capability

Fits AP's APP-36 Fan

Call for

Pricing

Fits many 36" **Direct Drive Fans**

36" Pedestal Fan Replacement Motor

- · Leeson Electric
- · 1/2 HP 825 RPM
- · 5/8" Shaft
- · Yoke Mount
- · Internal Capacitor to fit into guard mount fans

*Fits most 36" Pedestal Fans

\$210°° A52104016





FOR ALL YOUR MOTOR NEEDS! AGRIsales inc. CALL TOLL FREE! 1-800-642-1222

Century Farm & Agriculture General Purpose Motors

Designed to withstand the daily wear and tear of the farm and agriculture industry which reuquires equipment and products to be durable, reliable, and increase productivity. The Century® line of general purpose farm duty motors are engineered with reliability for the hard-working people who simply can't afford down-time in their demanding farming applications.

High Torque • Single Phase • TEFC • Rigid Base

Features:

- Ball bearing
- · Low temperature manual reset thermal protector
- Totally enclosed & fully gasketed for dirty environments
- Condensate drains
- Shaft slinger
- UL recognized & CSA certified

Catalog #	HP	RPM	Frame	Shaft Dia x Length	Weight (pounds)	Voltage	Amps (115/230)	Overall Length	Price
C311V1 •	1/2	1725	56	5/8 x 1.88"	28	115/230	7.2/3.6	12.24"	\$245.00
C312 •	3/4	1725	56	5/8 x 1.94"	32	115/230	10.4/5.2	12.61"	\$310.00
C313 •	1	1725	56	5/8 x 1.94"	36	115/230	12.0/6.0	13.36"	\$345.00
C314 o	1 ½	1725	56	5/8 x 1.94"	42	115/230	15.0/7.5	13.86"	\$395.00
C319V1 _o	2	1725	56HZ	7/8 x 2.25"	47	230	9.0	15.61"	\$450.00



Extra-High Torque • Single Phase • TEFC • Rigid Base

Features:

- · High starting torque
- Removable condensate drain plugs
- Reversible
- Manual reset thermal protector
- UL recognized & CSA certified Corrosion resistent parts

Catalog #	HP	RPM	Frame	Shaft Dia x Length	Weight (pounds)	Voltage	Amps (115/230)	Overall Length	Price
K102V2 ±	1	1745	143T	7/8 x 2.31"	38	115/230	14.6/7.3	14.23"	\$360.00
K103V1 E	1 ½	1725	145T	7/8 x 2.25"	42	115/230	16.2/8.1	14.32"	\$420.00
K204M2 □±	2	1740	182TZ	7/8 x 2.81"	77	115/230	24.0/12.0	14.46"	\$620.00
K300M2 E◊	5	1725	215TZ	1 1/8 x 3.50"	135	230	26.0	19.13"	\$920.00
K301M2 E◊	7 ½	1740	215TZ	1 1/8 x 3.50"	136	230	38.0	19.13"	\$1160.00
K302M2 E◊	10	1730	215T	1 3/8 x 3.50"	145	230	39.0	19.13"	\$1380.00



- E Energy Saver Design
- 1.25 Service Factor
- Capacitor Start / Capacitor Run
- ± Capacitor Start / Induction Run

48" & 50" Belt Drive Fan Motor

- 56 Frame, 115/230V, 60Hz
- 5/8" Shaft
- · Single Phase
- TENV
- · Capacitor Start/Run
- Automatic Overload Protection
- · Rigid Base

1 1/2 HP \$380.00

A4702VR15



FARM DUTY Motors from



- ► GENERAL PURPOSE ► SINGLE PHASE
- ► TOTALLY ENCLOSED FAN COOLED

Heavy Duty **LEESON** Motors designed specifically for severe **Farm Duty** applications.

Mechanical Features: Gasketed capacitor housing and conduit boxes provide protection in all environments. Double shielded ball bearings pre-lubricated with Shell Dolium R grease having operating temperature range of -40° to 320°F and special formulation to provide extra long life and moisture resistance. Shaft finger for extra bearing protection. Rubber boot or gasket with manual protector provides weather protection.



S.F.

HIGH TORQUE — RIGID BASE — SINGLE-PHASE MOTOR

Catalog Number	H.P.	RPM 60Hz	NEMA Frame	Shaft Diameter	Weight	Voltage	Overload Prot.	F.L. Amps 230 V.	"C" Dim. in Inches	Price
113256	1/,	1725	C56	5/ "	24	115/208-230	Man.	3.2	10.81	\$350.00
110086	1/,	1725	C56	5/ຶ″	25	115/208-230	Man.	4.4	10.81	315.00
110087	3/4	1725	D56	5/ "	28	115/208-230	Man.	5.4	11.31	380.00
110088	1	1725	E56	5/ "	31	115/208-230	Man.	7.0	11.31	420.00
110089★□	11/,	1725	H56H	5/8"	41	115/208-230	Man.	8.6	13.31	510.00
113938■	11/,	1725	56HZ	7/ "	42	115/208-230	Man.	8.6	14.25	515.00
110090★■	2	1725	56HZ	7/8"	48	230	Man.	9.2	14.25	580.00
131541	2	1740	GX182T	11/8"	67	115/208-230	Man.	12.4	13.47	730.00
131542₩	3	1740	J184T	11/8"	99	230	Man.	19.0	15.47	815.00
131543★₩	5	1740	L184T	11/8"	106	230	Man.	23.0	16.47	1000.00

EXTRA HI-TORQUE — RIGID BASE — SINGLE-PHASE MOTOR

Catalog Number	H.P.	RPM 60Hz	NEMA Frame	Shaft Diameter	Weight	Voltage	Overload Prot.	F.L. Amps 230 V.	"C" Dim. in Inches	Price
141433★₩	5	1800	215T	13/8"	148	230	Man.	29.0	21.09	\$1220.00
141432★₩		1800	215TZ	1 ¹ / ₈ "	148	230	Man.	29.0	21.09	1220.00
141434★₩	$7^{1}/_{2}$	1800	215T	$1^{3}/_{8}^{"}$	152	230	Man.	33.6	21.09	1375.00
141427★₩		1800	215TZ	11/8"	159	230	Man.	33.6	21.09	1375.00
140414≉₩	10	1740	L215T	13/8"	156	230	Man.	40.0	20.71	1660.00

- Combination 56HZ base has mounting holes for NEMA 56 and 143-5T and a standard NEMA 145T frame shaft of 7/, "diameter.
- Combination 56H base has mounting holes for NEMA 56 and 143-5T and a standard NEMA 56 frame shaft.
- ❖ These 825 and 1075 RPM motors suitable for single speed operation only. * Capacitor start/capacitor run design for reduced amperage, others are capacitor start/induction run.
- ♦ UL recognized (file E57955) and CSA recognized.

Farm Duty Motors

Special Application Agriculture Totally Enclosed Fan Cooled (TEFC) Agri Duty High Torque Single Phase **Electric Motors**

For powering agitators, augers, compressors, conveyors, feeders and hay hoists. High torque motors are used on barn cleaners, manure pumps and silo unloaders.

- Class F Insulation (140-210 Frame)
- 40°C Ambient, Continuous Duty
- Reversible Rotation
- F1 Assembly
- Steel Frames & Steel Welded Based (140-210 Frame)
- Manual Reset Thermal Overload Protector
- Steel Fan Cover & Conduit Box
- Non-Regreasable Double Shielded Bearings • Shaft Slinger (140-210 Frame)
- Capacitor Start-Capacitor Run (3-10 HP)
- Low Temperature Grease



				Ü		
FD12CM2P	1/2	56	5/8"	115/230	1.15	\$190.00
FD34CM2P	3/4	56	5/8"	115/230	1.15	\$235.00
FD1CM2PZ	1	56H	5/8"	115/230	1.15	\$240.00
FD32CM2PH	1 1/2	56H	5/8"	115/230	1.15	\$300.00
FD2CM2PHZ	2	56HZ	7/8"	115/230	1.00	\$320.00
FD2CM2P18	2	182T	1 1/8"	115/230	1.00	\$460.00
FD3CM2K18	3	184T	1 1/8"	230	1.00	\$499.00
FDU3CM2K18*	3	184T	1 1/8"	230	1.15	\$595.00
FD5CM2K18	5	184T	1 1/8"	230	1.00	\$665.00
FDU5CM2K18*	5	184T	1 1/8"	230	1.15	\$685.00
FDU7CM2K21Z*	7 1/2	215TZ	1 1/8"	230	1.15	\$995.00
FD7CM2K21	7 1/2	215T	1 3/8"	230	1.00	\$915.00
FD10CM2K21	10	215T	1 3/8"	230	1.00	\$1050.00
FDU10CM2K21*	10	215T	1 3/8"	230	1.15	\$1230.00

^{*} Indicates Ultra High Torque Motor

VENTILATION FAN MOTORS

These fan duty motors are totally enclosed resilient base designed for fan use. Many made for variable speed applications.



Single Phase — **Permanent Split Capacitor**

Catalog Number	H.P.	RPM 60 Hz	NEMA Frame	Weight	Voltage	Overload Prot.	F.L. Amps 230 V.	"C" Dim. in Inches	Price
Number		00 HZ	riaille			Piot.	230 V.	III IIICIIes	
X030	1/4	1625	L48Z*	19	115/230	Auto.	1.6	11.13	\$225.00
X031 X028	1/3	1625 1075	L48Z* L48Z*	22 24	115/230 115/230	Auto. Auto.	1.9 1.8	11.13 11.13	255.00 240.00
111321□	1/2	1075	G56HZ ∗ ❖	36	115/230	Auto.	3.0	13.56	405.00
111322🗇	3/4	1075	G56HZ∗ ∻	36	115/230	Auto.	4.0	13.56	490.00
PD6104AV2	1	1625	G56	41	115/230	Auto	4.4	12.81	465.00

- ☐ Combination 56H base motors have mounting holes for NEMA 56 and NEMA 143-5T and a standard NEMA 56 shaft.
- These 825 and 1075 RPM motors suitable for single speed operation only.
- The usable shaft of this motor is 3/4" longer than NEMA standard to accommodate fan on shaft mountings. 48Z is 1/3" diameter by 2 1/4". 56Z is 5/, "diameter, 2 5/," long. All have 1" extended through bolts, except Catalog Numbers 100805 and 100806 which are extended 1/.".
- UL recognized (File F57955) and CSA recognized.

CENTURY FAN DUTY MOTORS

Call Toll Free 1-800-642-1222 Fax Your Order 1-402-665-2401

> **Check our Web Specials!** www.agrisales-inc.com

- Single Phase
- Permanent Split Capacitor
- Totally Enclosed
- Air Over
- Cushion Base



Century Motors Check These Prices!

Catalog Number	HP	RPM	Frame	Shipping Weight	Auto Overload	F.L. Amps 110/230 V	Price
CO42	1/4	1800	K48Z	19 lbs.	3	3.4/1.7	\$205.00
CO45	1/4	1200	J48Z	16 lbs.	3	4.6/2.3	220.00
CO43	1/3	1800	K48Z	20 lbs.	3	3.8/1.9	225.00
CO46	1/3	1200	K48Z	18 lbs.	3	5.4/2.7	235.00
* CO44	1/2	1800	L48Z	24 lbs.	3	5.0/2.5	240.00
* CO47	1/2	1200	K48Z	23 lbs.	3	7.2/3.6	225.00

^{*1/2}HP on 48 frame

DIRECT DRIVE AUGER MOTORS

Prime Direct Drive Auger Motors

	Catalog	HP	RPM	Voltage	Full Load Amps	Frame	Shaft	SF	Price
Ī	A10500050	1/2	1725	230	2.8	56Y	1/2"	1.20	\$210.00
ı	A10500075	3/4	1725	230	4.25	56Y	1/2"	1.20	\$220.00
ı	A10500100	1	1725	208-230	5.0	56Y	5/8"	1.20	\$250.00
Į	A10500150	1 1/2	1725	230	7.1	56Y	5/8"	1.20	\$285.00



Flex-Flo Replacement Motors

Newly improved feed motors have been overhauled and tailored for easier use, more power and increased reliability.

- Improved starter switch in all single phase motors
- Bleed resistors added to all single phase motors with capacitors
- Improved centrifugal actuator added
- New 2 year warranty



50/60 HZ • 115/208-230 V • Single Phase • 1725 RPM @ 60 HZ

Part #	HP	Amps 115/230V	Shaft Diameter	Weight (lbs)	Price
FLX-5249	1/3	5.2/2.6	1/2"	25	\$325.00
FLX-5250	1/2	8.0/4.0	1/2"	35	\$335.00
FLX-5251	3/4	10.6/5.3	5/8"	38	\$380.00
FLX-5252	1	10.8/5.4	5/8"	39	\$405.00
FLX-5253	1 ½	13.2/6.7	5/8"	45	\$490.00

Note: New 3/4 HP motors now use a 5/8" pinion gear. Old 1/2" pinion gear will not work with new 3/4HP motors

Replacement Pinion Gears

Part #	System	Teeth	Diameter	Price
FLX-3781	AP	15	1/2"	\$32.50
FLX-4275	AP	14	1/2"	\$25.75
FLX-4276	AP	14	5/8"	\$27.95
FLX-4542	AP	14	5/8"	\$33.75
3249	Chore-Time	18	1/2"	\$20.50
5046	Chore-Time	21	1/2"	\$27.95
6104	Chore-Time	21	5/8"	\$27.50





US Motors Direct Drive Auger Motors

Replacement motors for livestock & Poultry feed auger drive systems. Stub shaft on ODE allows for manual turning of the auger.

- Totally Enclosed Fan Cooled
- Class B Insulation
- Manual Reset Thermal Overload Protector
- 2 Year Warranty
- Reversible Rotation



Catalog	НР	RPM	Voltage	Full Load Amps	Frame	Shaft	SF	Price
A10503605	1/2	1800	115/230	8.6/4.3	56Y	1/2″	1.00	\$230.00
A10503607	3/4	1800	115/230	10.6/5.3	56YZ	1/2″	1.00	\$255.00
A10503610	1	1800	115/208-230	12.8/6.5	56Y	5/8"	1.00	\$295.00
A10503615	1 1/2	1800	115/230	16.2/8.1	56Y	5/8"	1.15	\$345.00

Call Toll Free 1-800-642-1222

Accu-Link® Link Belt

Accu-Link is Jason Industrial's link belt, created and developed as an alternative to classical rubber V-belts. Jason Industrial's Accu-Link combines superior strength and durability with guick and easy assembly and installation. The original concept is to give a fast replacement to classical V-belts in case of a break. Today, Accu-Link is used in a wide range of applications on original equipment.


Accu-Link is a link belt: this means it is made of several assembled links. Thanks to this, belts can be any length just by modifying the number of links.


Links are made with a polyurethane material, reinforced by a multilayer woven polyester fabric. State-of-the-Art manufacturing produces a high-quality link design which yields superior performance. Accu-Link is precision ground for a smooth side edge and section, which leads to a smooth, silent, low vibrating belt.





²¹/₃₂" 5L

V-Belt Sheaves

















Fixed Bore, Stock Sizes

For Both 4L ("A") and 5L ("B") V-Belts



S5512AL58

per ft.

ONE GROOVE

Sheave	O.D.	P.D. in.	Туре	L		Sta	ndar	d Bo	re (i	n.)
	inches	A Belt			1/2	5/8	3/4	⁷ / ₈	1	11/8
MA20	2.0	1.8	1	1 ³ / ₈	Χ	Χ	Χ	Χ		
MA23	2.3	2.1	1	1 ³ / ₈	Χ	Х	Х	Χ		
MA25	2.5	2.3	2	1 ¹ / ₄	Χ	Х	Х	Χ	Χ	
MA28	2.8	2.6	2	1 ¹ / ₄	Х	Х	Х	Χ	Χ	
MA30	3.0	2.8	2	1 ¹ / ₄	Х	Х	Х	Χ	Χ	Χ
MA35	3.5	3.3	2	1 ¹ / ₄	Х	Х	Х	Χ	Χ	Χ
MA40	4.0	3.8	2	1 ¹ / ₈	Х	Х	Х	Χ	Χ	Χ
MA45	4.5	4.3	2	1 ¹ / ₈	Χ	Χ	Χ	Х	Χ	Х

ONE	GROC)VE
	l	l

Sheave	0.D.	P.D. in.	Type	L		Star	ndar	d Bo	re (ir	1.)
	inches	B Belt			1/2	5/8	3/4	⁷ / ₈	1	11/8
MB25	2.5	2.2	5	1 1/2	Χ	Χ	Χ	Х	Χ	Χ
MB28	2.8	2.5	6	1 ³ / ₈	Х	Х	Х	Х	Χ	Х
MB30	3.0	2.7	6	1 3/8	Х	Х	Х	Х	Χ	Х
MB35	3.5	3.2	6	1 ³ / ₈	Х	Х	Х	Х	Χ	Х
MB40	4.0	3.7	6	1 1/4	Х	Х	Х	Х	Χ	Х
MB45	4.25	4.2	6	1 ¹ / ₄	Х	Х	Х	Х	Χ	Х

TWO GROOVE

		y V L								
Sheave	O.D.	P.D. in.	Туре	L	Standard Bore (in.)					
	inches	A Belt			1/2	5/8	3/4	⁷ / ₈	1	11/8
2MA20	2.0	1.8	3	2 1/16	Χ	Χ	Χ			
2MA23	2.3	2.1	3	2 1/16	Χ	Х	Х	Х		
2MA25	2.5	2.3	4	1 11/16	Χ	Х	Х	Х	Χ	Х
2MA28	2.8	2.6	4	1 11/16	Χ	Х	Х	Х	Χ	Х
2MA30	3.0	2.8	4	1 11/16	Х	Х	Х	Х	Χ	Χ
2MA40	4.0	3.8	4	1 ⁵ / ₈	Х	Х	Χ	Х	Χ	Х

TWO GROOVE

1 11 0		O V E									
Sheave	0.D.	P.D. in.	Туре	L	L Standard Bore (in.)						
inches	B Belt				1/2	5/8	3/4	⁷ / ₈	1	11/8	
2MB25	2.5	2.2	7	2 5/16	Χ	Χ	Х	Χ	Χ		
2MB28	2.8	2.5	8	1 15/ ₁₆	Χ	Χ	Χ	Χ	Х	Χ	
2MB30	3.0	2.7	8	1 15/ ₁₆	Χ	Χ	Χ	Χ	Х	Χ	
2MB35	3.5	3.2	8	1 ⁷ / ₈	Χ	Χ	Χ	Χ	Х	Χ	
2MB40	4.0	3.7	8	1 ⁷ / ₈	Χ	Χ	Χ	Χ	Х	Χ	
2MB47	4.5	4.2	8	1 ⁷ / ₈	Х	Χ	Χ	Х	Х	Х	

CONTROLS: FOR HEATING, COOLING, **OR TWO-SPEED MOTORS**

PECOTH 109

for 2-speed cooling

- Heating & Cooling
- Rugged, weatherproof control
- Corrosion resistant materials for lona life
- Meets the requirements of UL, CSA, NEMA 4X
- 40° to 100°F
- Features 2, SPDT switches to support a variety of applications

\$**86**⁵⁰

L6360H109

PECO

sunne

\$**44**⁷⁵

EASY TO INSTALL & WIRE!

PECO

Thermostat

TF 115



- Norel case
- Heating or cooling
- UL approved
- Stainless steel coil
- Top, side, and rear knockouts
- Exterior mounts
- 40°-100°
- 21/2° differential
- Isolated wiring compartment
- Nema 4X
- Measures $2^{7}/_{o}$ " x $4^{7}/_{o}$ " x $2^{1}/_{o}$ " plus coil & mounts

Buy your TF115 Pre-Wired with an 8' Piggyback Cord

Heating L6360F115H Cooling L6360F115C

\$**64**⁷⁵



Tempro TP518 Single Stage Thermostat

The TP518 Line Voltage Thermostats are designed for reliable use in heating, ventilating and refrigeration applications. Made with a high strength plastic enclosures that are NEMA 4X rated, and may be mounted indoors or outdoors. They are protected from rain and may be washed down with a hose but must not be exposed to standing water or be submeraed

Heating or Cooling 30° to 110° F 3.5° differential 3 Knock-outs for 1/2" connections Wire Leads 67/8" x 3 3/32" x 2 7/8"

Amp Rating 120/240V: 16/12 Inductive

\$36⁷⁵ L7280P518



The TH415 Thermostat provides precise control of heating, cooling, and ventilation systems. A 316 SS sensing coil is mounted on the side of the watertight plastic enclosure. Adjustable dial allows for easy re-calibration.

The TH415 has a fast responding stainless steel sensor, with a 2.5° differential, is corrosion resistant, and has a temperature range of 40-104° F. The TH415 Single Stage Thermostats have simple calibration in field.

21

8' Piggyback Cord



- 16/3 SJTW Wire
- 13 Amps
- 125 Volt
- Temp Rating 105° C

\$12²⁵

N5500PB10

Single Stage Digital Temperature Control

- 120 or 208/240 VAC, 50/60 Hz
- -30°F to 220°F temperature range
- 1° F to 30° F Differential Range
- SPDT Switch Action (Heating or Cooling)
- LCD readout of sensor temperature, control settings, relay status and onboard diagnostics
- User-selectable Fahrenheit/Celsius scales
- Lockout switch to prevent tampering by unauthorized personnel
- NEMA Type 4X enclosure rated watertight for outdoor applications

L4702C141

2 stage

L4702C241

VARIABLE SPEED FAN & HEATER CONTROLS

PHASON FC-1VAC

Manual Speed Control

An inexpensive control for variable speed fans or heat lamps.

The Manual Speed Control is a simple and effective way to control fan motors. The FC-1VAC allows you to manually adjust the speed of ventilation or heating equipment.

The FC-1VAC can also be used as a light dimmer for brooder heat lamps and can power up to five 250-watt lamps.

The FC-1VAC is ideal for poultry, livestock, greenhouse, or light industrial buildings.

FEATURES

- One variable output
- ON/OFF switch
- Adjustable HIGH/LOW settings
- Overload protection fuse



Replaces MSC-4

Single Stage Control SSC-1D

Simple, low-cost fan or heater control

The Single Stage Control automatically controls the temperature in a room by switching fans, lamps, or heaters on or off as the temperature drops below or exceeds the temperature set point.

- One solid-state relay
- Adjustable temperature set point, range: 32 to 99°F (0 to 37°C)
- Overload protection fuse
- NEMA 4X enclosure
- CSA approval
- 2 year warranty

K7018SSC1



VTC-1D

DESCRIPTION

The VTC-1D is a microprocessor based temperature control that automatically controls temperatures by varying ventilation fan speeds. The control can be internally adjusted to leave the fan idling or to shut off the fan when the temperature falls below the temperature set. The shut off temperature is adjustable (Off-Set-Back).

FEATURES

- Non-corrosive, moisture resistant enclosure
- 115/230 Vac operation
- 10 Amp Variable Speed output with a Radio Frequency Interference Filter
- Fused Overload and Transient Protected
- Extendable Temperature Sensor
- Temperature Setting Adjustable from 32°-99° F
- 3 Second Full Power Turn On minimizes fan motor ice-up
- Temperature Displayed in Fahrenheit or Celsius
- Adjustable Differential (1°-20° F)
- Adjustable Idle (0-99% of line voltage)
- Adjustable Off-Set-Back (0°-16° F)
- Displayed Trouble Shooting Codes Settings can be viewed on Display

\$280°° K70180412

YEAR LIMITED WARRANTY

Phason FC-1T-1VAC Variable Stage Control

The FC-1T-1VAC allows you to automatically control ventilation fans according to the ambient temperature.

When the temperature is at the temperature set point, the FC-1T-1VAC operates the fans at the idle speed setting.

When the temperature exceeds the set point, it increases the speed.

When the temperature increases 6°F above the set point, it increases the speed to maximum. When the temperature drops below the set point, it shuts off the fans (in shut-off mode), or operates the fans at the idle speed (idle mode).

The FC-1T-1VAC is ideal for poultry, livestock, greenhouse, or light industrial buildings.

- One variable speed output
- Adjustable temperature set point, range: 40 to 90°F (4 to 32°C)
- Fixed 6°F temperature differential
- Automatic shut-off and idle modes
- Off set-back of 2°F for shut-off mode Adjustable idle speed for automatic mode
- One-foot temperature sensor, extendable to 500 feet
- Overload protection fuse
- NEMA 4X enclosure (Corrosion-resistant, water-resistant, and fire-retardant)
- CSA approval

Specifications & Ratings:

Incoming power: 120/230 VAC, 60 Hz Variable stage fuse: 15 A, 250 VAC ABC-type ceramic Variable stage:

10 A at 120/230 VAC, general-purpose (resistive) 7 FLA at 120/230 VAC, PSC motor 1/2 HP at 120 VAC, 1 HP at 230 VAC, PSC motor

K7018FC4C

Replaces MTC-4C

FHC-1D



FEATURES

- Non-corrosive, moisture resistant enclosure
- 115/230 Vac operation
- 10 Amp Variable Speed output with a Radio Frequency Interference Filter
- **Fused Overload and Transient Protected**
- Heater Interlock Relay 4.4 FLA/120 VAC, 2.2 FLA/240 VAC
- **Extendable Temperature Sensor**
- Heat on at 2 degrees below Temperature Set Point
- 3 Second Full Power Turn-On Minimizes Fan Motor Ice-Up

The FHC-1D automatically controls temperatures by varying the speed of ventilation fans and controlling heating systems.

 Temperatures Displayed in Fahrenheit or Celsius

- Adjustable Differential (0°-20° F)
- Adjustable Idle (0-99% of line voltage)
- Adjustable Off-Set-Back (0°-16° F)
- **Displayed Trouble Shooting Codes**
- Settings Viewable On Display

AGRIsales inc

Controls

Full Line of Parts & Accessories

Heavy-Duty Staged Environment Control

A five-stage control with inlet actuator capability

The Heavy-duty Staged Environment Control (SEC-HD) automatically controls the temperature in a room by operating two variable speed fans, and up to three single-speed fans or heaters. To control the temperature, the SEC-HD operates the connected ventilation and heating equipment according to programmed settings.

Easy to use and program:

The SEC-HD comes with seven factory-configured operating programs you can easily reconfigure for your ideal situation. The easy-to-use keypad and menu system make the SEC-HD one of the easiest controls to program. The control's advanced and powerful features are never more than a few keystrokes away.

2 YEAR LIMITED

WARRANTY

0000

\$615⁰⁰

K7018SEC1

- Automatic temperature-based control
- Two variable cooling stages for controlling fans
- Three general-purpose relays (heat or cool)
- One alarm relay (for external alarm system or siren)
- Customizable alarm settings
- Minimum and maximum temperature logging
- Four-digit LED display and individual stage LEDs
- Error code display for troubleshooting Ventilation disable option
- Manual override/test mode
- · Power-failure settings protection
- Three-second full-power-turn-on for minimizing fan ice-up
- Overload protection fuses
- Temperature probe; 30 feet, extendable to 500 feet
- Easy System compatible—use the optional SEC-HD Updater to update firmware, or the SEC-HD Saver to save or store settings and configuration
- Rugged enclosure (corrosion resistant, water resistant, and fire retardant)

Phason Easy System

Easy to program, easy to use

Easy System combines easy-to-use and intuitive software with a programmer that allows you to read and write from Phason Memory Savers. Memory Savers allow you to store and transfer information guickly and conveniently from control to control. They also allow you to restore configuration and settings at any time.

Available for HMC, PEC, PEC Plus, SEC-DC, SEC-HD &TVS Controls

Three Stage Control

The Three Stage Control (TVS) automatically controls the temperature in a room by operating two variable speed fans and a single-speed fan or heater.

Easy to use and program:

The Three Stage Control comes with seven factory-configured operating programs you can easily reconfigure for your ideal situation. The easy-to-use keypad and menu system make the TVS one of the easiest controls to program. The control's advanced and powerful features are never more than a few keystrokes away.

Versatility and peace of mind:

The TVS has a 30-foot temperature probe that monitors temperatures in a single zone. For more versatility, you can connect 4 temperature probes

together and use 4-zone averaging. Temperature probes are available in 1, 6, 30, 75, or 150-foot lengths; you can extend them up to 500 feet using extension cable.

\$430°°



PEC Plus-RS

Replacement Relays!

stage you are programming.

The Proportional Environment Control-PLUS-RS is designed to control ventilation equipment for a single room. The control automatically monitors and controls the temperature by operating ventilation equipment such as fans, heaters, inlet actuators, curtain machines, or other equipment according to your programmed settings.

The easy-to-use keypad and menu system make the PEC Plus one of the easiest controls to program. The PEC Plus' advanced and powerful features are never more than a few keystrokes away. The display shows the ambient temperature and any alarm messages. During normal operation, the status LEDs show when the stages are on. When in programming mode, the LEDs indicate which

The seven-step growth curve is a powerful feature that allows you to program the control to automatically adjust the temperature set points over time. This is an ideal feature for livestock facilities to use as animals grow and their temperature requirements change.

K7018SR52 Replacement Relay \$20.25 Each

Airstream Ventilation Controls

- Microprocessor based
- Temperature ramping allows you to adjust temperature as pigs get heavier
- CSA approved

- Fused outputs & surge protected
- 115/230 Volt
- New Larger NEMA 4X water resistant enclosure
- Sensors can be extended up to 500 foot

Model	Description	Price
TC5-2V2SA	2 variable, 2 on-off stages, alarm stage, display, humidity probe optional	\$1,100.00
TC5-2V4SA	2 variable, 4 on-off stages, alarm stage, display, humidity probe optional	\$1,320.00
TC5-1V6SA	1 variable, 6 on-off stages, alarm stage, display, humidity probe optional	\$1,305.00
TC5-1N4F1A	Power natural ventilation control, 1 variable, 1 on-off, 1 curtain, 1 mist,	
	1 heat, alarm stage, display, humidity probe optional	\$1,410.00
TC5-1N8FA	Power natural ventilation control, 2 variable, 1 on-off, 1 curtain, 1 timed	
	mist, 3 heat zone or cascade, alarm stage, display, humidity probe optional	\$1,975.00
TC5-T1A	11 stage power/natural/tunnel control, 1 variable, alarm stage, display,	
	humidity probe optional	\$2,255.00
PROBE	Temperature sensing probe with 30' cord	\$52.25
PROBE-S	Temperature sensing probe with 18" cord	\$31.75
L10024610	20/2 Shield Wire for extending probes	\$.36/foot







Thermocube

- No installation required
- Thermostatically controlled
- Works automatically to ambient temperature
- Saves money by using power only when temperatures require



Three models to choose from, each with different temperature ranges. Each unit has 2 receptacles for use with more than one electrical device.

TC-2: On at 20°F / Off at 30°F TC-3: On at 35°F / Off at 45°F

TC-21: On at 78°F / Off at 70°F

Spring Wound Timers

APPLICATIONS:

- Liahtina Ventilation
- Equipment Heating
- Fans Pumps
- Override Switch



✓ Spring Wound Timers turn circuits "off" at the end of a selected time period.

Spring Wound Timers are ideal for new installation or retrofit projects. Heavy Duty Switching; 20A at 125Volts.

0-15 minute	L7570SW15	\$37.75
0-60 minute	L7570SW60	\$37.75
0-2 hour	L7570SW02	\$45.50
0-6 hour	L7570SW06	\$45.50
0-12 hour	L7570SW12	\$45.50

Tork TU40 24 Hour Timer Multi-Voltage Input

Features:

- Automatic input voltage detection
- 24 hour real time clock face
- Captive Trippers
- Minimum setting: 15 Minutes
- 4 in 1 DPDT contacts include SPST, SPDT, DPST
- Load ON red LED indicator
- Power ON green LED indicator
- ON / OFF/ Auto switch

Multi-Voltage Input: 120/208-240/277VAC Power Consumption: 6VA Max Enclosure: Indoor/Outdoor NEMA 3R Motor Load:

1 HP @ 30 FLA 2 HP @ 20 FLA

40 Amp General Purpose Amp Rating



\$116⁷⁵

Tork DTU40 24 Hour Timer

TORK timers give you a simple way to control automation for your home or office. Accurate timekeeping and durable design make this a versatile timer for many applications.

- Universal Multi-Volt Timer: Control air conditioners, water heaters or pumps, signs, lamps, fans and other appliances in automated 24-hour cycles
- Easy to Use: Simple tab system lets the user program multiple on/off times in 15-minute increments or set the timer to an always-on state
- Designed for Convenience: Features automatic voltage detection, a real time clockface and universal compatibility (120-277 Volt) for maximum convenience
- Automate Your Home/Office: This timer repeats the programmed schedule every 24 hours, saving you time, money and the hassle of controlling your appliances
- Professional Performance: Rated for 120-277 volt, 60 Hz loads, including heavy-duty appliances or incandescent, compact fluorescent and LED lights

\$124⁹⁵



In-Wall Timer Switch

- Push button changes time ON setting LED indicator moves to new range as timer counts down
- No adjustments, just wire and use
- 120 Volt

Thermostats & Controls

10, 20, 30, & 60 Minute Timer 2, 4, 8 & 12 Hour Timer



980

Honeywell T775B2024

Easy-To-Use Graphical Interface — Operating the new T775 is as easy as operating your cell phone. The easy-to-use, intuitive programming will save you

Internal Time Clock Scheduler — The Setback and Disable Output options, controlled by the built-in scheduler or digital input, will help save energy during unoccupied times and give you more control of the equipment without needing to purchase an additional time clock.

Optional Configurable Integral And Derivative Times — Standard on every device, this feature delivers pinpoint control. PI or PID control on modulating outputs is set up by default to behave just like the previous T775 Series 1000, but now you can adjust reaction times and behavior, giving you more control.

Reset Models With Simplified Setup — Reset programming has never been easier. Simply enter the high and low control temperatures and the corresponding high and low outdoor temperatures, and you're done. As your outside temperature gets colder, the set-point temperature automatically adjusts to save

Configurable Minimum Off Time — If needed, setting a minimum off time can protect equipment and reduce the need for a separate time delay device. Sensor Calibration — Calibrate input sensors up to +/-10° F. This can be used to compensate for resistance drops in wire leads, to offset the input temperature for sensor location and more

- 4 SPDT Relays
- Floating Output Option
- NEMA 4X Enclosure
- 2 Sensor Inputs 1 Sensor Included
- 24 Vac or 120/240 Vac
- -40° to 248° F
- 8 5/32" High x 4 13/32" Wide x 2 15/16" Deep
- Replaces the T775C 1009



\$490°°

Tork® 1109A Multi-Voltage Time Switch

- Scheduling: Minimum ON setting is 20 minutes with a Minimum OFF setting of 75 minutes. Dial accommodates up to 12 pairs of trippers. One pair included.
- Manual Override: Until the next regularly scheduled ON or OFF time
- NEMA 3R Enclosure with clear Polycarbonate cover

Applications

- Lighting, pumps, signs
- Air conditioning, water heaters, fans
- Automatic ON/OFF control when operation is required at the same time every day

General Purpose Rating: 120/208-277 VAC 40A Operating Temperature: -40° F to 149° F Motor: 120VAC 2 HP | 240VAC 5 HP



AT Newell Repair Parts

Corrosive Environment Curtain Thermostat

The **T152-C** thermostat is designed to control curtain and/or inlet actuators on temperature. The moisture proof enclosure features a stainless steel sensor element specifically designed for the corrosive environments of confinement buildings.

Honeywell

T631G 1117

2 SPDT Heating and/or cooling

differential. Weatherproof Nema

cover. Standard equipment for all

35°-100° range with 2° fixed

4X enclosure. Set point thru

NEWELL machines.

Close-Out!

Switch

\$**11**⁷⁵

J10011775

\$249⁹⁹ L10021117

Raise-Off-Lower

AT Newell

Timer Motor



L5237152C

\$**14**⁵⁰

\$24²⁵

J10021572

\$113⁹⁵

Natural Ventilation Control NVC-2

The Natural Ventilation Control automatically controls the temperature in a room by operating a curtain machine and heater or furnace according to your programmed settings.

- Automatic temperature-based control Range: -13 to 125°F (-25 to 51°C)
- Programmable On and Off durations for the open and close relays 1 to 900 seconds (up to 15 minutes)
- Programmable Idle band 1.0 to 10.0°F (0.6 to 5.5°C)
- Programmable High and Low temperature alarms
- Two curtain relays (one open, one close)
- Heater control relay
- Alarm relay (for external alarm system) Four-button keypad
- Four-digit LED display
- Programming and status LEDs
- Manual override and test modes Power-failure settings protection
- Six-foot temperature probe, extendable to 500 feet

\$370°° K7018NVC2

> 2 Year **Limited Warranty**

Auto Door Switch



AT Newell Motor Sheave & V-Belt

AT Newell Limit Switch

\$6⁹⁵

J10021761

J10021351

J10021776

On/Off **Instant Reverse Curtain Motor Switch**

1/2 H.P. 1625 RPM Motor with **Auto Reset Thermal Protection**

A.T. NEWELL Original Equipment



A10021439



Pillow Block Bearing



\$**36**⁷⁵_{J10021292}

3/4"

25

AT Newell Reversing Relay

\$154⁷⁵ J10011558



GREATEST SELECTION OF CURTAINS EVER!



CALL US FOR SAMPLES OF OUR CURTAIN FABRIC!!

- All curtain material priced with one hem. Additional cost for each additional hem. Each hem reduces overall width by 3".
- Curtains are custom-made to length, available in widths ranging from 36" to 108". Available in either Single or Double hem.


CALL TOLL FREE! 1-800-642-1222



POLYLITE[®] SUPER 10 x 10

	_	_
STOCK	WIDTH	PRICE LINEAR FT
J72371036	3′	\$.70
J72371048	4′	.90
J72371060	5′	1.10
J72371072	6′	1.30
J72371084	7′	1.50


- 10 x 10 Thread Count Per Inch
- Up to 144 inch Widths Available
- 4.2 oz. Per sq.yd.
- UV Inhibitors Inside Fabric



Poly Econo

STOCK	WIDTH	PRICE LINEAR F
J72370836	3′	\$.55
J72370848	4′	.70
J72370860	5′	.75
J72370872	6′	.95
J72370884	7′	\$1.10


- 9 x 9 Thread Count Per Inch
- Up to 144 Inch Widths Available
- 4.0 oz. Per sq.yd.
- UV Inhibitors Inside Fabric



10 oz. White Vinyl

STOCK	WIDTH	PRICE LINEAR FT
J72378836	3′	\$1.45
J72378848	4′	1.90
J72378860	5′	2.35
J72378872	6′	2.80


- Polyester With a 9 x 9 Thread Count
- Extremely Tough
- Transmits Very Little Light
- UV Light Resistant



10oz. Frosted Vinyl

STOCK	WIDTH	PRICE LINEAR FT
J72379504	4′	\$2.10
J72379505	5′	2.60
172379506	6′	3 10


- 9.5 oz. per sq.yd.
- 9 x 9 Thread Count
- 60% Light Transmission



13 oz. Frosted Vinyl

STOCK	WIDTH	PRICE LINEAR FT
J72371304	4′	\$2.70
J72371305	5′	3.35
J72371306	6′	3.99

- 13 oz. Per Yard
- 9 x 9 Thread Count
- 50% Light Transmission



16 oz. Clear Vinyl

STOCK	WIDTH	PRICE LINEAR FT
J7237C164	4′	\$3.10
J7237C165	5′	3.80
J7237C166	6′	4.50

- 16oz. Per Yard
- 9 x 9 Thread Count
- 90% Light Transmission


CALL TOLL FREE! 1-800-642-1222 www.agrisales-inc.com

Curtain Accessories & Bird Control

Insulated Curtain

- ✓ 3-Layer Bubble Curtain with an R-Value of 3.4 2 Layers of Black/White Poly & 1 Layer 1/8" Bubble material
- New 4-Layer Bubble Curtain with an R-Value of 6.5 (estimated) 2 Layers of Black/White Poly & 2 Layers 1/8" Bubble material

Curtains are custom-made to length and specifications Call for Pricing and Details



Actual Size Shown 1" Hex Pattern 150 ft.

20 Gauge Galvanized Wire

– PVC Coated

only 64 lbs. \$180.00

5'x 150'roll 99 lbs. \$220.00

6'x 150'roll 118 lbs. \$265.00

J18150072

Strapping 300'ROLL

4' x 150' roll





\$**27**⁵⁰

50 3" x 60'

lengths

HH-66 Vinyl Cement

Bonds vinyl coated and laminated fabrics, plastics, metals, wood, and leather

HH-66 is the ultimate vinyl to vinyl cement. It is exceptionally strong, waterproof, and flexible. It does the job, permanently. With the brush top cans, HH-66 brushes smoothly, dries quickly, and is extremely efficient for repairing vinyl. Due to its outstanding resistance to temperature changes, oil, fuel, grease, and chemicals, HH-66 can be used on all your vinyl sidewall curtain repair needs.

8 oz Can	\$18.75
S70000008	

1 Pint Can \$25.99

1 Quart Can \$34.75

S70000032

1-800-642-1222

¹/₈"Rope

³/₁₆"Rope

\$25⁵⁰ J7237P018

\$**36⁷⁵** _{J7237P316}

¹/₄"Diamond Braid Nylon Rope

1000' SPOOLS

⁵54⁵⁰

J243914D

1/8" Non-Stretch Rope

- 1/8" Diamond Braid Polyester with Kevlar Core
- Economical and versatile
- Extremely low stretch
- · Resistant to Chemicals

1000' SPOOL

ONLY \$36⁵⁰

J2439NS18



Azuma Nut

65¢ J15501305 ¹/_o Blue **52¢** J₁₀₅₀₆₅₀₀ 1/_o Black

3/1, Black

48¢ J7237N316



Attaches curtain cord to cable. Easy to adjust as curtain cord will stretch.

Curtain Clip Attaches curtain cord to cable.

Clip is clamped onto cable then cord is tied into hole.





75¢ J1550CP72

Lexan Curtain Pull

Fits over curtain and conduit

without puncturing curtain,

Cable Cutters



- \$2717TR45 \$106.99 • Cuts cable up to 3/8" Diameter
- Tool length is 18"
- Extremely durable & sharp blade
- Cuts fine or coarse wire
- Made in Japan

Through Wall Pulley

- 3 1/2" cast iron sheave
- Use with cable up to 1/4"
- Deep groove
- Grease zerk for easy lubrication
- Heavy-duty 12 gauge zinc plated bracket \$1000 For through wall or end wall applications J6025TW35

RC-8 S2717TRC8 \$27.50

- Cuts cable to 3/16" diameter
- Durable and sharp blade made of high grade steel
- Made in Japan





STAINLESS STEEL

\$1.40 J_{1032SC18} \$1.55 J1032SC16

\$2.00 J1032SC14

\$2.15 J_{1032SC56}

Cable Clamps

GALVANIZED 20¢ J2740GC18 3/₁₆"

Lag Eye Screws

STAINLESS STEEL

\$1.20 S58601434 1/." x 3³/."

\$1.99 S58602151 5/₁₆" x 4"

ZINC PLATED

30¢ \$58602153 $^{7}/_{32}$ " x $2^{1}/_{16}$ 38¢ $^{1}/_{_{A}}^{"} \times 3^{3}/_{_{A}}^{"}$ S58602713

60¢ \$58605164 ⁵/₁₆" x 4"

30¢ J2740GC31 **Hand Winches**

800 lb.

\$21⁷⁵ 1400 lb. J60250800 \$40⁵⁰

J60251400 2500 lb.

\$**45**²⁵ J60252500

Pulleys

1000' Roll

\$145.00

\$200.00

\$270.00 \$355.00

\$505.00



³/₄" swivel pulley	28¢ J60250034
1 ¹ / ₂ " split bracket pulley	\$1.00 J60250112
1 ⁷ / ₈ " swivel pulley	82¢ J60250178
2 ¹ / ₂ " split bracket pulley	\$1.80 J60250212
3 ¹ / ₂ " pulley with eyebolt	\$4.75 J60250315
31/ "pulley with bearing	\$7.60 J6025B312

Galvanized and Stainless Steel Aircraft Cable

Extra Flexible 7x19 Construction

Designed for Industrial, Agricultural, and Marine Applications Stainless Steel Options is 304 Grade SS

	•					
Size	Inventory #	Finish	Per Foot	100'Roll	250' Roll	500' roll
1/8"	J2740G912	Galvanized	\$0.22	\$20.00	\$45.00	\$80.00
3/16"	J2740G918	Galvanized	\$0.28	\$28.00	\$68.00	\$125.00
1/8"	J2740S912	Stainless	\$0.35	\$30.00	\$80.00	\$160.00
5/32"	J2740S915	Stainless	\$0.50	\$50.00	\$100.00	\$195.00
3/16"	J2740S918	Stainless	\$0.65	\$60.00	\$140.00	\$270.00
1/4"	J2740S925	Stainless	\$1.10	\$95.00	\$220.00	
5/16"	J2740S931	Stainless	\$1.50	\$135.00	\$310.00	
3/8"	J2740S937	Stainless	\$1.90	\$180.00	\$440.00	



800-642-1222

Double Loop Chain

Trade Size	Wire Gauge	Wire Diameter	Length per 100 Links	Weight per 100 Feet*	Working Load Limit*	Break Test Load*
5	16	.062"	92	3.7	55	220
4	15	.072"	100	5	70	280
3	14	.080"	110	6	90	360
2	13	.091"	133	8	115	460
1	12	.105″	171	10	155	620
1/0	11	.120″	178	13	200	800
2/0	10	.135"	182	17	255	1020
3/0	9	.148″	219	20	305	1220

^{*} Indicates Pounds

3 1/2" Horizontal Pulley

- Heavy-duty zinc plated bracket
- Composite wheels will not corrode
- Self-lubricating
- 5/16" mounting holes
- Use with cable up to 1/4"
- For through wall or end wall applications



J6025HZ35

Inventory #	Material	Trade Size	Packaging	Price
J63551012	Bright Galvanized	#5	100'Box	\$25.25
J63551018	Bright Galvanized	#5	500' Box	\$117.25
J63552012	Bright Galvanized	#4	100'Box	\$20.00
J63553012	Bright Galvanized	#3	100'Box	\$30.00
J63553512	Stainless Steel	#3	100'Box	\$66.00
J63553014	Bright Galvanized	#3	200' Box	\$27.95
J63554012	Bright Galvanized	#2	100'Box	\$31.25
J63554025	Bright Galvanized	#2	250' Reel	\$78.50
J63551805	Stainless Steel	#2	400' Reel	\$310.00
J63555012	Bright Galvanized	#1	100'Box	\$27.75
J63555512	Stainless Steel	#1	100'Box	\$130.00
J63555025	Bright Galvanized	#1	250' Reel	\$105.00
J63556012	Bright Galvanized	1/0	100'Box	\$40.25
J63557012	Bright Galvanized	2/0	100'Box	\$50.00
J63557512	Stainless Steel	2/0	100'Box	\$160.00
J63558012	Bright Galvanized	3/0	100'Box	\$47.95



Lag Screw Hooks

Stainless Steel

7/32"x3 7/8" \$40904570 \$1.20 \$40904573 \$.75 1/8"x2 1/16"

Zink Plated 1/4"x4 1/8"

S40902152 42¢ 5/16"x4" S40901207



Quick Links

Thread locking Quick Links can be used in a variety of applications. Use them to repair a damaged chain or you can use them to connect hanging waterers to the ceiling. The 3/16" works well with the chain that comes in our HW08 Waterers found on page 34.



Size	Material	Load Limit	Inside Length	Inside Width	Maximum Opening	Item #	Price
1/4"	Zinc	880 lbs	1.81"	.51"	.29″	S2717QL14	\$0.60
3/16"	Zinc	620 lbs	1.52"	.48"	.242"	S2717QL31	\$050
1/8"	Zinc	220 lbs	1.16"	.325"	.21"	S2717QL18	\$0.32
1/4"	SS	1350 lbs	1.82"	.52"	.32"	S2717SQL1	\$1.95
3/16"	SS	600 lbs	1.16"	.407"	.268″	S2717SQL3	\$1.40

Aluminum Cable Stops

1/8" 10[¢]

J2740ST18

3/16"

J2740ST31



Sta-Kons

1/8" 3/16" **20**¢ 35¢

J10506181 J10506316



Aluminum Cable Sleeves

J2740AL18 Aluminum Sleeve 8¢ 3/16" J2740AL31 Aluminum Sleeve 8¢

Plastic Cap Curtain Nail

1 1/2" Long Ring Shank 2000 per Box

J7237PN01

100 Count Pack \$735

J7237PN02



Stainless Steel Pulleys

7/8" SS/Nylon Swivel Pulley \$.65 **1 7/8" SS/Nylon Swivel Pulley** \$1.30 J60258171 **1 3/8" SS Split Bracket Pulley \$2.50** J60258138

Made for the highly corrosive environment of livestock facilities









ORDER ONLINE: www.agrisales-inc.com

Gilmour Professional Grade Rubber Hose

Made with 100% virgin rubber, this hose resists kinks and maintains its high-durability performance season after season. The rubber hose can be used for both hot and cold water applications.

- · Double-cord knit reinforcement for commercial and hot water use (up to 180F)
- 400PSI burst strength maximizes hose life
- · Heavy-duty metal coupling with O-rings for a tigh durable seal
- Made with 100% virgin rubber for the highest quality performance
- Made in the U.S.A. and backed by a lifetime warranty

3/4" x 50'

\$7475

C30408385

Cash-Acme Pressure Regulator

- **✓** Compact
- ✓ Ideal for applications where small size & economy are important!
- For use where supply line inlet pressure does not exceed 300psi

CALL US TOLL FREE!! 1-800-642-1222

WITH YOUR INLET SIZE, DESIRED OUTLET PRESSURE, YOUR OUTLET SIZE, & YOUR **DESIRED OUTPUT RANGE.**



EB-75

- Bronze body & bottom plug
- **Built-in strainer screen**
- Available in 1/2", 3/4", 1", 1 1/14", 1 1/2", & 2"

TAKE IMPURITIES OUT OF THE WATER WITH A WATER FILTER!

- Clear sump with 3/, FPT connections.
- Pressure relief button for easy filter change!
- Positive stop prevents over-tightening. **FILTER HOUSING**

S72370050

ONLY \$17²⁵

Paper Pleated Replacement Cartridge. 20 Micron Rated!

\$410

S72370700

Protect your medicators, nipple water, etc. with a Water Filter!

Water Filter & Cartridges

Polypropylene Wound Cartridge. 20 Micron Rated!

\$245

S72370100

Lenox PVC Pipe Cutters

PERFECT CUTS. STRAIGHT AND EASY Specifically designed jaw holds pipe in place while cutting with stainless steel blade

COMFORTABLE GRIPS

Rubberized handles allow for confident cutting even in wet or dirty environments

EASY OPEN & CLOSE

Conveniently positioned release button allows for true one-handed operation of ratcheting cutter, while locking tab secures blade in place



\$50⁷⁵

Cuts up to 1 5/8" Max OD

S521523R1 Pictured

Lenox S1

\$23⁷⁵ Cuts up to 1 5/16" Max OD

S521521S1

Irwin® Cast Aluminum **Pipe Wrenches**

The Irwin® Heavy-duty cast aluminum housing is 40% lighter than cast iron and easier to maneuver. I-Beam handle and wide design provides better weight distribution. Drop-forged jaw is heat-treated to resist distortion or breakage. Easy-spin adjusting nut is heat-treated for durability. Hammer head design provides a flat surface for hammering



\$35⁵⁰ 1 1/2" Pipe Capacity S52152010 14" Pipe Wrench \$50²⁵ 2" Pipe Capacity S52152214 18" Pipe Wrench \$**62**⁷⁵

2 1/2" Pipe Capacity

S52152318

10" Pipe Wrench

AGRIsales inc

For ALL Your Watering Needs!

1"Hudson Valve

The Hudson Valve will solve your fluid control problems once and for all. This valve is ideal for any application where it is necessary to control the level of fluid.

- Compact & Virtually Industructable
- No lever arm Resistant to freezing Installs in seconds
- No float ball
- High volume
- Anti-siphon
- Rust-Proof

Specifications:

1" Female Thread Height: 5.0" Diameter: 3.75"

Operating Pressure: 8 lbs. - 100 lbs.

Flow Rate: Approximately 80% of flow supplied to valve

Max Fluid Temperature: 90° F



\$25⁷⁵ H4095001V

\$**14**⁵⁰ H409500K4

Repair Kit

Optional Mounting Bracket

\$**19**⁵⁰

Sediment Filters

- · Easy removable cover for total cleaning
- No tools required
- Open ball valve to easily remove sediment
- Reusable, replaceable filter screens
- No down time
- 140 Mesh in stock others available Available in: 34", 1", 1 1/2" & 2"

\$47.25 S70457514 \$47.25 S70450114

\$64.50 S70451514 \$103.50 S70450214 Parts also available.

1/2" Hudson Valve

The unique patented design of the Hudson Valve uses fluid pressure, as opposed to a lever arm and ball, as the force to close the valve. This compact, self-contained design greatly enhances the valve's reliability. The valve body is made of durable glass-filled nylon 6/6. Internal parts are of ABS plastic, silicone, and stainless steel. When properly installed, the valve will meet anti-siphon requirements.

- 1/2" Female Thread
- 5"Height x 3" Diameter
- Operating Pressure: 8-65 PSI with a minimum of 8 GPM
- Flow Rate: Approximately 80% of flow that is supplied to the valve
- Maximum Fluid Temp: 90° F

1/2" Valve \$25⁷⁵

H4095012V

\$**14**⁵⁰

1/2" Repair Kit

H40950K4S



Call Toll Free! 1-800-642-1222 For ALL Your Watering Needs! Or Fax Your Order 1-402-665-2401

6-Foot Plumbing Kit W/Slide Shutoff WORKS WITH PVC, STEEL PIPE, OR BLACK PLASTIC TUBING!



THE EASIEST WAY YET TO HOOK UP NEW WATERLINES!

\$495 H58750512

Slide shutoff valve and heavy-duty reinforced hose handles up to 100 PSI.

A 1/," hole into your existing water line is all that is needed for hookup.

PVC Ball Valves



GLUED

\$2.25 S2765GL12 **\$2.50** S2765GL34

\$3.95 S2765GL01



THREADED

1/₂" \$2.25 S2765TH12 \$2.50 S2765TH34

\$3.95 S2765TH01

Check our Web Specials: www.agrisales-inc.com


Wall Brackets → Hanging Waterers → Plumbing Kit Parts

Galvanized & Stainless Steel Deluxe Wall Brackets

From AGRIsales inc. Now **Available** in **Stainless** Steel! **Order Toll Free!** 1-800-642-1222

	GALVANIZED STEEL	STAINLESS STEEL
24" LONG ACCEPTS ONE 1/2" NIPPLE PER PEN	H45101124 \$ 15 50	H4510S124 \$21 25
24" LONG ACCEPTS TWO 1/2" NIPPLES IN THE SAME PEN	H45102124 \$ 16 50	H4510SS24 \$2575
24" LONG ACCEPTS ONE '/2" NIPPLE IN TWO ADJACENT PENS	H45101224 \$ 16 50	H4510S224 \$25 ⁷⁵
36" LONG ACCEPTS ONE 1/2" NIPPLE PER PEN	H45101136 \$ 1 425	H4510S136 \$26 ⁵⁰
36" LONG ACCEPTS TWO 1/2" NIPPLES IN THE SAME PEN	H45102136 \$20 50	H4510SS36 \$2950
36" LONG ACCEPTS ONE 1/2" NIPPLE IN TWO ADJACENT PENS	H45101236 \$20 ⁵⁰	H4510S236 \$29 ⁵⁰

Plumbing Kit Parts



OTHER SIZES **ALSO AVAILABLE!**

1/2" MPT x 1/4" Barb H10650MPT 45¢ 1/2" MPT x 1/2" Barb H10651MPT 60¢ 1/2" MPT x 5/8" Barb H1065MP58 50¢ 3/4" MPT x 1/4" Barb H10653MPT 55¢

Stainless Steel Hose Clamp

- 100% Stainless Steel Construction No. 350 Series: 5/16" band x 1/4" hex-slotted screw No. 625 Series: 1/2" wide band x 5/16" hex-head screw
- Other sizes available upon request

Mfg #	ltem #	Clamp Range Inches O.D.	Clamp#	Price
350-004	S72633004	7/32" – 5/8"	4	80¢ ea.
350-006	S72633006	5/16" – 7/8"	6	80¢ ea.
350-008	S72633008	7/16" – 1"	8	80¢ ea.
625-010	S72633010	9/16"-11/16"	10	94¢ ea.
625-012	S72633012	9/16"-11/4"	12	98¢ ea.
625-016	S72633016	11/16"-11/2"	16	\$1.25 ea.

Plastic Clamp ONLY 30¢ H1065BC26





1/2" Nylon Swivel x 1/4" SS Barb \$ **1**⁶⁰ н1065SS01 All Nylon 1/2" Swivel x 1/4" Barb \$.70 H1065SW01 All SS 1/2" Swivel x 1/4" Barb \$2³⁵ H1065SS02

SS 1/2" MPT x 1/4" HB ALL Stainless Steel \$2¹⁰ H55743522

Many other SS parts available – Call Us Toll Free!

Hanging Waterers



Hogs Drink More Water

Better Feed Conversion

- Reduce Stable Abuse by Replacing Stationary **Waterers With Hanging Waterers**
- Adjust Height 2" to 3" From Bottom of Drinker to Hoa's Shoulder

Nipples Not Included

Stainless Steel \$1**7**⁹⁵

We also have in stock

(Not Pictured):

55¢ H1065BA14

1/4" Reinforced Hose

40¢ per ft.

1/2" Reinforced Hose

60¢ per ft.

3/4" Reinforced Hose

95¢ per ft.

Other sizes available upon request

1/4" Swivel w/ 1/4" Barb

Includes 7 ft. chain

and mounting bracket!

Saddle Valve w/ShutOff

Saddle Valve with **Slide Shutoff**

ONLY

\$300 H55743560



Call Toll Free! 1-800-642-1222

Nipple Nozzle Mounting **Brackets**





Nipples, Nozzles, and Repair Parts

3 Gallon Trojan Pen Waterer

NEW! Trojan Pen Waterers are designed for use in pens and confinement areas. They are ideal for barns that don't have permanent water supply lines or for portable drinking needs. Animals simply bite down or move the stem of the nipple to drink.

Features:

- Heavy-Duty handles
- Thicker mounting holes
- Heavy-Duty bulkhead fitting connection
- Narrow design to save space on pen walls (3 Gallon Version)

\$108²⁵

H15090033

4 Gallon Corner Mount Pen Waterer also available

- **Trojan Model 75 Water Nipple**
- Standard 1/2" connection Corrosion resistant SS
- Wrench flats for easy installation
- Adjustable orifice w/o removing from nipple body
- Slotted filter to keep foreign matter out of valve

HFX4000 Wet Feed Nipple

Made from 300 series stainless steel they more effectively resist corrosion and have been redesigned to offer a softer flow of water than standard drinker nipples.

1/2" MPT w/ Hex Body Adjustable Flow Rate: 2.1 - 8.0 L/Min



LIXIT L-70 Nipple



LIXIT L-80 \$10⁹⁰ \$15⁵⁰

Excellent

Pigs!

H10183009

- Stainless steel construction
- Patented "center-flow" water delivery
- Controlled water flow-helps avoid water


No orifice: 5 – 30 psi Large orifice: 30 – 60 psi Small orifice: 60 – 100 psi

NIPPLES —

EASY TO CLEAN! EXCELLENT IN SANDY CONDITIONS! ¹/₂" **Pig nipple drinker.** Adjustable flow orifice. For gravity



1/3" Pig nipple drinker. Adjustable flow orifice—no need to change orifices to



Center Flow

\$**1**25

gravity or pressure systems. Stainless Steel Construction.

BND Stainless Steel 1/2" Nipple

or pressure systems. Stainless Steel Construction.

- All Stainless Steel Nipple
- Two wrench flats for easy installation
- 1/2" nipple for growing & finishing hogs

Monoflo Nursery Wet Feed Nipple-Nipple

- 1/3" Threads with a 3/3" body • 3 Adjustable flow rates
- Ideal for piglets up to 80 lbs.



FPT

- 1/3" Female pipe thread



H55743505

\$365 H1065CF12

\$**3**²⁵

- All SS body
- Adjustable water flow



HFX SS Nipple Drinkers

The HFX series of nipple drinkers is a premium line of quality drinkers for all sizes of hogs from piglets to sows. Made from 300 series stainless steel they more effectively resist corrosion and have been redesigned to offer a softer flow of water than standard drinker nipples.

Sow Drinker

- ½"Thread
- · Adjustable flow rate from 0.55-1.98 Gal / Min

\$995

H7225HFX1

Grower-Finisher Drinker

- ½"Thread
- Adjustable flow rate from 0.45-1.24 Gal / Min



H7225HFX2


Piglet Drinker

- ½"Thread
- Adjustable flow rate from 0.37-0.63 Gal / Min

\$6⁷⁵

H7225HFX3





4 Ways to Order: Online • Phone • Fax • E-Mail

Trojan Waterswing

BLUE FINISHER \$20⁵⁰

- Molded one-piece non-corrosive plastic
- Stainless Steel Grommet
- Threads are molded into the plastic for consistent & better sealing



H15097598


1/2" MPT Saddle

This 1/2" MPT nylon saddle connects to pipe sizes ranging from 1/2" to 1". Includes stainless steel u-bolt, lock nuts and urethane washer. Connect a 1/2" PVC ball valve for water shut-off.

\$**4**¹⁰ H7225DO44

U-Bolts

- All U-Bolts are Provided with hex nut and strap for your convenience
- Zinc Chromate Finish



IL = Inside Length T = Thread Length W = Thread SizeC = Width Between Legs

\$40901196 **\$1.10** 5/16" x 1 3/8"

W = 5/16" x 18

C = 1.3/8" IL = 2" T = 1 1/4"

\$40901197 \$1.10 5/16" x 1 3/4"

C = 13/4" IL = 3"

T = 11/2" W = 5/16" x 18

> Other sizes available in both **Zinc and Stainless Steel**

Trojan Cup Waterer

Model 33 Cast Iron

Cast Iron drinker cup with a baked on powder coat fnished that can be used for baby pigs all the way up to sows.

- Cast Iron Cup with Baked on Powder Coat Finish
- · Big enough for sows, yet small enough for baby pigs
- All Models use the same tried and proven non-siphoning trouble free 393 valve
- Same bolt hole pattern on all models (3 1/4" On-Center)
- Stainless Steel trip plate and housing on all models
- Measures 7" X 5 1/2" X 2"

• 3/4" MPT





water valve that features a plastic sleeve that eliminates spraying and waste.

Uses a patented

Use for sow or baby pigs

1/2" Plumbing Kit 📗

These 1/2" x 6' braided hose plumbing kits connect to pipes 1/2" - 1" diameter. 1/2" FPT nylon fitting attaches to most water pipes. Comes with PVC ball valve to shut-off the water flow.

H7225PK12

Water Pipe Clamps

Trojan Cup Waterer

7" long X 5 1/2" wide X 2" deep

Model 33 Cast Aluminum

Model 33

Cast Aluminum with blue expoxy finish

Has 3/4" MPT with 3 1/4" bolt spacing

\$**47**⁵⁰

H15092764

Stainless steel clamps that attach water pipes to penning.

Comes with SS U-Bolt & Nylon Lock Nut





Stainless Steel Cup Bowl Fence Clamp

Attaches 2 cup water pipes together onto the penning.

\$750

H7225FCSS



Heavy Duty Pipe Strap

Made out of 12 gauge stainless steel these pipe straps are designed for livestock facility wear & tear. Used to mount 1/2" drinker pipes to walls.

Designed to be used with 5/16" lag screws

\$150 H7225SSPC

Schedule 40 PVC Tee

3/4" x 3/4" x 1/2" PVC Schedule 40 Tee (Socket x FIPT) has (2) 3/4" Socket End Connections and a 1/2" Female Threaded Middle Connection



Brass Ball Valves

- 100% Full Port Opening
- Solid Ball
- Threaded Ends
- Most versatile valve available
- Teflon® Seats
- Teflon® Packing



3/4 P6285BRV3 \$10.75

P6285BRV1

\$**9**50

Water Cup Mounting Plate

Used to mount single cups to vertical or

water cups. Stainless steel construction.

horizontal penning. Works with all Hogflo

trough or bowl

performance

Re-designed

\$36⁵⁰

H7031VRH3

to use

& even simpler

stopped individually

H722504BP

Call AGRIsales inc 1-800-642-1222

Each cup serves:

Cup Dimensions:

11"H x 9"W x 6"D

w/ Offset (Bent) Pipe

Complete Kit:

w/ Straight Pipe

Water Nipple only

Parts:



Works with lower water pressure

VRH-3 Valve

• Built-in shut-off valve allows water supply to be

Interior membrane: optimized for better

• Keeps a constant level of water available in a

Hogflo SS Wean to Finish Cups

sows. Mounting height should be 4" off the ground.

30 Weaner Pigs or 20 Finisher Pigs or 10 Sows

Comes with Cup, Water Nipple, 48" Pipe

These durable cup watering bowls from Hogflo are construct-

ed with 304 stainless steel. They have a rolled edge to prevent

injury as well as provide strength. They help reduce water usage

by reducing waste and can be used with all pigs from weaners to

H7225W48B

H7225W48S

H5574CN01

Nursery & Finisher Cups also available

\$34.75

\$34.75

\$ 4.00

Hi-Lo Stainless Steel Water Pipe

Maxiflo Regulator

• Even flow of water supplied under different pressures

1/2" Stainless Steel Pipe

Male Pipe Thread or Female Pipe Thread

Length

12"

18"

24"

30"

48"

Item#

H4927SS12

H4927SS18

H4927SS24

H4927SS30

H4927SS36

H4927SS48

H4927SS60

2.5-14 PSI

350 Gallon / hour @ 50 PSI Inlet Pressure

H55743033

Price

\$6.25

\$8.50

\$10.95

\$12.50

\$13.95

\$16.75

\$19.25

Most economical regulator available

One step reduction of water pressure

Mount to the farrowing crate and this water pipe supplies water for both the sow and her litter.

The right hand pipe mounts on the sow's left side

H4510HL36R Right Hand Mount H4510HL36L Left Hand Mount

Boiler Drain

\$22⁷⁵



• 1/2" MPt x 3/4" GHT

Brass Construction



1/2" SS Down Tubes: H7031DT04 \$34.75 H7031DT05 \$39.25

Note: Recommended Water



Pressure Range 5-29 PSI





Call Us Toll Free 1-800-642-1222 FOR THE BEST PRODUCTS AT THE BEST PRICES!



Chemilizer HN55 Medicator THE SMART 2 PART SYSTEM

1. Water Motor

- Has no sliding piston to wear out
- Is not affected by chemicals since chemicals are injected directly into the water line for mixing

2. Chemical Pump

- Twists in and out of the water motor
- Easy Maintenance
- Chemilizer injectors maintain accuracy longer because of superior product designs that use a durable rubber diaphragm instead of a plastic piston
- All Chemilizer Water Motors feature a comprehensive 2 year warranty on all parts
- Water flow: 1 GPH to 700 GPH
- Pressure: 2 PSI to 80 PSI
- Preset Ratio: 1 to 128 oz
- Size: 11" high x 8 °" wide

Replacement Parts Available

* Many others available

FG9209 Pump Assembly (1:128 Chl-Med) New Style FG9409 Pump Rebuild Kit (1:128 Chl-Med) New Style

FG5001 Motor Rebuild Kit FG9009 Pump Stem



\$34000

S1823HN55



Dosatron DM11F

Wide flow range: 0.02 GPM to 11 GPM

- Low flow for day old chicks and weaners
- More flow capacity as they grow
- Designed to handle the toughest water conditions such as:
 - Sugar sand
 - Hard Water
- Preset at 1:128
- Tested and approved by top industry professionals
- World-class customer service Ideal for:
- Medicating
- Sanitation
- Chlorination
- Water treatments Vaccination
- Supplements

Includes: mounting bracket, suction hose with strainer/weight and operating manual. Recommend to install a filter in front of injector to protect downstream equipment.

Single unit weight: 5 lbs Size: 16" x 7"

DM11F Mini Maintenance Kit

These Mini Maintenance Kits are the perfect solution to ensure your Dosatron DM11F injects accurately and runs smoothly. Kits are economical and can be used as often as necessary.

- Includes:
- Recommended maintenance parts
- Dosa-Lube packet designed to easily lubricate your static seals and o-rings while you are changing the wear parts

S587011MT



Dosatron D25RE2

The D25 Series offers:

- Flows up to 11 GPM (0.05 to 11 GPM)
- 4.3 to 85 psi pressure range • 1:500 to 1:50 (0.2 to 2%)
- Self cleaning injection check valve 30% fewer parts
- 5 stage internal mixing chamber
- easily adjustable dosing sleeve scale in both percentages and ratios

\$350⁰⁰ S5870D25R



Dosatron D25F

\$240°°

S5870D25F

Similar to the D25RE2 but has a fixed output for those that do not need the flexibility of adjusting ratios. Set at 1:128 (0.8%) this medicator is ready for most of today's medicines.



The Original **DOSATRON**TM **Medicator**

- Adjustable settings factory set at 128:1
- Self-cleaning
- Economical & reliable!
- No electricity necessary!
- Built in mixing chambers \$77000

S58706541

FROM AGRIsales inc

Syringes and Syringe Kits!

Sterile Disposable Syringes



when you purchase by the box.

with Luer Lock Tip

V1018A743 100/box \$.25 each 6 cc V1018B743 100/box \$.30 each **12cc** V1018C743 50/box \$.68 each **20cc** V1018E743 50/box 35cc \$.72 each V1018D743 25/box \$1.40 each 60cc

Nylon Syringes

- Virtually Unbreakable
- Centered Tip On **All Sizes**
- Etched Black Markings On **Barrel For Lifetime Visibility**

\$**95** V18363210 **10cc SYRINGE** \$895 _{V18363220} 20cc SYRINGE \$Q75 V18363250 **50cc SYRINGE**

Disposable Needles

Needle made of stainless steel with aluminum hub.

16 ga. X 1"	V58409405			
16 ga. X 1 1/2"	V58409406			
18 ga. X 5/8"	V58409407			
18 ga. X 1 1/2"	V58409410			
20 ga. X 1/2"	V10184212			
Other sizes available upon request.				

Prima® BMV Syringes

The Prima® Bottle Mount Vaccinator is designed to allow for

efficient and effective application of all animal health injectables

The self-contained, one-handed unit allows for full mobility and automatic refilling of syringes without returning to the

bottle. Allows for adjustable dosages and the Fast Fit bottle

mount can accommodate a 100 or 250 mL bottle.

- 10 fixed dose settings ranging from 0.5-5mL Durable rugged construction for repetitive use
- Ergonomic design is easy on hands
- Triton barrel for superior chemical compatibility • Large numbers on barrel that are easy to read
- Amber-colored barrel for UV Protection

Included in Package: Interchangeable colored pull knob inserts can guickly be exchanged to easily distinguish between medications.



Prima® Vaccinator

Prima-Shot™ 50cc Repeater Syringe

Neogen's Prima-Shot is engineered to be the most accurate repeater syringe in the animal health industry. The patented design presents a unique rotating pull knob to conveniently fill and engage

the syringe. Designed with the end user in mind the ergonomic handles are sure to make any job run

The Prima® Vaccinator has a rugged construction and an advanced design, making it more comfortable to use. The syringe has an ergonomically designed handle to better fit the contour of your hand. The large dosage adjuster makes changing dosages effortless. Each syringe has a metal needle nut and includes a Unilock Draw-off.

each

Replacement Barrels w/ O-rings also available

V58405803

V58406008

Available in 3 sizes:

0.5 ml

2 mL

6 mL

Roux 🝕 **Syringe**

Available in 3 sizes:

\$**40**95

each

0.5 ml

2 mL

6 ml

V58402370

V58406558

V58406657



Replacement Barrels w/ O-rings also available

- 50cc Pistol grip syringe
- Glass barrel
- High performance
- Deliver doses of 1, 2, 3, 4, or 5cc

Ideal D3 Detectable Needles[™]

Durable. Detectable. Dependable

Ideal has developed and added a detectable alloy to the cannula of the D3 Needles. This patented alloy allows D3 Needles to be as much as 100% detectable in metal detection systems, while maintaining their stainless steel classification.

Ultra sharp tri-beveled tip

- Detectable thick wall stainless steel cannula
- Sturdy, plated brass hubs for increased strength
- Color-coded and tamper evident cartridges for safety and convenience.



\$45⁹⁵

100/Box

37

Vet Supply

Portable Storage Tote Tray

This portable multi-purpose storage tray has a deep design & is wide enough to transport many of your tools. Rugged and durable with its reinforced structure though grids design.

19.5"L x 13.2"W x 7.7"W

Great Vet Supply Caddy!

\$875

S70851001



Disinfection Mat

Disinfect boots & shoes of those who enter the facility

Non-removable bladder holds approximately 1 gallon of liquid and is made of tough polymesh over a foam core.

Red poly bottom is non-permeable

Made in the USA

24" x28" Mat V10162000

• 22" long Stainless Steel Puller Forceps open sideways

Pia Puller



Disposable Mini-Scalpels

3/4" x 3 1/2" blue plastic scalpel handle with protective sheath

#10 Mini Scalpel #12 Mini Scalpel

V18362245



Swann-Morton Disposable Scalpels

Stainless Steel **Precision Quality** Surgical Grade Sterile Packaging

#10 Scalpel #12 Scalpel

V58402010 V58402012



The life in the least in the le

Disposable Scalpel Blades

Stainless Steel

#12 Swann-Morton #12 Sharpex

V58401112 .45 Each V10182712 \$13.25/Box

#3 Scalpel Handle

Precision Made Easy Loading Stainless Steel Ribbed surface easy grip



Small Animals up to 30 lbs

Bolt Stunner Kit

• One shot humane stunning procedure

- Simple and reliable design Easy to clean
- · German made

Rugged construction

Kit Includes:

Blitz Unit, 2 Boxes of 50 Green Loads, 1 Set of Cleaning Brushes, 1 Spare Rubber Buffer & Bolt Spring, Oil, Instruction Sheets, Carrying Case

Blitz-LO Non-Penetrating Captive

Blitz Captive Bolt Stunner Kit

The Blitz is a heavy-duty device compiled of first class raw materials. The units are German made ensuring high quality. Powered by a 9mm cartridge these stunners deliver a powerful & effective shot.

- One shot humane stunning procedure
- In production for 20 years
- · German made
- Rugged construction

Kit includes 3 boxes of red loads, cleaning brushes, 1 spare rubber buffer and bolt spring.

Red Power Loads S1836RD50 \$23.50

Other loads also available.

S18362130

Schermer KR Captive Bolt Stunner

For more than half a century Schermer Stunners have been used for cattle, hogs, sheep, and other livestock. The newly designed KR stunner is simple and rugged, yet it is the most powerful powder activated bolt stunner available. Cleaning and repairing the stunner is a simple and guick task. Weighing in at just 7 pounds this stunner is light enough to be used with one hand.



Loads for

KR Stunner: \$21.75 / Box of 100 Power Loads C-5 Yellow:

Used for Normal size cattle, V1035C5YL

hogs and horses C-5 Blue: **Used for Bulls**

C-5 Red: **Used for Heavy Bulls** V1035C5BL V1035C5RD

Twist-Stick & All Weather Marking Systems

SHARPMARK Livestock Markers

Designed to provide a temporary, clear, bright and easily identifiable mark on cows, pigs and other livestock animals. Whether rain or shine, hot or cold the SHARPMARK performs great in all weather conditions.

\$710

Animal Care Products Available

Standard Colors: V18361201 Blue

V18361202 Green V18361203 Orange V18361204 Red

Flourescent Colors: V18361212 Green V18361219 Pink

Prima® Spray-On II Paint

Medium V-Shaped Ear Notchers

Small V-Shaped Ear Notchers

Tooth Nippers (Standard Jaw)

Longer lasting livestock marking dye than the

original Prima Spray-On. Strong color that

lasts in any temperature. The 13.5 oz cans

spray even while inverted.

V58404228 Red

V58404235 Blue

V58404242 Green



Prima® Retractable Marking Sticks

Highly visible, long lasting, & weather and fade resistant easy to use livestock markers. Non-Toxic and completely safe for animals. Will mark wet or dry animals. Twistable plastic dispenser with cap to help keep hands and clothing clean.

V58403650 Orange V58403667 Red

V58403674 Green V58403681 Blue

V58403711 Fluoreso



Fluorescent Colors add 10¢

Prima® Concentrate **Spray-On Paint**

Concentrated Paint allows you to mix the level of color that you need depending on the duration you need the markings to last. For use in sprayer systems it is economical and easy to use. Available in 16 oz bottles

Pink V58403865 Green V58403872 Blue V58403889

\$**21**⁹⁵



Stainless Steel Pig Tail Docker

V58408800



Stericut Tail Docker

Many more products available!

- Portable Gas Heated Instrument
- Temperature Reaches 850°F

Universal Scissors

- Cauterizes As It Cuts To Prevent Bleeding
- 90 Minutes Of Burning Time On Full Heat
- Standard Butane Fuel Cartridge Refills Device In Seconds



V1018ENMD \$13.99

V1018ENSM

V10184516S

V10187758

\$11.50

\$ 7.50

\$ 5.00

STERICUT TAIL DOCKER

STERICUT TAIL DOCKER KIT

(*Butane fuel can not ship via air freight)

\$**9**075

(comes w/spare blade and 13oz. bottle of butane fuel) *BUTANE FUEL

S18363213

TAIL DOCKER REPLACEMENT BLADES

Electric Tail Docker

Cauterizes while it cuts

> \$**89**⁷⁵ V7300A990

110 Volt Only



39

EAR TAGS

Destron Fearing™ Duflex® Ear Tags

- Rugged, lightweight and available in a variety of fade-resistant colors, Destron Fearing™ tags are designed for superior retention, all weather performance and easy
- Custom marking is available including Logos, Lines of Text, and Reverse Side Marking.
- Infecta+Guard® Studs are designed to create a small, clean incision. They are also treated with Infecta+Guard®, an anti-microbial agent intended to facilitate proper healing by reducing the risk of infection and disease transfer.

Hog Max Tags For Breeding Age Swine

1 1/2" H x 2 1/8" W 25 Tags / Bag Blank - \$23.50 / Bag Numbered - **\$26.75**/ Bag



Litter Max Tags For Piglets from birth to 40 lbs

1 1/4" H x 1 1/4" W 25 Tags / Bag Blank - \$17.75 / Bag Numbered - **\$20.75**/ Bag



• Laser Numbered tags are guaranteed to remain readable for the life of the animal.

• Wide range of colors available: Green, Blue, Red, Purple, Orange, Yellow & White.

Also available by special order: Black, Pink & Neon Green

Standard Round Tags Universal size for any age

1 1/8" Diameter 25 Tags / Bag Blank - **\$20.50** / Bag Numbered - **\$23.50**/ Bag



ProGripII™

Universal Tag Applicator

The new modified ProGripII[™] is designed to apply all Destron Fearing™ RFID identification ear tags as well as their visual tags.

- Wider clip opening for insertion of tags in applicator
- Thicker "Pro Grip" Handle coating for more
- Same Wide Jaw for proper tag application
- Durable Aluminum Cast Construction
- Strong spring return
- Tapered pin for easy release

\$**29**⁷⁵

V27007066

Destron Fearing™ USDA Swine Premise Tags

The Swine Premise Tag consists of a tamper-proof button and a visual panel stud. Each tag carries the official US shield, the assigned alpha-numeric seven character PIN, state postal code abbreviation of the PIN and a notice stating "Unlawful to Remove." Space is also available on the visual panel for producers wanting to include an individual management number.

Available in several color choices: Yellow, Orange, White, Pink, Red, Blue

Benefits:

- Meet USDA and pork industry standards
- Improves Traceback accuracy, speed, & efficiency
- Supports comprehensive disease surveillance programs

\$31.25 / Bag



Z Tag[®] Hog Tags The Original Z1 No-Snag-Tag®

- Will not snag and pull out or break off
- Fast and easy tagging
- Wide range of sizes, colors & tag marking options
- Self-piercing tag tip ensures a clean & precise incision to prevent infection
- 25 tags / bag



Z Tags One-Piece Tag Applicator Designed for Fast, Easy and Foolproof Operation

- No bent or broken pins, get in and out of the ear before
- Easier to load and operate than conventional applicators
- Flip-out pin eliminates ripped and torn ears
- Promotes quicker healing with less risk of infection or disease transfer
- Lightweight, yet durable for trouble-free use
- Comes equipped with a spare inside handle

S-hooks, U-Bolts & wej-it Wedge Anchors


GIBBS Lubricant

- Electrical Connections Restored and De-corroded ON CONTACT!! Battery Terminals — 2 Years per Application
- Paint Over RUST & METAL
- Cutting/Drilling Boring/Machining
- Hoses & Clamps
- Waterproof Ignitions & ALL Electrical Wiring

\$1**7**50

12 oz. can S9995GB16

Stainless Steel Threaded Rod




Slot Lock

Hard Plastic Lock With Embedded Nut & 3/8" x 4" Stainless Steel Bolt & Stainless Steel Washer.



Open Style S-Hooks



Inventory #	O.A. Length (L)	Diameter Eye (C)	Opening (E)	Wire Diameter (D)	Finish Type	Price
S40904538	1"	1/4"	3/16"	.120	Stainless Steel	\$0.30
S40904565	1 3/4"	5/ "	⁵ /16"	.105	Stainless Steel	\$0.35
S40904540	1 ½"	7/ ₁₆ "	1/4"	.177	Stainless Steel	\$0.40
S40904544	2"	9/16"	3/8"	.250	Stainless Steel	\$0.75
S40901806	1"	5/_"	3/16"	.092	Zinc Chromate	\$0.10
S40901803	1 3/4"	5/8"	3/16"	.105	Zinc Chromate	\$0.12
S40901760	1 ½"	1/2"	1/4"	.141	Zinc Chromate	\$0.14
S40901718	1 ½"	7/ " 16 3/4"	1/4"	.177	Zinc Chromate	\$0.18
S40901762	2 1/8"	3/4"	1/4"	.177	Zinc Chromate	\$0.30
S40901764	2 ¾"	7/,"	3/8"	.272	Zinc Chromate	\$0.60

Woodbinder Screws

1/4" Hex Washer Head

Used for steel on roofs and sidewalls these metal to wood screws are designed to replace nails. With a type 17 point they easlily penetrate the steel and provide maximum holding strength. An EPDM sealing washer

will cover existing holes and forms an excellent seal. Available in Zinc or White Finish

500 Count Jars

Z = ZincW = W

W = White		al l	44.34.5
Size	Inventory #	Price for Zinc	Price for White
#10 x 1"	S85031010(Z)/(W)	\$42.95	\$53.75
#10 x 1 1/2"	S85031015 (Z)/(W)	\$49.25	\$59.25
#10 x2"	S85031020 (Z)/(W)	\$50.50	\$66.50

303 Stainless Steel **Wedge Anchors**





	•				
SIZE	ITEM	EACH	SIZE	ITEM	EACH
¹ / ₄ " x 1 ³ / ₄ "	S85071434	\$.70	¹ / ₂ " x 2 ³ / ₄ "	S85071223	\$2.50
$^{1}/_{4}^{7}$ " x $2^{1}/_{4}^{7}$ "	S85071402	.80	$^{1}/_{2}^{2}$ " x 3 $^{3}/_{4}^{3}$ "	S85071233	2.95
$^{1}/_{4}^{7}$ " x $3^{1}/_{4}^{7}$ "	S85071404	.90	$^{1}/_{2}^{2}$ " x $4^{1}/_{4}^{3}$ "	S85071241	3.25
³ / ₂ " x 2 ³ / ₄ "	S85073823	\$1.45	$\frac{1}{2}$ x 5 $\frac{1}{2}$	S85071251	3.90
3/8" x 23/4" 3/8" x 3"	S85073803	1.50	¹ / ₂ " x 7" ⁻	S85071207	4.75
3/ ₂ " x 3 ³ / ₄ "	S85073834	1.70			
³/ຶູ" x 5" ¯	S85073805	2.05			

STX Silver Star Screws

305 stainless steel wood screws for use with all chemically treated materials, plywood applications and all wood applications which are exposed to weather, high moisture, and other caustic conditions. Provides extra corrosion resistance and works excellent on projects where staining is required. Silver Star 305 Star Drive stainless steel wood screws are manufactured from the finest stainless steel alloys. Highest nickel content of the 18-8 stainless steels, delivers superior corrosion resistance, eliminates discoloration and staining around screw heads and is unaffected by tannic acid and other extractives found in cedar and redwood.

- Self-Countersinking Head w/ under head cutting nibs
- Passivated Grade 305 Stainless Steel forms its own protective oxidized exterior layer
- Type 17 Notched Extra Sharp Point Waxed & Lubricated
- Flat Head
- Star Drive

Size	Inventory #	Drive Size	Approx. Count	Price
#8 x 1 1/2"	S85039086	T-20	985	\$106.50
#8 x 2"	S85039123	T-20	765	\$106.50
#10 x 2 1/2"	S85039376	T-25	430	\$110.00
#10 x 3"	S85039390	T-25	360	\$110.00



Torx Dive Bits

Torx 20 x 2" Torx 25 x 2" S85035161 S85035260

41


Each

We break boxes — No up-charge!

Quantity discounts available on all Fastener products
Due to Fluctuations in the Steel Industry, PRICES SUBJECT TO CHANGE WITHOUT NOTICE

For Fast, Friendly Service, Call 1-800-642-1222

Stainless Steel Hex Head Lag Screws




Transfer designations.	
SIZE	PRICE PER 100 WE BREAK BOXES NO UP-CHARGE!
¹/ ," x 1"	\$10.00
	12.00
	14.00
	20.00
¹/₄" x 4"	24.00
⁵ / ₁₆ " x 2 "	\$22.00
	24.00
⁵ / ₁₆ " x 3"	26.00
⁵ / ₁₆ " x 3 ¹ / ₂ "	29.00
³ / ₈ " x 1 ¹ / ₂ "	\$32.00
³/̈́¸" x 2''̄	34.00
³ / ₈ " x 2 ¹ / ₂ "	44.00
³/̈́," x 3' ^r	44.00
³ / ₈ " x 3 ¹ / ₂ "	48.00
³/̈ ₈ " x 4"	56.00
	1/ ₄ " x 1" 1/ ₄ " X 1 ¹ / ₂ " 1/ ₄ " x 2" 1/ ₄ " x 3"




Stainless Lock Washers

		PRICE PER 100
ITEM	SIZE	WE BREAK BOXES
11 = 111	JILL	NO UP-CHARGE!
S8509LW14	1/ ₄ "	\$4.00
S8509LW51	5/ [™]	4.00
S8509LW38	716 3/ "	5.00
S8509LW12	1/ [°] "	10.00



Stainless Flat Washers

		PRICE PER 100
ITEM	SIZE	WE BREAK BOXES NO UP-CHARGE!
S8509WA14	1/ ₄ " x 11/ ₁₆ "	\$ 5.00
S8509WA51	⁷ 4	5.00
S8509WA38	³/ॢ៓" x 1 ^{ਜੌ}	10.00
S8509WA12	¹/₂"x 1¹/₄"	12.00



Stainless Steel T-Bolt

Fully Threaded with Nut & Washer

J		
TEM	SIZE	PRICE
5828T607	³ / " x 6" x 7 ga.	\$3.50 ea.



Stainless Steel Lock Nut

		PRICE PER 100
ITEM	SIZE	WE BREAK BOXES NO UP-CHARGE!
S8509NN14	¹/₄" x 20	\$ 6.00
S8509NN51	⁵ / ₁ ," x 18	8.00
S8509NN38	³/ॢ៓" x 16	12.00
S8509NN12	¹/ຶ _² " x 13	28.00



Stainless Nuts

		PRICE PER 100 WE BREAK BOXES
ITEM	SIZE	NO UP-CHARGE!
S8509HN14	¹/₄" x 20	\$ 5.00
S8509HN51	⁵ / ₁ °" x 18	6.00
S8509HN38	³/ֱٰ" x 16	8.00
S8509HN12	¹/¸²" x 13	20.00

Stainless Steel Sheet Metal Screws

ITEM	SIZE	PRICE PER 100
S8509S805	#8 x ½"	\$4.00
S8509S875	#8 x ¾"	5.00
S8509S815	#8 x 1 ½"	10.00
S8509S813	#8 x 1 ¾"	8.00
S8509S105	#10 x ¾"	6.00
S8509S100	#10 x 1"	8.00
S8509S101	#10 x 1 ½"	10.00
S8509S175	#10 x 1 ¾"	12.00
S8509S102	#10 x 2"	14.00

Stainless J-Bolts



Stainless Steel Square Drive Construction Screw

\$6.00

8.00

10.00

18.00

20.00



 $#8 \times 1^{1}/_{4}$ "

#8 x 1⁵/₈" #8 x 2"

#10 x 21/,"

#10 x 3"

S8509S8125


S8509S812

S8509S802

S8509S125

S8509S130





PRICE/100

DDICE DED 100

\$12.00

18.00


28.00

Stainless Steel Wing Nut

7 .	ITEM	SIZE
	S8509WN14 S8509WN51	¹ / ₄ " x 20 ⁵ / ₄ " x 18
	S8509WN38	⁷ ₁₆ x 16 ³ / _s " x 16

ľ	ГЕМ	SIZE	PRICE/100
S	8509C401	¹/₄" x 1"	\$10.00
S	8509C412	1/ ₄ " x 11/ ₂ "	12.00
S	8509C422	$^{1}/_{4}^{7}$ " x $2^{1}/_{2}^{7}$ "	16.00
S	8509C512	$\frac{5}{16}$ " x $1^{1}/\frac{1}{2}$ "	18.00
S	8509C502	⁵ / ₁₆ " x 2"	22.00
S	8509C503	⁵ / ₁₆ " x 3"	34.00
S	8509C532	$^{5}/_{16}^{10} \times 3^{1}/_{2}^{11}$	42.00
S	8509C301	³/̈́¸" x 1" ¯	26.00
S	8509C312	³/ॢ"x 1¹/¸"	30.00
S	8509C302	³/ ₈ " x 2"	38.00
S	8509C322	³ / ₈ "x 2 ¹ / ₂ "	48.00

Stainless Steel Hexhead Cap Screws



\smile		PRICE PER 100
ITEM	SIZE	WE BREAK BOXES
505004404	1/ 11 411	NO UP-CHARGE!
S85091401	¹/ ₄ " x 1"	\$ 8.00
S85091415	'/ ₄ " x 1'/ ₂ "	12.00
S85091402	¹/ ₄ " x 2"	15.00
S85091425	¹ / ₄ " x 2 ¹ / ₂ "	18.00
S85091403	¹/ ₄ " x 3"	22.00
S85095101	⁵ / ₁₆ " x 1"	\$14.00
S85095115	⁵ / ₁₆ " x 1 ¹ / ₂ "	18.00
S85095102	⁵ /′ ₁₆ " x 2"	24.00
S85095125	⁵ / ₁₆ " x 2 ¹ / ₂ "	30.00
S85095103	⁵ / ₁₆ " x 3 ¹	32.00
S85095135	⁵ / ₁₆ "x 3 ¹ / ₂ "	38.00
\$85095104	⁵ / ₁₆ " x 4"	44.00
S85093801	³/ ₈ " x 1"	\$20.00
S85093815	³ / ₈ " x 1 ¹ / ₂ "	30.00
S85093802	³'/¸" x 2"	35.00
S85093825	³/¸" x 2¹/¸"	44.00
S85093803	³'/¸" x 3"	50.00
S85093835	³/¸"x 3¹/¸"	60.00
S85093804	³/¸" x 4"	66.00
S85093805	³/ ₈ " x 5"	80.00
S85091201	¹/₂" x 1"	\$42.00
S85091215	¹/¸" x 1 ¹/¸"	50.00
S85091202	¹/̈́," x 2'̈́	60.00
S85091225	¹/¸"x 2¹/¸"	64.00
S85091203	¹/¸" x 3"	80.00
S85091204	¹/²'' x 4 "	115.00
	2	



Stainless Steel Fender Washer

Stainless Steel

Carriage Bolt

ITEM SIZE **PRICE PER 100** 1/4" x 11/4"
5/4" x 11/4"
3/8" x 11/2" S8509FW14 \$8.00 S8509FW51 14.00 S8509FW38 12.00



Self-Drilling 410 SS Screw

	PRICE PER 100
SIZE	WE BREAK BOXES NO UP-CHARGE!
#8 x 1"	\$ 6.00
# 8 x 1 ¹ / ₃ "	10.00
# 10 x 1 ^{fr}	10.00
# 10 x $1^{1}/_{2}^{"}$	12.00
	#8 x 1" # 8 x 1 ¹ / " # 10 x 1"

Stainless Steel Phillips Pan Head Tap Screws

ITEM (3)	SIZE	PRICE PER 100 WE BREAK BOXES NO UP-CHARGE!
S85090834	#8 x ³ / ₄ "	\$5.00
S85090801	# 8 x 1 ["] "	4.00
S85090815	# 8 x 1 ¹ / ₂ "	5.00
S85091034	# 10 x ³ / ₄ "	\$6.00
S85091001	# 10 x 1 ["] "	8.00
S85091016	# 10 _x 1 ¹ / ₂ "	10.00
S85091020	# 10 x 2 [*]	12.00

Tukeva Door Latch

Made from heavy duty steel that is zinc plated for an extended life cycle and superior durability. Flexible mounting options allow it to be mounted on either side of the door and will work on inswing and outswing doors. The weight of the handle allows for the latch arm to fall into place after releasing.

Features:

- Usable on doors & gates up to 2" thick
- Zinc Plated for long lasting usage
- Heavy Duty
- Easy to assemble
- All hardware included for installation
- Can be locked with padlock



Stainless Steel Sliding Bolt Latch

- Can be used to lock gates or to hold gates open in
- Bolt is storable in the raised position
- Rust resistant
- Stainless steel



Swinging Door Latch V25

Heavy-duty self-latching. Designed for installation on 3/." to $2^{1}/.$ " thick doors. The bolt has a rounded face to insure easy latching. The handle is designed to prevent flattening when door swings back against building.

> \$**22**⁵⁰ S58600703



Gravity Gate Latch Ideal for gestation pen doors!



S58600294

S58600400



Zinc Coated 6" Strap Hinge **Zinc Coated Screw Hook for**

6" Hinge **\$_1**40

6" Strap Hinge **Screw Hook**

\$775 S58600291

Extra Heavy Auto-Close Gate Hinge Set

- All metal parts are plated prior to assembly to enhance rust resistance
- Patented bearing design eliminates metal to metal contact for smooth, quiet operation
- Designed for applications with narrow mounting surfaces, such as gates, barn and shed doors, storage bins, and tool boxes
- Packaged in a pair

\$24⁵⁰



Stainless Steel Hinges

3" x 3" Butt Hinge 4" x 4" Butt Hinge 8"Tee Hinge

S7225HSS3 S7225HSS4 S7225HSS8

\$5.50

\$8.25 Pictured

Entry Keylocks

Dull Chrome Finish

\$4.15

- Keylocking outside, turn-button locking inside
- Keved alike 5
- Great for exterior doors and areas that need to be secured! Pictured

Dull Chrome Knob

\$**14**¹⁵ S5528D500

Dull Chrome Lever \$25⁹⁹ _{\$5528D100}

Passage Door Knobs

Ajustable backset 2 3/8" to 2 3/4"

Dull Chrome

\$10⁷⁵ S5528R200



✓ Respirators ✓ Ear Plugs ✓ Safety Glasses/Goggles ✓ Masks

MOLDEX® 8000 Series Respirator

- Soft, durable facepiece.
- Extra-wide sealing surface. Seals comfortably to face.
- Low profile for wide field of view.

Moldex 8000 Respirator Facepiece – Large **Organic Vapor Cartridges Ammonia & Methylamine Cartridges**

Prefilter (pair) **Prefilter Retainer (pair)**

\$24.00 \$40858003 **19.75** \$40858100 **22.50** \$40858400

2.35 \$40858910 **5.40** \$40858020

3M 8210 Dust Mask

NIOSH Approved: N95. At least 95% filtration efficiency against solid and liquid aerosols that do not contain oil.

✓ Double elastic strap

✓ Moldable nose piece



Comfort Mask



Box of 50

· Light weight. Maintenance free.

\$875 • Clear vision.

S40858500

• Comfort fit. • Easy speaking and breathing.

• Worn for comfort only, provides no respiratory protection.

MOLDEX® Disposable Respitators

- Dura-Mesh® shell resists collapsing in heat and humidity
- Straps are securely attached so they don't pull off
- Molded nose bridge seals easily without a metal nose band
- Naturally contoured facepiece relieves pressure points Softspun® lining gives added comfort and durability
- NIOSH certified to have a filter efficiency level of 95% or greater against particulate aerosols free of oil.

2200N95 Particulate Respirator



\$28⁷⁵ S40852200

Box of 20

2300N95 Particulate Respirator



Box of 10 \$**34**⁵⁰ S40852300

Exhale valve reduces hot air build-up and keeps workers cooler

Moldex[®] Pura-Fit Foam Ear Plugs



- Tapered for easy insertion!
- · Soft foam
- · Hygienically packed
- Larger length easier fitting!

6800 Series Uncorded High Noise Reduction Rating: 33 Decibels!

Box of 200 pair \$37⁷⁵ 540856800

6900 Series Corded

Box of 100 pair \$38⁵⁰ S40856900

Safety Goggles

\$**4**85 S4085CHEG



- Adjustable strap.
- · Indirect vents. Designed to fit over eyeglasses.

Safety Glasses

FEATURES:

• One-piece wraparound design.

• Fully adjustable, ratchet-action temples.

• One-Piece polycarbonate lens with integral side-shields. • Lightweight frame provides added comfort & balance.

Meets or exceeds ANSI Z87.1 Standards.



HEARING PROTECTORS!

WorkTunes™Connect

AM/FM Hearing Protectors with Bluetooth® Technology

3M™ WorkTunes™ lets you substitute the noise of the jobsite or workshop with your favorite music. Stream music from your smartphone, tablet, MP3 player or other Bluetooth device. Bluetooth streaming lets you eliminate cords and use a simple dial to control your music. Voice Assist guides you to your favorite radio stations without having to remove WorkTunes from your ears and helps program up to 50 stations. Features simple button design controls, excellent sound quality, bass boost and improved reception.

• NRR: 24dB

- Auto shutoff
- Includes MP3 cord
- Requires 2 AA batteries, not included 25ft. wireless range

S40850542

Peltor H9A

\$789

- Lightweight
- Broad Foam Cushions Individual Stainless Spring Steel Headbands

NRR 22 Decibels

\$20⁵⁰

S4085HA09



5.1 oz.

Peltor H7A

- Maximum Noise Reduction Rating
- at High & Low Frequencies
- Simple Adjustments Soft Ear Cushion

27 Decibels



S4085HA07



- Fits 1 3/8" to 1 3/4" thick doors







✓ T-Shirts ✓ Coveralls ✓ Sweatshirts ✓ Socks

Men's Ultraspun **Midweight Sock**

Moisture wicking and breathable, LaCrosse UltraSpun® socks keep your feet dry by using specific ventilation zones and seriously comfortable with a seamless toe design



\$14⁷⁵/Pr

M52173204 XL

LaCrosse Lightweight **Copper Socks**

These LaCrosse Copper socks keep your feet dry, comfortable and odor free. Featuring CuTEC® technology, the copper infused yarns combined with merino wool reduce odor, improve hygiene and create a healthier condition on the skin.



\$18⁵⁰/Pr

M52173263 Large M52173264 XL

Hanes Men's FreshIQ™ **Cushion Crew Socks**

FreshIQ[™] advanced ordor protection technology attacks the order-causing bacteria in your clothing that causes your socks to sweat.

> WHITE ONLY 12 Pair/Package

\$16⁵⁰

M63750783 Size 6-12 4



Dickies Short Sleeve Poplin Coverall

Movement is a top priority in Dickies' best-selling, lightweight Short Sleeve Coverall that rises to the challenge for even the dirtiest jobs. On top of the generous fit throughout the shoulders and chest, the bi-swing back and expanding, elastic-waist inserts give you full range of motion for any duty your job throws your way. The poplin fabric is comprised of a polyester/ cotton blend—a durable fabric that is both breathable and comfortable. Also, the must-have finish protects you from stains of any kind—just another quality characteristic and great value you come to expect when you go with Dickies.

- · Generous fit in shoulders and chest
- 5 oz. Poplin, 65% Polyester/35% Cotton
- Elastic-waist insets expand for added comfort
- Chest pockets with snaps
- · Left pocket secured by button
- Large back pockets
- Concealed snaps prevent zipper snags

Medium - 3XL **Available in Dark Navy or Gray**

Starting At

\$36⁹⁵



Dickies Long Sleeve Crew Neck Tee Shirt

- Heavyweight pocket tee
- Tagless back neck for comfort
- Taped neck and shoulder seams for longer wear
- 6.75 oz./220 gm
- Jersey Knit
- Available in Heather Grey or Black
- · Large 6XL (Reg & Tall)

Starting At \$15⁵⁰



Knit Stocking Cap

- 100% Heavy Acrylic Knit
- Stretches to Fit
- Black or Maroon



M45131501

Thermal Lined

Sweatshirts

Mens fully lined thermal,

muff pockets, drawstring,

1x1" rib trim on cuffs

T-Shirts 5.3 oz Heavyweight Shoulder to shoulder taping Seamless rib collar Double-needle sleeve and bottom hem

Available in Red or Ash Grey SIZES:

M45135932 - Medium Medium M45135933 – Large to XL \$3.99 M45135934 - XL \$6.75 XXL M45135935 - XXL M45135936 - XXXL XXXL \$7.25

Dickies Toolmaker's Apron

The toolmakers apron is designed to last with brass grommets and double stitched hems. Multiple pockets sewn in to hold all your necessities. Two large, deep bottom pockets. Top ruler or pencil pocket. One swing micrometer pocket. Brass grommets. Separate tie tapes. ONE SIZE FITS ALL. Denim is preshrunk.

\$16⁹⁹ M8509AC20





\$13.95 M47500033 M47500044 \$16.95 Large XL^{*} M47501XL1 \$16.95 2X M47502XL1 \$16.95 3XL \$18.25 M47503XL1 4XL M47504XL1 \$18.25

66% cotton / 29% polyester / 5% rayon



AGRIsales inc & Seasons

Rigid Insulated Duck Coverall

Rigid Insulated Duck Bib Overall

• Elastic waist inserts at the back allow free movement

Rigid Duck Hooded Jacket

- DWR (Durable Water Repellent)
- Dickies ScuffGard®
- Reinforced double knees
- Zip to waist
- Side entry chest pockets & 1 interior pocket
- Heavy duty brass zipper
- 10 oz duck, 100% cotton with DWR finish

Men's Sizes: M-6XL Color: Brown Duck

• DWR (Durable Water Repellent)

• Shoulder strap with elastic back

• DWR (Durable Water Repellent)

Adjustable 3 piece lined hood

• 10 oz duck, 100% cotton with DWR finish

Men's Sizes: M-6XL Color: Brown Duck

• Rib knit cuffs and hem

Heavy duty brass zipper

Interior pocket

• 10 oz duck, 100% cotton with DWR finish

Men's Sizes: M-5XL Color: Brown Duck

Heavy duty brass zipper

• Dickies ScuffGard®

• Zip to waist



due to the sturdy, triple-stitched seams. Adjustable loops and slides, as well as tapered legs that fit over your boots, keep you comfortable. Talk about pockets— Dickies' coverall has them at the waist, chest and on the back so you'll never run out of storage space.

Generous fit with cross-over high-back; roomy legs

Dickies Stonewashed

Indigo Bib Overalls

Count on Dickies' Stonewashed Indigo Bib Overall for

ultimate comfort and utility. Delivering built-in softness

right from the start, it will be one of your toughest pairs

- 12 oz. Stonewashed Denim, 100% Cotton
- Universal favorite with denim devotees
- Large bib with practical pockets
- Handy hammer loop on left leg Dual tool pocket on right leg

Starting At







Red Kap Perma-Lined Panel Jacket

Ignore the weather and focus on the job at hand in this jacket designed to keep you warm while allowing you comfortable mobility. Its modern length falls at the hip and is enhanced by waistband tabs that ensure a fit as snug or loose as you want. A guilted lining adds warmth and comfort for construction, maintenance, transportation workers, and other industries.

Starting At \$**49**⁹⁹

Large-6XL





Industrial Short Sleeve Work Shirt

- StayDark® technology
- Resists wrinkles
- Lined two-piece collar with permanent stays and snap closure
- Mitered front pockets with pencil division
- 4 ¼ oz. Permanent Press Poplin, 65% Polyester / 35% Cotton
- Industrial wash friendly
- Available Colors: Black, Dark Charcoal, Graphite Grey, Dark Navy, or Desert Sand

Starting At \$18⁹⁵

Men's Sizes: M-5XL





The Original Muck Boot Company®

Men's Chore Mid

The best selling Chore Series boot from Muck Boot Company® provides dry, comfortable footwear that's built to handle the toughest job.



Call for Pricing

M5890CHM08



Men's Plain Toe Sizes 7-15

Men's Chore Mid Cool

The best selling Chore Muck boot now has Xpress-Cool technology. The exclusive moisture lining helps keep your feet both dry and cool.

Men's Muckster II Low



Call for Pricing

The Muckster II Low is the perfect shoe to slip on when

it's wet & muddy. Redesigned with a new outsole that

provides more stability on wet surfaces along with an

M5890CMC08

\$8850

M5890M2L08

Women's Chore Mid



No iob is too tough for Muck Boots® Women's Chore Mid Waterproof work boots. This women's specific work boot features thick 5mm CR Flex-Foam uppers for flexibility and protection from the cold. While a built-in Airmesh™ lining keeps you ventilated during your entire day, a rugged rubber outsole lends grip when you need it most. Rely on the Chore Mid rugged work boot to deliver the comfort you need to tackle any job.

Women's sizes 5-11

M5890WC07

Call for **Pricing**

Men's Muckster II Ankle



Men's Sizes 7-15

A versatile, all-purpose boot that is ideal for any chore or task. A lightweight and easy to slip on or off boot that keeps your feet dry and comfortable. Features 4 mm Neoprene and a traditional Muck Airmesh lining that allows for beathability.

\$**qq**99

M5890M2A08

Men's Sizes 7-15

even greater level of comfort.

Easy to slip on and off this versatile outdoor boot will get you through any

- 4mm NEOPRENE
- XpressCool[™] Lining material keeps your feet cool in warm weather and is also antimicobial
- etc® sockliner to reduce friction and heat build up

Men's Excursion Pro Mid

- EVA Midsole
- New lightweight EVA outsole with rubber pods for optimal traction and support
- Generous rubber protection around the foot



M5890MC908



Men's Sizes 7-15

Edgewater Classic Mid Muck Boot

For those who love the great outdoors, the Edgewater is for you. The reinforced, protective shell and all-terrain outsole makes this boot perfect for camping, hunting, fishing and off-road sports, while doing double duty as a lightweight work boot.

- 100% Waterproof
- Breathable Mesh Lining
- Self-Cleaning Calendered Outsole is Excellent in Mud, Snow and Dirt
- 5MM Neoprene for Comfort and Performance
- bioDEWIX™ Antimicrobial Footbed Insert Topcover with NZYM[™] for **Odor Control and Moisture Management**

\$118⁹⁹

M5890EC08



Men's Arctic Excursion Mid

The Arctic Excursion is an ideal all-purpose boot. Easy to pull on for cold, wet, ice or snow will keep you warm and comfortable in the harsh winter contditions.

- 5mm CR Flex-Foam
- Warm Fleece Lining
- etc® Sockliner
- Lightweight EVA Midsole
- Aggressive Rubber Outsole



Call for Pricing M5890AEB08



Men's Sizes 7-15

6" Full Rubber Ankle Deck Boot

A lightweight design with the same XTRATUF® slip-resistant Chevron outsole found in our Legacy boots. The performance ankle deck boot is the perfect boot for anyone looking for slip protection with slip-on-and-go styling.

- XpressCool™ Lining
- Easy-On Rubber Grip
- Non-Marking Slip Resistant Chevron Outsole

XTRATUF

· 100% Waterproof

Men's Sizes 9-13

Call for Pricing

M58903309

Women's Sizes 5-11

On All Boots on Pages 50 & 51

\$130°°

FREE SHIPP

Women's Hale Muck Boot

Muddy Girl Camo Print

These Women's Hale boots are perfect if you're looking for

sporty, multi-season boots that are also perfect for general

offer comfort that's lightweight and a great fit. They're

designed to provide versatility with their

everyday style and practicality with their self

cleaning out-sole and breathable PK mesh

lining, allowing these boots to

draw moisture away and your

feet to breathe on warmer days.

everyday use. They are available in a variety of fun colors and

M5890HA07

Salmon Sisters Sharkbyte Leather Slip-On

This versatile shoe can be worn all day or the perfect option to slip on for dinner and a walk on the town. The step-in design features original prints by the Salmon Sisters, two Alaskan fishermen. The Octopus print was inspired by their life on the water and their love of the ocean.

- · Water Resistant Nubuck Leather
- Removable cushioned insole
- Slip-Resistant Chevron Outsole
- Easy slip on and off
- Chevron pull tab

Call for Pricina

M5890SBW06

Women's Sizes 6-10 (half)





Xtratuf Women's 6" Ankle Deck Boot **Salmon Sisters**

Xtratuf's best selling women's ankle deck boot featuring Salmon Sisters original prints designed by two young Alaskan Fishermen, born and inspired by the wilderness of Alaska and the sustainable fisheries of the North Pacific. Features the same lightweight design and slip-resistant outsole found in the Legacy boot collection.

- 100% Waterproof
- Non-Marking Chevron Outsole
- XPRESSCOOL[™] Cooling Liner
- Pull-On Tabs
- Exclusive Salmon Sister Liner Print
- Designed specifically for a Women's Fit

Light Blue w/ Mermaid Life Print M5890BM07 White w/ Octopus Print M5890WH07

Call for Pricing



Xtratuf 15" Elite Insulated

The Elite Collection is designed to provide the protection and durability of a Legacy boot but with an unmatched comfort for extended wear in the harshest of environments. This boot is resistant to many organic and inorganic acids, oils, chemicals, and contaminants. The Elite boot is built with a Spandura covered 5mm neoprene bootie, this allows the boot to be comfort rated to -20°F.

- 5mm Neoprene Bootie
- Breathable Airmesh Lining with High **Abrasion Spandura**
- Reinforced Rubber Layers for Durability
- Acid Chemical Resistant
- 100% Waterproof Slip-Resistant

Oil Resistant

- **Call for** Pricing

Men's Sizes 9-14

Xtratuf® Legacy Neoprene Boot

An Alaskan staple in the commercial fishing industry, these boots will give you flexible, all-day comfort and the best protection against the broadest range of acids, corrosives, and contaminants. Great for use in commercial fishing, canneries, general outdoor activities, and farming.

- Flexible, hand-layered construction
- Triple-dipped shells for extra tough. extra watertight protection
- Non-Slip Chevron outsole
- 100% waterproof and seamless for seal-tight protection
- Highly resistant to many organic and inorganic acids, chemicals and contaminants
- NEW additional comfort insole provides more shock absorption, is quick to dry, and it's breathable.



M58907210



CALL AGRISAIOS INC. FOR ALL OF YOUR FOOTWEAR NEEDS

Dunlop 14" Chesapeake Plain Toe Boot



The Chesapeake boot from Dunlop isn't like your old classic irrigation style boots. They are a lightweight modern design that are approximately 25% lighter than classic PVC boots. They feature an energy absorbing BAY-LOC outsole with channels to repel water. Made in the USA and are 100% waterproof. They are Made in the USA and are 100% waterproof.


Super-Fit PVC Overboots

- Dual compounding molds high-stretch uppers to long-wearing, slip-resistant outsoles
- Reinforced design at critical stress points
- · Seamless, molded construction
- SP Wide GripTM outsole
- 100% waterproof Made in the USA

12" Overboot

\$27²⁵

M589002BM





Servus XTP Steel Toe Boot

This XTP 15" steel toe boot from Servus by Honeywell was designed for superior chemical resistance and is 100% waterproof. It is ideal for general industrial use, on farms, or occupational applications.

- TDT (Triple Density Technology) uses proprietary compound formulations for increased resistance to degradation from many harsh chemicals
- Outsole perimeter is formulated for tough. long-wearing support
- Centersole is dual compounded for cushioning, long wear and traction on slick surfaces
- Removable FOOT FORM contour cushion insoles
- Reinforced at critical stress points provides extended durability
- Higher, wider, kick-off lugs for easy on/off convenience







Introduced in 1957 the Grange, a non-insulated, do-it-all rubber boot is a boot that people knew they could always trust. Today, these boots are alive and well. They're still made from LaCrosse's proven ZXT Rubber. They're still built to perform under the harshest of conditions. And they're still the boots you can call on to get the job done.

100% waterproof protection with an adjustable top strap

Call for Pricing

Available in Men's Sizes 8-14



LaCrosse 18" Insulated 2-Buckle Boot

The insulated boot you can always call on to get the job done! This 2 Buckle Insulated boot is a do-it-all rubber boot that you can depend on. They are built to open wide for easy on and off with adjustable buckles for a customized fit around the calf. Insulating foam extends up from the bottom of the boot to the ankle for added warmth.

- 100% Waterproof Protection
- Ozone & Tear Resistant Rubber
- Fiberglass Shank
- Plain Toe
- Temp Range: -20° to 50° F



M52172608

5-Buckle **Overboot**

- 15" height Finest quality, extra height
- 5-Buckle rubber gaiter
- Constructed to fit over heavy-soled work shoes
- Diamond Chevron rolled outsole and heel

\$**61**⁵⁰

Men's M52173508 8-16

SERVUS

Alpha Muddy



The LaCrosse Men's Alpha Muddy is your go-to for a boot that is effortless to pull on and slip off. Built with premium, waterproof rubber and a cushioning neoprene interior, the Alpha Muddy is every bit as comfortable as it is durable. They feature quick-drying mesh that circulates air inside the boot when you walk, keeping your feet cooler, drier and infinitely more comfortable. Durable construction from natural rubber over insulating neoprene offer both flexibility and complete waterproof protection.

4.5" Brown M52174108



6" Stone M52176008



Available in Men's Sizes 8-15

Call for Pricing

Kick Away™

The Kick Away™ shoe and boot cleaner is the most durable and affordable boot cleaner available on the market.

- Poly brush mounts & bristles that will never rust, rot, or corrode
- Built in shoe and boot scraper
- Durable powder coat finish
- 6 year warranty on steel frame
- · Mounting screws and anchors included



www.agrisalesinc.com

Gorilla 100% Silicone Sealant

Gorilla's 100% silicone formula provides a strong waterproof seal that is great for indoor & outdoor uses. Long lasting sealant is mold & mildew resitant and won't yellow, crack or shrink. Use it in the kitchen & bath. Great for Windows. Doors, Plumbing, Gutters, & Countertops. The uses are almost endless.



Gorilla Tape

Not your ordinary duct tape, Gorilla Tape takes it to a whole new level. With a virtually endless list of uses this duct tape will become your go to repair tape. Made with double thick adhesive, strong reinforced backing, and a tough all-weather shell, it's the biggest, strongest, toughest thing ever to happen to duct tape. It sticks to rough and uneven surfaces, including wood, stone, stucco and brick, that ordinary duct tapes can't hold. Can be torn by hand or cut with a knife for precise lengths.

	•		
Silver	S30604004	1.88" x 35 yds	\$10.50
Black	S30605060	1.88" x 30 yds	\$10.50
White	S30605001	1.88" x 30 yds	\$10.50
Orange	S30604002	1.88" x 30 yds	\$12.95
Camo	S30600902	1.88" x 9 yds	\$12.95
Clear	S30606060	1.88"x18 yds	\$10.70



Gorilla Waterproof Patch & Seal Spray

GorillaWeld™

Steel Bond Epoxy

GorillaWeld[™] is a heavy duty two-part steel bond epoxy that sets in just 10 minutes.

This incredibly strong adhesive has a 4250 PSI bond strength. For a waterproof,

Gorilla Waterproof Patch & Seal Spray is a flexible. rubberized coating that seals out water, air and moisture. The applicator nozzle has a controlled spray pattern providing a clean, even coat. Once applied, the self leveling formula smoothly covers small gaps and cracks ensuring a watertight seal. When dried, Gorilla Waterproof Patch & Seal Spray is paintable and temperature/UV resistant resulting in lasting repairs.

Gorilla Spray Adhesive

Gorilla Spray Adhesive is a heavy duty, multi-purpose moisture

resistant adhesive. It forms a clear permanent bond that can be

used indoors or outdoors. Easy to use with its wide pad nozzle

Available in Black or White

long lasting, permanent bond.

\$**5**⁵⁰

S30600101

Metal

Concrete

 Ceramics PVC

Fiberglass

& More

and controlled fine mist spray.

Heavy Duty: Dries Permanent

Indoor & Outdoor: Moisture Resistant

Controlled Spray: Even Application

Easy to Use: Repositionable

Clear Color: Non-Yellowing

Black S30604052 S30604054 White

\$13²⁵

S30601502

14 OZ CAN



Gorilla Waterproof Patch & Seal Tape

Gorilla Waterproof Patch & Seal Tape instantly seals out water, air, and moisture. With an extra thick adhesive layer and UV resistant backing this tape conforms to form a permanent bond indoors and out. At 4" wide use it to patch holes, cracks, gaps and tears, even underwater. Excellent for Home, Auto, Marine, Camping, RVs, Outdoors, and more!

Features:

Waterproof Works under water Indoor/Outdoor use Instantly seals out water, air and moisture

\$**1 3**95

Black S30602502 White S30601895





Gorilla All Purpose Epoxy Stick

Gorilla's all purpose epoxy comes in a 2 oz, easy to use stick and is an incredibly strong and versatile epoxy putty. The hand-mixable, easy to use Epoxy Stick sets in just 10 minutes and works on most surfaces. Gorilla All Purpose Epoxy Stick is waterprooft, non-rusting and once cured, it can be drilled, sanded, and painted. It's great for auto, plumbing, household repairs and more!

\$550

S30604242



Oatey PVC Cement & Primer Handy Pack

The Oatey 8 oz. Handy Pack Purple Primer and Solvent Cement contains code-listed primer and solvent cement needed for solvent-welding PVC pipe and fittings. Can be used with up to 4" diameter piping. Convenient Handy Pack for storage - just add pipe and fittings.

- Designed for use with PVC pipe and fittings • Primer pre-softens pipe and fitting surfaces
- Solvent cement bonds pipe and fittings
- Recommended for use in non-pressure pipe
- Suitable for use with Sch. 40 and Sch. 80 pipe



Gorilla Anti-Slip Tread Tape

Gorilla Anti-Slip Tread Tape is designed to help prevent slips and falls by providing durable traction to wet, slick or high traffic areas. The multiple layers of protective coating ensure a heavy duty long lasting, durable grit for both indoors and out. Gorilla Anti-Slip Tread Tape is perfect for ladders, steps, ramps, boats, RVs, decks, and more!

> \$15⁹⁹ S30604921





THE BEST PRODUCTS AT THE BEST PRICES! CALL TOLL FREE! 1-800-642-1222

144 Count

With an active ingredient

of Diphancione the Ramik

Mini Bars are a mold and

mildew resistant bait to kill

Ramik® Mini Bars

Assault Mouse and Rat Bait

For Indoor & Outdoor Rodent Control Kills Norway Rats, Roof Rats & House Mice Paper pouch containing pellets for rodent control.

Quick: Bait Today, see results tomorrow

Stop Feed Action: Rodents consume 80% less bait than traditional baits

Latest Technology: Newest and most economical rodenticide available

No Secondary Toxicity: Pets are safe

if subjected to Assault killed rodents No Resistance: Works where anticoagulants won't

\$275.00 275 cnt x .75 oz Packets S24200217 S24200250 \$116.95 50 cnt x 1.5oz Packets 5 lbs Bulk Pellets S24200255 \$102.50



144 x 1 oz bars

Mice & Rats

V52756345



Havoc-XT Blok

Kills Rats and Mice Second Generation Anticoagulant Superior shape, palatability, durability and lethality

Low Dose: As little as 2% of Havoc-XT's 20 gram block is lethal to a 25 gram mouse and as little as 7% of the block is lethal to a 250 gram rat.

Superior Shape and Color: Lowest profile block available that fits into narrow cracks and crevices. Features sharp edge and grooves for gnawing.



\$**58**⁹⁵

V58406368

10 lbs Bucket 20 lbs Bucket \$108⁷⁵ V58406369

CyKill

CyKill breaks the cycle of anticoagulant resistance with its acute neurotoxin Bromethalin. CyKill also has no secondary poisoning, which reduces non-target animal exposure if they consume a poisoned rodent. CyKill is a very palatable bait formulation that rodents love. Controls high infestations effectively with its working active ingredient, Bromethalin.



Stop Feeding Action!

86 Count 0.75 oz Bait Chunks 100 Count Place Packs

Havoc

V58402825 \$44.95 V58402835 \$76.25

Ramik[®] Mini Bars

The proven and effective anticoagulan rodenticide. Diphancione is used to manufacture Ramik. Individual 1 oz Mini Bars are ready to use, and are perfect for making multiple bait placements. Packaged in a large plastic tub with E-Z open and close lid that has 640 Mini Bars for large commercial operations.

serations. \$148⁷⁵ **Assault All-Weather**

House mice, norway rats, & roof rats usually consume a lethal dose in a single feeding. Due to Stop Feed Action, rodents cease feeding after consuming a toxic dose. Rodents consume 80% less bait than other tradional baits. For use in and around agricultural buildings and industrial sites only.

Bait Blocks

128 cnt x 0.50 oz Blocks (4 lbs) Active Ingredient: Bromethalin

\$**68**⁵⁰ S24200260



Havoc Attack Blocks

there to ATTACK.

developed to withstand the challenging conditions of agricultural production environments. It is a single dose rodenticide designed to kill house mice, norway rats and roof rats with it's active incredient Brodifacoum. Food-grade ingredients provide an excellent base for superior

10 lbs Bucket

\$**66**⁹⁵ V58406393



When rodents strike, make sure you are

Havoc Attack is an all-weather rodenticide palatability.

> 180 times stronger than Warfarin



The active ingredient in all Havoc products, brodifacoum,

is the strongest anticoagulant rodenticide available. Havoc

processing techniques. The result is a superior, single-feed

combines brodifacoum with a special mixture of highly attractive bait ingredients, along with patented food

rodenticide with a bait delivery system that is unique.

40 Count Twin Pack Place Pack

Rodent Control

Havoc® Rodenticide Bait

New Havoc Rodenticide Bait combines superior palatability of a meal bait with the proven active ingredient brodifacoum to control warfarin-resistant Norway rats, roof rats, and house mice in areas where competing food or feed source are present.

The food grade ingredients of Hayoc Rodenticide Bait provide an excellent base for superior pallatablility. Brodifacoum is an effective second generation rodent anticoagulant capable of killing rats and mice in a single feeding. The meal bait product offers superior rodent acceptance as it contains food grade ingredients, seed and grains, which provide rodents a variety of textures and flavors.

Features & Specifications:

- 25 pound
- EPA registered for use inside and within 100 feet of agricultural buildings
- Great supplement to a rotational baiting program
- Acute, single-dose rodenticide containing the active ingredient, 0.005% Brodifacoum
- Only 1 to 2 tablespoon amounts will control rodents in an 8'x 12' space **Pail**

Bag

V58406395

V58406398



DeciMax® Blocks

Neogen®'s newest rodenticide bait includes the active Bromadiolone, a proven and effective second generation active. Rats, mice and meadow voles may consume a lethal dose in a single night's feeding, with the first dead rodents appearing four or five days after feeding begins. Blocks are designed with ridges to promote gnawing.

- · Single feed, second generation anticoagulant, Bromadiolone, provides excellent control in less time after lethal dose is consumed.
- Palatable formula with grains and seeds and available in 1 oz blocks.
- · For indoor and outdoor control of rats, mice, and other non-commensal rodents.
- while food grade ingredients provide an irresistible formulation for effective control in most environments.

\$**49**²⁵

V58406850



Prozap® Mole & Gopher Pelleted Bait

For control of pocket gophers and moles in below-ground applications. Fast acting, guick control that kills within hours with a single feeding. Active ingredient is 2.0% Zinc Phosphide.

\$10⁵⁰

V58402845

Not approved for control of Moles in California, Hawaii, Indiana, & New Hampshire. Limited useage in North Carolina.



Rodex

Micro-encapsulated warfarin, a hydroxycoumarin anticoagulant rodenticide, is contained in all Rodex bait formulations. 3 to 10 times greater rat acceptance than uncoated warfarin baits. Hydroxycoumarin is a multi-feed chronic rodenticide.

and is considered the lowest hazard to non-target animals of any anticoagulant rodenticide.

Pelleted Bait-1

4 lb pouch

V58406348



DeciMax Soft Bait®

DeciMax® Soft Bait is produced using the highest quality ingredients which includes foo grade wheat flour, chopped grain, soft lard and synthetic peanut butter flavoring which produces a very palatable bait. It utilizes the active ingredient Bromadiolone a second generation anticoagulant which is highly effective in the control of rats and mice. Deci-Max Soft Bait is ready to use in 0.35 ounces (10.00 grams) of bait per sachet and contains 0.005% Bromadiolone.

- Soft baits are made without wax to ensure more active per placement and high acceptance
- High performance in cold or hot weather conditions Second generations active Bromadiolone is effective in control of both rats and mice
- Sachets are packaged inside plastic bags inside pail to maintain freshness

8 lbs Pail

\$**79**²⁵

V58406841



Extinguish Plus Fire Ant Bait Eliminate the Fire Ant Colony

Extinguish® Plus fire ant bait combines two active ingredients to control fire ant infestations. Extinguish® Plus is a unique product containing a slow acting insecticide and an Insect Growth Regulator (IGR). This two-way action ensures complete control of fire ants. Extinguish® Plus is highly attractive to imported and native fire ants and other ants. Worker ants carry the bait into the mound as food for the colony. The ants will then begin feeding the bait to the rest of the colony. They eat it and feed it to the queen. The IGR prevents rebound of the colony, while the insecticide insures rapid demise of the colony. Extinguish® Plus will start to kill ants after they feed on the bait. The colony will begin to decline in about a week, after the bait has been brought back to the mound.

1.50 lbs \$**19**⁹⁵ 4.50 lbs

V10188540

See website for more information

Pest Control Products

Enforcer MouseMax Glue Traps

Disposable, pre-baited, non-toxic, ready-to-use, professional strength trap for mice and crawling insects. Simply toss when done.

- Non-toxic, disposable and ready-to-use.
- Traps without poisons.
- Premium glue
- 4 Pack

\$**3**⁷⁵



Rodent Cafe

Low-profile design for increased rodent activity. High-capacity bait chamber built to allow horizontal and vertical bait placement. Ramped entrance into bait chamber helps prevent any water from entering and contaminating bait. Heavy-duty design using thick-walled plastic; designed to withstand being stepped on without damage. Rotating hinge design provides for years of dependable service, unlike most station that use a hinge permanently attached to the base. Heavy-duty key and rod packs included.

\$12⁵⁰V58400560



Vasp

Hornet

Insect and Pest Control

Country Vet® Automatic Flying Insect Kill System

This kit includes 1 dispenser and 1 can of metered fly spray. The dispenser works 24 hours a day and dispenses automatically every 15 minutes.

Holds 6.4-6.9 oz refill cans

S90121996



Metered Dispenser

last 30 days

S85251906 **\$34.95**

\$795

S9012IK16

S85252003

Ketch-All "World's Best Mousetrap"

Ketch-All Automatic \$19⁹⁵

- The KETCH-ALL Automatic Mousetrap is of heavy-duty industrial design
- Traps up to 15 mice in one setting without bait
- Requires no dangerous chemicals or poisons
- Provides continuous protection and is simple to set and empty!







S49250001

Multiplex Bait Station

- All exterior walls of stations are double wall for super strength
- Overlap of cover edges prevents "finger holds" for high tamper resistance
- No need for side opening cover will stand up out of the way against the wall
- No lip to step over in the entrances

V58400404



JAWZ™ Mouse Trap

Fly Trap Attractant

Specially formulated for use with Starbar® Fly Traps. New water

soluble pouches allows the user to drop in and fill with water

then walk away without having to measure out attractant.

- Easy to set
- Holds solid or liquid bait
- · Can tell at a glance if set (Red = Set: Green = Not Set)

Insecticide Free

Non-Toxic

Attracts filth breeding flies

8 water soluble pouches

with built-in attractant

Easy and convenient to use

\$**825** V10180783

FlyRelief™

Insecticide-free disposable fly traps

Pouches dissolve and activate in water



GLOstik™ Flying Insect Trap

GLOstik™ Flying Insect Trap is designed to attract mosquitoes, flies and other common flying pests on a disposable glue tube using battery powered LED light. Includes 2 Disposable Glue Tubes and 1 Reusable Base (batteries not included).

Attracts flying insects with LED light and silently traps them on an adhesive coated tube. Safe for indoor or outdoor use. LED light bulb lasts up to 10,000 hours and is most effective in low light areas where multiple light sources are not competing. Non-toxic and safe.

LD-441

\$16²⁵ V58400908






Prozap LD-44Z Insect Fogger

Kills and repels Flies, Mosquitoes and Lice along with more than 20 other nuisance insects

Use in and around farms Dairy, Beef, Hog, Horse, & Poultry Operations Contains Pyrethrin

arge 25oz Can

\$**24**⁷⁵ V52754425



10 lb Pail V10187078



Giant Fly Trap Roll

For use in Barns, Waste Rooms, Animal Farms and other high fly infestation areas, the Catchmaster® Giant Fly Trap is a one-sided adhesive 30 ft. roll. Features pre-baited scented and chartreuse green color that is attractive

- 3,600 sq. in. of fly catching surface
- Can be cut to size based on treatment area • Non-Toxic and Disposable



Golden Malrin® Fly Bait The standard in fly baits

for over 30 years

- Attracts & kills flies quickly Can be used daily
- Muscamone flv attractant



Country Vet® CV-80D Farm & **Dairy Spray**

0.50% Pyrethrin and 4.0% PBO instantly kill biting flies, house, flies, and mosquitoes, as well as many crawling insects. Labeled for use in beef cattle operations, dairy farms, milk rooms, poultry houses, barns and stables. Use as a premise spray or directly on animals.

Also combats small flying moths, gnats, cockroaches, ants, fleas, crickets, Asian Beetles, lice, clover mites, and mud daubers.

S90128325 25 oz Can



BugMax® Home Pest Control

Metered fly spray to be used in standard metered aerosol

dispensers. Specialized formula kills flies, gnats, and small flying moths. Country Vet® Fly Spray contains 0.975%

Enforcer Instant Knockdown

Professional strength Instant Knockdown Wasp & Hornet Killer hits hard, fast & from a safe distance. Kill the entire

nest from up to 22 feet away. No harsh fumes to breath.

· Active Ingredients: Tetramethrin, Permethrin, & PBO

• Storage Temperature: 32°F to 120°F (0°C to 49°C)

• Non conductive up to 47,300 volts

For outdoor use only

Pyrethrin from Chrysanthemum flowers. 6.4 oz can will

Convenient and broad spectrum, BugMax® Home Pest Control delivers fast, effective pest control when and where it's needed. Odorless and non-staining, this readyto-use formula works on contact in and around the home, killing a wide variety of household pests. Available in 32 fl oz and 128 fl oz

- · Active Ingredient: Deltamethrin
- · Odorless and non-staining
- Kills on contact and keeps killing for up to 12 months

 Kills roaches, ants, fleas, ticks, termites, carpenter ants, brown recluse spiders, black widows, carpenter bees and bedbugs.



S9012BM128 S9012BM32

Country Vet Horse Shampoo

Leave your pets smelling fresh and clean with a shiny coat using Country Vet Horse Shampoo. This product contains pyrethrum derived from flowers to kill fleas and ticks on horses, dogs, cats, puppies, and kittens over 12 weeks.

- Contains Pyrethrum, which is derived from flowers.
- · Kills fleas & ticks on horses, dogs, cats, puppies & kittens
- Leaves pet smelling fresh & clean with a shiny coat.

S90121532

BugMax® Fogger

Reach every nook and cranny with the BugMax® Fogger. Convenient, easy-to-use fogger eliminates cockroaches, ants, fleas, flies, Palmetto bugs, spiders, water bugs, and other insects and keeps killing for 12 weeks. For use in homes, apartments, attics, basements, garages, kennels and cabins. Non-staining, water-based formula leaves no oily residue. Contains three 2oz foggers.

- · Active Ingredient: Cypermethrin
- · Water-based, non-staining, no oily residue
- · Kills on contact and keeps killing for up to 12 weeks
- Controls ants, cockroaches, crickets, earwigs, fleas, flies, mosquitos, pill bugs, spiders brown dog ticks, water bugs and many other insects
- Each fogger treats up to 2000 cuft



Flea Fogger

This non-Permethrin fogger not only kills fleas, it also prevents eggs from hatching to prevent flea infestations for up to 7 months. This Flea Fogger also works on cockroaches, spiders, ants and more. 2 2oz foggers.

- Active Ingredient: Esfenvalurate & Nylar
- Water-based, non-staining, no oily residue
- Kills flea and flea eggs for 7 months and cockroaches for 6 months
- Prevents hatching eggs from developing into biting fleas and stops reproductive offspring
- Each fogger treats up to 2000 cu ft





55



FLEX-AUGER® "The best way ever devised to deliver feed."



From Parts to a Complete System Call us for a Price Quote!

Toll Free! 1-800-642-1222



On thousands of farms, "coreless," flexible, spring steel auger system has built its record. It's known for its reliability, its low power requirements, its long life. And CHORE-TIME' is known for always trying to make it even better: latest improvements include new PVC tubing with ultraviolet and wear inhibitors, plus new power-efficient direct drive motors that turn the auger.

Get full facts now about CHORE-TIME FLEX-AUGER and line of feed bins.

...that's the reputation it's earned from farmers using it over many years!

Chore-time® Feed System Parts

CHORE-TIME

Bearing & Anchor Assembly

MODEL	PART NO.	PRICE
Model 55	#39405	\$105.50
Model 75	#37346	\$81.50
Model 90	#35343	\$93.75



30° Upper Transition Clear \$66⁷⁵ A15504347

Flex Auger Tube 10 foot lengths MODEL PART NO.

	•	
MODEL	PART NO.	PRICE
Model 55	A15507955	\$24.75
Model 75	A15506516	\$43.95
Model 90	A15506293	\$44.95

Nylon Outlet Drop

MODEL	PART NO.	PRICE
Model 55	A15504345	\$14.25
Model 75	A15503475	\$16.75
Model 90	A15503490	\$25.95

Plastic Drop Tube

3" x 12'

\$40⁰⁰

3 3/4" x 12'

\$50²⁵

TOLL FREE ORDERING! 1-800-642-1222 OR FAX US YOUR ORDER 1-402-665-2401



Gear Head

3261-7 348 RPM 1/2 HP, 3/4 HP, & 1 HP for models 75, 90, & HMC

#3261-5 348 RPM 1/3 Hp & 1/2 HP for model 55 \$2500 **Pinion Gears**



1/2" Pinion Gear for 1/3 Hp, 1/2 HP, & 3/4 HP Motors \$25⁹⁵

A15505046

for 1 HP &
1 1/2 HP Motors

\$25⁵⁰
A15506104

From Parts to a Complete System – CALL US for a Price Quote! Toll Free! 1-800-642-1222

Single 30° Boot Assembly

MODELPART NO.PRICEModel 55A15508465\$340.00Model 75A15506539\$370.00Model 90A15506161\$405.00





Drop Feeder
Model 55 Model 75

Transparent Plastic

\$3550 A15503611 \$3550 A15503612

1/2 – 10 pound capacity





Flex Auger By the foot!

Model 55 Model 75 Model 90 \$305 \$515 \$510 A15507961 A15504744 A15506942

45° PVC Elbow

Model 55 Model 75 Model 90 \$28⁵⁰ \$32⁵⁰ \$38⁷⁵ A15507285 A15507357



Model 75 #46800-2

\$315⁰⁰

Motor and Gear Head not included.







AP Flex-Flo Feed System Parts

Flex-Flo[™] Control Unit

Dependable control over your feed delivery system

- Easy one wire, one terminal installation
- Fixed 30 second motor delay for electronic safety switch
- Constructed from non-corrosive materials for long life and durability
- Uses proprietary sensing technology eliminating the pressure switch
- Operating status indicated via Bi-Color LED
- One model for single phase or three phase systems
- Additional contactor included for feed monitoring
- 240 volt only, 50 Hz / 60Hz
- Clear access door for quick visual inspection inside
- Electronic sensor retro-fit available for legacy metal control unit boxes
- Auger relay (Max 25 Amp load) rated for 1-1/2 HP Flex-Flo motors

Safety Backup Switch Time Delay

The Flex-Flo Control Unit safety backup switch has a fixed 30 seconds time delay. Once feed falls away from the safety backup switch, the Flex-Flo Control Unit will begin to count down until the 30 seconds has expired.



Please note what size feed line you are using so we can properly match the Direct Drive Driver & Plastic Tube Anchor Package for you.

Mdl 220 FLX-5275 Mdl 300 FLX-5279 Mdl 350 FLX-5286



Accu-Drop Feeders

1-12 Pounds

 Model 220 S10021259

 Model 300 S10021261

\$49²⁵

Accu-Drop Control Unit

• 220V S10021262 • 110V S10021263

\$350⁰⁰

\$410°°

Econo Drop Feeders

Model 220 Econo Drop Feeder Complete Model 300 Econo Drop Feeder Complete Model 350 Econo Drop Feeder Complete

S10022384 S10022386 S10022387

\$33⁰⁰

Econo Drop Control Unit \$340.00 **220V** S10022418

\$395.00 **110V** 510022419



BFT Bin Lid Assembly

AP's Bin Lid is a rugged design, durable LLDPE construction and factory assembled for easy installation.



AP's feed tank lid swings open to a full 180°, lying flat and parallel to the ground, but positioned below the peak ring when fully opened, on 7' diameter bins and larger. The lid can be conveniently opened and closed from the ground.

Retro-fit packages available for 20" and 22-1/2" O.D. peak rings

BFT Lid w/o Peak Ring Retro-Fit BLK-13102 \$465.00 BLK-13216 BFT Lid (Large) w/o Peak Ring Retro-Fit \$520.00

For 22.5" OD Peak Ring

Kwik-Attach Drop Kit

Fast, Simple Installation – No more need to take entire auger line down!

Wider dropout area possible.

Model 220 S1002D109 Model 300 S10022276 Model 350 S10022447

Universal Feed Sensor w/ **Mounting Grommet**

(AP-2983G) S10022983

Three wire design for easy installation

Easy Push button adjustable time delay from 0 seconds to 3 hours

Operating voltage: 24 to 240 Volts



Feed Carts

- 14 Gauge Steel Painted Construction
- Pneumatic Wheels
- · High Strength One-Piece Polyethylene Tub

8 Bushel Feed Cart

\$380.00

44" long x 21" wide x 36" high F72251FC8

15 Bushel Feed Cart

\$470.00

F407590RD

ONLY

\$165

F54839912

\$9²⁵ F15100006

\$**7**⁵⁰ F15100003

3 gal.

F15100004

\$850

53" long x 28" wide x 38" high F7225FC15

5 Pint Plastic Feed Scoop AP Feed Cart

The 5 pint utility scoop is ideal for the barn, home, or the shop. It has 1 flat side for the stable transfer of dry materials, and allows empty scoops to be stacked for storage.

Made of heavy-duty polypropylene plastic that is approved for food handling. Handy guide lines marked at 2 pint & 4 pint. This scoop is ideal for Feed, Pet Food,

or Lawn & Garden tasks. Available in Blue, Pink, Red or Teal

Plastic Feed Scoop

3 Ouart feed capacity

quality polyethylene

• Ergonomically designed

Galvanized

Feed Scoops

6 Qt. 12 3/4" Long x 6 1/2" Diameter

4 Qt. 11 ¹/₃" Long x 6 ¹/₃" Diameter

3 Qt. 7" Long x 6 1/₂" Diameter

Rubber Pans

ONLY

\$11²⁵

H2770R350

Quick and easy to clean!

Constructed of high

* Feed carts can not

be shipped via UPS

The Feed Cart features the same 360 degree turning radius as the Chore Cart but offers a larger 5-1/2 bushel capacity. Measuring 39" in length, 23" wide, 34-1/2" height and weighing 49 pounds, this cart is the perfect feed transport companion.

F1002CC55

Plastic Shovels

Tuffy is an easy to clean 14" wide plastic shovel.

It has a non-stick surface that makes it an ideal

snow shovel. It is rust-proof and non-damaging, which makes it safe to use on any surface.



Virtually unbreakable.

\$2775 S72251020

Chore Cart

19" wide X 41" long X 35" high

- Rugged High Density Polyethylene
- 4.5 Bushel Capacity

ONLY

F1002CC05



Ap

Kane Hanging Feeder

This hanging feeder from Kane Mfg was designed for show animals such as pigs, goats, & sheep. It's a light weight, durable feeder designed to prevent feed loss with it's deep sides and rounded corners. It's easy to install and includes 2 snap hooks. Stackable when not in use.

H4915HF18

15" x 8" x 7" Made In the USA



Duraflex Hanging Fence Feeder

Hanging Fence Feeders are a great way to keep feed off the ground and to feed grain, pellets, and other feeds. It features a bottom chain to stabilize the box and a middle divider. Comes with two heavy-duty metal clips for hanging on wire fencing for a portable feeder that's quick to install or move. You can also permanently mount on a wall or rail by stapling the clips to the wood with fencing

staples, or by attaching lag screws (not included) through the eyelets. \$1895 Made from high-impact polyethylene plastic.

Available in 11" (pictured) or 16"

F4075FF16B

15.75" x 8.25" x 7"



59



- No Adjustment Rods or Bolts Within **Reach of Hogs**
- Special Floating Feed Gate Causes **Additional Feed Release When Hog Touches It**
- Feed Gate Easily Adjusted with Lock- All Exposed Metal Edges Are Safety Hemmed able Control Cranks

Nursery & Finish Feeders

- ✓ Nursery Feeders, available in 4 sizes 241/4" to 421/4" Single or Double Sided Finish Feeders, available in 5 sizes 30¹/₄" to 70¹/₄" Single or Double Sided
- 100% Highest Quality Stainless Steel
- Quality Craftsmanship
- Welded Construction for Maximum Strength

LIVESTOCK FEEDING

Grow Feeder Maxi

With front access and adjustable water flow, the Grow Feeder Maxi offers the possibility of adding water to the feed in the pan itself, which increases the animals' speed of intake and consumption.

In 1994, the Grow Feeder Maxi was the world's first feeder for pigs to be manufactured by injection.

- Large 60L capacity.
- Anti-condensation design allows for the PVC pipe to be installed on either side
- · Longer feed drop mechanism to provide for easier access even to small piglets.
- Inclined nipple.
- Single-piece injected feeder
- Feed drop mechanism is easy to.
- Precise adjustment and feed quantity control to help reduce feed waste.
- Stainless steel protectors.

Grow Feeder Maxi Wet & Dry F70311810 \$245.00 F70311800 \$230.00 **Grow Feeder Maxi Dry**

Ergofix

Designed to install from the top side of plastic flooring or concrete slats. The Ergofix allows you to securely bolt down feeders and mats to your flooring or slats.





SmartIR Feed Sensor

- The SmartIR utilitzes Infrared Sensing Technology to detect the level of feed and control all functions of your feed delivery system.
- Requires no sensitivity adjustment
- Not affected by changes in the temperature, humidity, moisture content or feed type
- Digital Display and Push Button Interface allows quick & precise adjustments
- On Delay Timer delays the restart of the feed system for a programmable period of time
- Maximum Run Timer shuts down the feed delivery system after the system operates continuously for a predetermined
- Alarm Contact can be wired to your Agri-Alert or other on-site alarm system
- Internal 20 Amp 230V Relay allows the sensor to be installed on all makes of flexible auger feed delivery systems without modifications
- * Optional SmartIR Protective Cover safe guards the unit from damage by high pressure washers and incidental contact without obstructing operation or vision.

\$29⁵⁰ S10024738



\$320°°



Concrete Slats

S70310G21

Plastic Flooring

S70310G20

\$460 Each

HALO Feed System Control

The HALO Feed System Control is the solution to feed delivery control needs. HALO uses an infrared sensor and fully featured electronics to manage a livestock system

- High power infrared sensing technology eliminates problems caused by changes in temperature, moisture, humidity and feed density.
- Enclosed in a watertight and corrosion proof enclosure

\$240°°



Sure-Flo

A Simple and affordable way to prevent bridging and promote even flow in feed bins

- Reduces Feed Bridging
- · First feed in is first feed out
- Reduces feed separation
- Easy to install

\$149⁷⁵ F10024854





Pictured with round stand, not included.

AGRIsales inc

Baby Pig Creep Feeder

POLYETHYLENE



Long Lasting

Feed Flow **ONLY \$27**⁷⁵

H49154010

Feed Saver MODEL KCF-SQ

FEEDERS

High Density— Durable!

KANE Polyethylene Nursery Feeders

✓ Stainless steel grills & top slide gate adjustment

High density durable polyethylene

✓ Non-rusting, non-caking ✓ No sharp corners

*Pricing subject to change without notice.

SINGLE SIDE **FEEDERS**

-					555
Model #	Feed Spaces	Dimensions L x W x H in.	Feed Capacity	Item	Price
PNF18	3 Hole Single	18 x 8 x 24	58 lbs.	H4915NF18	\$135.95
PNF24	4 Hole Single	24 x 8 x 24	72 lbs.	H4915NF24	\$153.50
PNF30	5 Hole Single	30 x 8 x 24	87 lbs.	H4915NF30	\$169.25
PNF36	6 Hole Single	36 x 8 x 24	102 lbs.	H4915NF36	\$189.25

Duraflex 18 Qt Hook Over Feeder

The ultimate in Hook Over Feeders! This Hook Over Feeder from Duraflex is more crack-proof, crush-proof, and freeze-proof than plastic. Easily hook over any 2 x wide board for instant portable feeding. Features internal capacity graduation marks shown in quarts and liters. Rubber is naturally safe and soft for animals. Perfect for horses, sheep, goats, alpacas, llamas, and other livestock.

17" long x 16" wide x 10" high 18 quarts capacity (4.5 gallons)

> \$**26**95 F407518HF



Maxi Pan

16" Diameter x 2 34" Deep

- Increases feeding spaces
- Ideal support feeder for wean to finish facilities
- J-Hook anchoring ensures stability

Optional Add-ons:

Maxitainer liquid container

\$**97**⁵⁰ F70310C10



Poly Round Creep Feeder

Solid Polyethylene Construction

Very durable
 Easy to clean

Low Profile

• Three inch lip allows young piglets to find feeder easily and start eating



Creep Feeder • Easy attach j-bolt for all types of flooring

Stainless Steel Round

- Made of 304 SS for longevity & cleanliness
- 2" Lip height for easy access for young pigs

\$**17**⁵⁰ F1013SSRF



1 Gallon Baby Pig Waterer



This watering system has become an industry standard for watering baby pigs. Ready to use the day following farrowing.

6 per Case

Milk Replacement Feeder



Easy to Fill / Convenient Handle!

The Feeder You've Been Looking For!

- Easy to Clean
- One-Piece Construction
- Translucent Graduated Milk Level Reservoir 8 Hole

21/ GALLON CAPACITY

\$45²⁵ 4 lbs. H4915KMF3

7 GALLON CAPACITY

61



THE BEST PRODUCTS AT THE BEST PRICES! **CALL TOLL FREE!** 1-800-642-1222

Rattle Cup

KANE Rattle Cups are made of a high density durable polyethylene and are very animal friendly. Shake the rattle cup and the steel balls inside make noise that moves the animals with no need to poke and prod at them. A large formed handle makes the Rattle Cup extremely effective and easy to use.

Easy to carry Easy to handle Convenient to use Built to last

1013

Slapper

30" whip

\$**6**50

S27071013

Hog Slapper

49" whip

with 18" drop

\$**Q**95

S27071012

Hog Slappers

All have tapered fiberglass shaft

and one piece braided handles.



Decker **Hog Snare**



\$50⁵⁰

V10187728

Sorting Paddles



K72303048R **Red**

K72303048B **Black**

Sorting Paddles are quickly becoming a standard tool to aid in livestock handling. The paddle head (12" long and 5" wide) creates a visual barrier that helps to guide animals, and the bb's inside provide a sound to which animals respond.

36"	S4933PA36	\$12 ⁹⁵	_
42"	S4933PA42	12	Each
48"	S4933PA48		

Plastic Sorting Panels

Light weight and extremely durable sorting panels have rounded hand grip sides and top for e Available in 3 diffe

\supset \subset	\rightarrow	
		n
		U
		Π
		U

Hinge Kit Also Available H7230HK30

ps on the	30" X 18"	5 IDS.	
easy handling. erent sizes.	\$25 ²⁵	K72301830	Red
erent sizes.	30" x 36"	8 lbs.	
	\$41 ⁹⁵	K72303036R	Red
0	\$ 39 ⁹⁵	K72303036B	Black
(IA)	\$ 42 ⁷⁵	K72303036P	Pink
	30" x 48"	12 lbs.	

\$**43**⁹⁵

20" v 10" Elba

Small Hog Catcher \$**16**⁷⁵ Equipped with 3/16" galvanized aircraft cable and a 4" rubber gripped stainless steel handle. Total length including cable 17"



Thermometers + Rain Gauges



Hi-Low **Thermometer** \$8.75

L1065HL01



5" Rain Gauge · Measure rainfall amounts up to 5"

\$3.95 L18250810



\$18.50

L18250891

12 1/2" Round **Thermometer**

\$12.75 L18251360

Digital Thermometer

with Humidity Display



Digital Window Thermometer

The bold, easy to read LCD screen displays the current temperature with daily high / low information

\$9.25

L18250315

7 1/2" Indoor / Outdoor

\$2.50

Thermometer

L18250338

Digital Rain Gauge

- Rainfall measurement (inches/millimeters)
- Rainfall history: 1 rainfall, 1 day or last 7 days
- 2 re-settable cumulative totals
- · Rainfall alarm
- Clock and calendar

\$28.95 L18250899

& Humidity



Color Digital Thermometer

w/Indoor/OutdoorTemperature

This AcuRite Digital Thermometer features

precise, reliable temperature and humidity

temperature and humidity. It also features trend

\$48⁹⁵ L18250384

indicator arrows, daily high and low records,

readings. Its illuminated color LCD screen

displays the current indoor and outdoor

moon phase, time and date.





Features: Indoor / Outdoor temperature Min. / Max. Memory Temperature Display Fahrenheit / Celsius Clock



Wireless Digital Thermometer & Remote Sensor

\$14.75 L18250782

ACURITE.

Indoor / Outdoor temperature displaying Fahrenheit only



Min. / Max. **Digital Thermometer**

Features Indoor / Outdoor temperature, min /max memory display, & backlight

12.5" Indoor/Outdoor Wall Clock

Featuring a durable, weather resistant case and large easy to read numbers makes this indoor or outdoor wall clock perfect for any location. Highly accurate quartz movement is powered by 1 AA battery (not included).



1 year warranty

\$15⁵⁰ L18251960

Jumbo Rain Gauge

48°. 39°. 12:35~

Rain Gauge from AcuRite is 27.5" tall and measures up to 5" of rainfall. Bright red markings make it visible up to 60 feet away. The removable funnel guard prevents debris from filling the gauge and causing inaccuracy. A colored floating ring shows rainfall amount. Durable, weather resistant acrylic construction. Includes mounting bracket for easy installation.

The Big Read Jumbo

\$15²⁵ L18250853

--4--3-

Portable Anemometer

\$11.95

L18250888

This AcuRite handheld anemomoter features a wind meter, plus readings for temperature, humidity, and altitude. It also offers helpful features like high and low records, wind chill and heat index calculation, an LCD backlight for easy viewing, and a handy inspection light.



L.B.WHITE Pilot Light Heaters



L.B.WHITE's pilot light heaters offer simple, reliable operation for years of worry-free performance. These forced air heaters are offered in a wide range of heat outputs. L.B.WHITE's pilot light heaters are designed for easy operation and maintenance and are built to withstand the corrosive environments of even the toughest swine confinements. Cabinets are Tri-shield coated, which consists of 3 unique protective layers. All of **L.B.WHITE**'s heaters are offered in your choice of either propane or natural gas.

CHOICE OF MODELS:

60,000 Btu/h (346 LP / 348 NG) 115,000 Btu/h (377 LP / 379 NG) 170,000 Btu/h (408 LP / 410 NG)

✓ Call Toll Free 1-800-642-1222 for all your Heating Needs

.B.WHITE

we sell the BEST Products at the Best Prices!

L.B.WHITE Guardian Series Heaters

Available in either LP or NG

Guardian forced air heaters

offer an efficient direct-fired design combined with a range of heat outputs, ignition configurations and installation options. All Guardian heaters have **L.B.WHITE**'s advanced Service Saver™. This feature constantly monitors your heater's performance (so you don't have to). With its easy-to-see display **Service Saver**[™] can save you time and money by pinpointing any potential interruptions quickly and accurately.



For more information about L.B. White Heaters Scan the QR Code to the right with your mobile device



CHOICE OF MODELS: Available in both LP & NG

Guardian 60 HSI	(30,000-60,000 Btu/h)
Guardian 100 HSI	(50,000-100,000 Btu/h)
Guardian 250 HSI	(160,000-250,000 Btu/h)
Guardian 250 Pilot	(160,000-250,000 Btu/h)
Guardian 250 Spark	(160,000-250,000 Btu/h)
Guardian 325 HSI	(200,000-325,000 Btu/h)

L.B.WHITE Heater Parts

Sail Switch




152012680



Hi Limit Switch



Hot Surface Igniter



Fits all LB White HSI Heaters!

Burner Orifice

Call with Heater Model



HSI Board

152019298



Basotrol Gas Valve

For heaters made before 1998



Pilot Orifice

NG I52012740



21"Snap-In Thermocouple

152013497



Gas Hoses

Call with Heater Model

Blower Wheels

We need the **Heater Model** Number



Gas Valves

Available in LP or NG

Please specify if your heater is Pilot Light or Hot Surface Ignition **Pilot Light***

LP #521615 NG #521616

LP #522076 NG #522078 For "K" Series Pilot Heaters post 1998

Pilot Assembly Orifice and Bracket

NG 152012741



L.B.WHITE Infraconic Radiant Heater

The Infraconic patented design delivers more radiant energy to the ground than other heating solutions. This means you get a broader, more consistent heat pattern with less fuel. Your pigs stay warm, so they eat more and grow faster. By creating a broader comfort zone with even heat distribution and no dead spots, the Infraconic helps you improve your productivity and reduce time to market. The Infraconic can save you a significant amount of money on your energy cost. Up to 40%, depending on your facility and current heating.

Btu/h Options:

17,100 Btu/h 40,000 Btu/h

Up to 150 Wean to Finish Pigs Up to 4,400 Chickens or

1,100 Turkeys

Configuration Options:

Available in either a modulating or spark ignition configuration.

Control Types:

With the Infraconic, you choose the level of control you want:

- Zone Control Provides temperature control of multiple Infraconics.
- Individual Control Offers individual temperature management.





Heating

VariFlame™ Forced Air Heaters

Variable rate heating with less hassle.

The VariFlame™ variable rate heater offers producers more control, easier access and increased longevity compared to any other unit available on the market today. Pair the VariFlameTM in legacy mode with any controller, seamlessly synchronizing and adjusting with the temperature curves set in the controller to maintain desired room temperature.

2 Models to fit your needs:

- Standard ON / OFF VariFlame™ heater offers manual control over heater outputs.
- VariFlame™ with EDGE Connect is designed to work with the AP EDGE control system, providing additional features including stir fan mode, exercise mode, remote access and diagnostics.

Three durable finish options:

- Galvanized
- · Powder coated paint
- · Stainless Steel

Features:

Improved Burner Performance: VariFlame's line-style burner offers an extended range of 50,000-250,000 BTU's. The line-style burner provides a more consistent flame while maintaining ignition reliability, flame sense and flame stability.

No More Igniter Frustration: Most durable and easy-to-use on the market. Made of silicon nitride, a material typically used in performance engine parts, these igniters replace silicon carbide models.

Standard Diagnostics: The on/off model VariFlame multi-color LED diagnostic system combines several colors and frequencies to offer more precise information.

Longer Life: All models come with a water and dust tight control box for long life and the industry's highest grade FEP-coated wires and stainless steel terminals.

Easy Maintenance: It is the only heater on the market featuring a single, easy-to-remove door that allows you to effortlessly access all serviceable parts from a single location.





Pictured with optional painted case

Purafire Heater Parts

Flame Safeguard Relay



146⁷⁵

#20-5001

Blower Wheel C80M #20-5008



\$33⁵⁰ C225 #20-5110

> \$**61**⁷⁵ 110025110

Air Proving Switch Assembly

110021904



Gas Valve 185⁰⁰

I10025025

LP #20-5070K

NG #20-5071K \$19500

Flame Probe \$1**7**⁷⁵ 110025045

Gas Ignitor STAINLESS STEEL #20-5047M



\$235.00

\$340.00

\$**51**⁵⁰

Hi Limit Switch

I10025047

\$18⁵⁰

110025046 350°

#20-5046

#20-5045 **Motor & Blower Wheel Assemblies**



1/8 HP 1 Ph 60 Hz 120V #5420-0-902 1/3 HP 1 Ph 60 Hz 120V #5430-0-902

Call us TOLL FREE! at 1-800-642-1222

Hired Hand Heaters

Super-Saver XL Heaters

The Super-Saver XL heating line is a line of direct fired heaters that have model variations for both inside suspension hanging and outside mounting. The inside mount model is a gas circulating heater thats dependability and rugged construction make it the ideal unit for the swine environment.

Features:

- Models available from 40K to the all new 250K BTU
- Hot surface or all new direct spark ignition options
- High temp aluminized steel burner chamber
- Side swing door for easy access and maintenance
- Diagnostic lights for troubleshooting ease
- Standard adjustable "Y" heat deflector
- 1/3 HP totally enclosed thermally protected motor with sealed bearings (1/10 HP on all 40K to 75K Btu units)
- Standard 1/2" gas cock installed at gas valve
- Back-up safety sail switch
- High limit safety switch (manual reset)
- On/Off toggle switch
- Available in 120v or 240v models



Honeywell Gas Valve

#3004-0100 NG #3004-0101



White Rogers Gas Valve

LP #3004-0301-HH NG #6401-1301-H

Heater Motor

Call with

Heater Model

Number



Heater Module

120 Volt / 60 Hz #3591-1851

\$112²⁵



\$7495



Blower Wheel



Large #6401-1318 \$**67**⁵⁰

Small #6401-1726 \$66⁰⁰

Large Cabinet Heaters **Small Cabinet Heaters**

#3017-1300 #3017-1302

High Limit Thermodisc



Large Cabinet Heaters **Small Cabinet Heaters** All Non-XL Heaters

#3005-0107 #3005-0108 #3005-1311

Flame Probe



4" Old Style #6450-0091 1.25" Old Style #6450-0093 2.20" New Style #6450-0094 SS 75XL Heater #1901-4015

Ignitors

Old Style Ceramic Ignitor #6450-3002



Stainless Steel Ignitors #3002-3000 4" New Style Ignitor 3" New Style Ignitor #3002-3004 2 1/2" New Style Ignitor #3002-5000

Sail Switch

#3001-1740



Heating

KANE Poly Pig Heat Mat

Designed for the producer, Kane heat mats are easy to install, durable, energy efficient, and safe to operate. Our new mat is 30% more efficient than fiberglass mats and 80% more efficient than heat lamps. Designed for all types of farrowing in new or remodeled barns, Kane heat mats can be installed on the surface of any type of flooring providing the producer with maximum flexibility and energy savings when heating crates, free stall, and comfort stall creep areas. Kane's unique design maintains the optimal temperature for your farrowing environment to reduce stress, improve digestion, and promote rapid growth.



MODEL DIMENSIONS ID #	PRICE
PHMS-36 13.5" x 36" H4915PS36	\$89.95
PHMS-48 13.5" x 48" H4915PS48	\$105.50
PHMD-36 27" x 36" H4915PD36	\$138.25
PHMD-4827" x 48" H4915PD48	\$166.50

Stanfield Heat Pads

- Introduced to the swine industry over a quarter of a century ago
- Put the heat where it's needed to improve piglet weight gain & healt
- Tough fiberglass-reinforced composite material
- Safe and durable heating elements
- Earned UL, CE, & CSE certification

Farrowing Heat Pads provide a uniformly warm surface 30-35° F above air temperature

\$131.75	12" x 36"	RS1B3
\$157.25	12" x 48"	RS1B4
\$215.00	24" x 36"	RS2B3
\$265.00	24" x 48"	RS2B4
\$320.00	24" x 60"	RS2B5

Nursery Heat Pads provide a uniformly warm surface 20-25° F above air temperature

RS203	23" x 34"	\$215.00
RS303	36" x 36"	\$285.00
RS304	36" x 48"	\$330.00



TD1-15II Heat Mat Thermostat

- Automatically controls1 zone/room.
- Includes temperature sensor & 30 Amp load module.
- Electronic LED with simple operation.
- Easy to program and manage.
- Programmable settings include auto ramp down of mat surface temperatures as pigs grow.
- Expandable to add more zones Each module can control up to 18 PHMD-48 Heat Pads

H4915D115



Stanfield Control F911

Regulate Heat & SAVE Energy!

- Plugs into any 110 or 220 volt outlet
- Up to 600 watt capacity

\$106⁵⁰ H6025F911



2 outlets

Easyfix Luna Pig Toy

The new EASYFIX Luna range of floor products are designed to provide environmental enrichment for pigs. Made from high quality natural rubber, the products are pliable, durable and safe for pigs to bite on. They have a unique design with 12 protruding legs that only allow 3 legs to be in contact with the floor at any one time. Brightly colored for easy observation in the pen. They help reduce tail, ear and side biting. The Luna remains at floor level and allows up to 6 pigs to interact with it simultaneously. Non-toxic and no cleaning required.

Luna 50 (Red): 0-4 week old piglets S7031L050 \$13.50 Luna 86 (Yellow): 4-7 weeks, 1st stage weaners S7031L086 \$25.95 Luna 117 (Blue): 7-12 weeks, 2nd stage weaners S7031L117 \$42.75



Easyfix Astro 200 Hanging Pig Toy

Made from high quality natural rubber the Astro 200 is pliable, durable and provides a good bite. It is designed to suspend from ceiling, wall, or other fixture and provides excellent environment enrichment for finisher pigs & sows. It helps prevent tail, ear, and side biting and reduces aggressive behavior. It is non-toxic, easy to install and requires no cleaning. Can occupy up to 4 pigs at a time.



Lamps + Bulbs + Replacement Cords

Philips Heavy Duty Heat Bulbs



\$**8**99 EACH

Case Price

175 Par 38 / Heat N49850175

Halogen Infrared Lamp Holder and Replacement Bulbs

Lamp Holder

Made to hold halogen infrared bulbs from 125 Watt to 250 Watt

- 3 Position Switch: High-Off-Low
- Aluminum structure
- Anti-shock and water resistant
- UL/CSA approved



Replacement Bulbs

- Compact and light Shock and water
- resistant
- Laboratory tests of 10,000 hours

175 Watt Bulb **\$6.90** N73006175

250 Watt Bulb **\$7.10**

Porcelain



Socket

\$180

Spring Clamp



ONLY \$260

Heat Lamp

- Heavy 9' Cord
- Heavy Gauge Long Neck Aluminum Reflector
- Heavy Duty Hanger
- Double-Wire Guard
- High Heat Porcelain Sockets with Round Vinyl 2 Wire Cord
- Spade Terminal Connectors (no solder)

ONLY\$ 1375

N55000401

Economy 100 & 175 Watt Clear Heat Bulb



\$335 EACH

\$315 EACH

ON 48 OR MORE BULBS

• 120 Volt Filament

- Heavy Duty Filament Guidewire Supports Reduce Filament Breakage
- Longer Life 5,000 + Hours Average
- Weather Resistant Hardened Glass Shell
- Lighter Weight BR38 Glass Significantly Reduces Lamp Socket Breakage
- Heat Output Equivalency 175 Watt = 250 R40

Based on 7¢ per kwh, and 24 hour continuous operation for 28 days/month.

ENERGY SAVINGS!

Old Lamp Wattage 250 175 **New Lamp Wattage Watts Saved** 25 **75** \$3.53 \$\$\$ SAVINGS per month \$1.18

5.000 Hour Brass Base Infrared Heat 4+ Cases Lamps



\$2¹⁵ per bulb \$**740** 125 WATT CLEAR N72900125

250 WATT CLEAR N72900250

Adjusta Heat Lamp

- Adjustable bulb height built into housing Larger heat pattern if desired
- Extra heavy-duty high impact polypropylene housing
- Hanger attaches to housing, not the cord
- UL approved

\$**14**95 N4514ADHT



Replacement Cords



TERMINALS \$___30 _{N55009009}

WITH

SPADE

12 FOOT 1 lb. \$480 N55009012

Infrared **Halogen Lamp**

- Adapters ensure easy use of lamps in traditional fixtures
- Constructed from aluminum and stainless steel
- Shock resistant & water resistant



N7300BTBR

Spiral Lamps + Globes + Fluorescents

Ultra Compact Spiral Tube Lamp

Twister Lamps save up to 13 standard light bulb changes!!! 5000K Color — Great for darker buildings!

· Lasts up to 10 times longer than · Electronic ballast a standard incandescent bulb

Up to 80% energy savings

Instant soft start



 Compact one-piece design allows for easy replacement of standard bulbs



Item Number	Wattage	Initial Lumens	Incandescent Equivalent	Price Each
N7008GL11	11 Watt	730	40 Watt	\$3.75
N7008GL13	13 Watt	880	60 Watt	\$3.75
N7008GL15	15 Watt	1100	75 Watt	\$3.99
N7008GL20	20 Watt	1300	75 Watt	\$4.50
N7008GL23	23 Watt	1600	100 Watt	\$3.95
N7008GL26	26 Watt	1750	100 Watt	\$4.75
N7008GL32	32 Watt	2100	125 Watt	\$9.50
N7008GL40	40 Watt	2600	150 Watt	\$9.75

NOTE: 23 Watt and above NOT recommended for water-tight enclosures.

Halogen A-Lamp Bulbs

Energy savings halogen offer a bright, crisp uniform light output. These bulbs offer a great solution to the now discontinued incandescent bulbs.

Watage	Replaces	Lumens	Inventory #
43 Watt	60 Watt	750	N71002402
53 Watt	75 Watt	1050	N71002403
72 Watt	100 Watt	1490	N71002404

- Fully dimmable, mercury-free, instant on
- Up to 30% energy savings over incandescent lamps
- The look and feel of incandescent lamps

• 120 Volt

12 - 2 Packs / Case

/ 2 PACK

7" Clear Plastic Globe

- Great fit for compact fluorescent lamps
- 3" Diameter
- 7" Overall length

ONLY \$475 N7008CP07



Utility Light Fixture

- 150 Watt maximum
- Agricultural\Commercial Fixture

Suitable for wet locations **COMPLETE FIXTURE INCLUDES:**

- Socket Assembly
- 3" Glass Globe
- Wiring Box with 1/2" & 3/4" knockouts



\$23⁷⁵

ITEM NO.	DESCRIPTION	PRICE
N55001575	Complete Fixture 3/4" Knockouts	\$24.50
N55001505	Socket Assembly w/ Glass Globe	\$15.95
N55001534	Wiring Box 3/4" Knockouts	\$ 8.75
N55001512	Wiring Box 1/2" Knockouts	\$ 8.75
N55001520	Socket Assembly	\$13.95
N55001530	3" Glass Globe	\$7.95

High Wattage Spiral Fluorescent Bulbs

Energy Efficient

- Maximum light distribution achieved through compact design
- Save up to 79%** in energy costs compared to incandescent lamps
- Tri-phosphor coating enhances lumen efficiency and color rendering

Technical Data

- Electronic instant start ballast 120 volt, 60Hz
- -10° F minimum starting temperature 5000K natural white color
- Medium screw type base (just like a normal incandescent light bulb)
- Nickel-plated brass base
- 1 Year Warranty^
- 10,000 Hours Average Rated Life

ltem #	Wattage	Initial Lumens	Equivalent	Length	Price
N7008GL655	65	4300	300 Watt	9.45"	\$21.50
N7008GL855	85	5700	350 Watt	9.96"	\$26.75
N7008GL105	105	7000	400 Watt	10.75"	\$26.75

*Based on 3 Hours use per day **Energy Savings based on 10¢ per kilowatt hour

^ This product is warranted for 1 year from date of purchase, based on 10 hours use per day.



Photoelectric Control

- 1.5VA Power Consumption
- 10-20 Lx On Level
- 30-60 Lx Off Level
- 5-Yr Warranty
- 110-277V 50/60 Hz
- Twist Lock
- Weatherproof
- Tungsten 1800 W
- Ballast 1000VA

N75705021



\$16⁵⁰

LED Dusk-to-Dawn Light

S71005086

- Powder-Coated Die-Cast Aluminum Housing
- Polycarbonate Prismatic Lens
- Can Mount Directly to Wall
- (Mounting arm also included)
- 120-277 Volt 50/60 Hz
- UL Listed for Wet Locations
- 3 Year Warranty



Small LED Wall Pack WPS-50

Applications:

Security, doorway, pathway and perimeter lighting.

Features:

- 15 Watts of Power Consumption
- 5000K Daylight White Color Output
- Aluminum backing plate with conduit
- entrances on back and bottom
- Comparable to a 50W metal-halide light
- Dark bronze housing
- 1596 Lumens
- 50,000 Hour Expected Lifetime
- 5 Year Warranty

Built in Photocontrol

\$**94**99

N4650WP50



100 Watt Replacement 3-In-1 LED Light A-19 Type LED Light Bulbs Emergency Light/Night Light/Flash Light

A direct replacement for 100 watt incandescent lamps that uses only 15.5 watts of energy.

Indoor residential and commercial lighting

LED Bulb

• 5000k Color Temperature: Daylight

Available in 4 output wattages:

Input

Power

25

52

77

103

• 5 year warranty

• 75,000-100,000 hours life expectancy

- Down lighting
- Damp location approved
- Totally enclosed fixture approved
- 3000K
- 220° Beam Angle
- 5 9/16" Overall Length
- /4 Pk • 25,000 Hours • 1600 Lumens
 - N71008790

Automatic sensor LED illumination

Fold-in plug Energy efficient Rechargeable

Price

\$135.99

\$151.99

\$167.99

\$183.99

batteries included 120 Volt

LED Wall Fixtures

These durable and effecient wall pack lights save electricity, reduce maintenance,

& enhance night-time visibility. They feature an industry standard die-cast housing

Metal Halide

Replacement

100W

250W

320W

with a forward throw prismatic lens, which pushes the light out from the building.

Photoelectric sensor not included but can be easily added on site

Government & utility rebates are

available in many areas when upgrading from traditional lighting

technologies to eneregy-effecient LED lighting

Assembled in the United States using USA & Imported Parts

Lumens

3200

6451

9503

12,990





Inventory

Number

N4650WP100

N4650WP250

N4650WP320

N4650WP400

1-800-642-1222

Replace your old out of date incandescent light bulbs with the new A19 type LED bulbs. Save about 60% on your lighting bill.

- Solid State LED lighting
- A-Shaped replacement lamp
- Long life
- E26 Medium Base
- 120 Volt
- Frosted finish
- 49/16" Length
- 15,000 average rated hours
- 5000K
- CRI: 80
- Beam Spread: 240°



75 Watt Equivalent

N71009801



71

45 Watt N4650D2D6 \$106.99 65 Watt N4650D2D8 \$136.99

Optional **Mounting Arm** \$18.00 N4650DARM



Sharpshock Rechargeable Electric Livestock Prod

Reliability, rigidity, and user friendliness drive the reputaion of these industry leading electric prod handles. Designed for use in challenging farm environments typical of rigorous professional use. Constructed of high impact strength polycarbonate. Equipped with a rechargeable battery pack equivalent to the lifetime of 100 C batteries. Water resistant rubber seals enclose the unit allowing them to work when wet or grounded. 110 Volt charger included



Sharpshock Flexible Shafts

These shafts are built tough, out of the top insulating plastics. The prongs are specifically designed for non-arcing and are constructed of virtually unbreakable polycarbonate.



Replacement Battery Pack \$18360016 \$31.50 S18360141 \$11.50 110V Charger 12V Charger \$18360139 \$11.50

Hot Shot DuraProd™

Hot-Shot® revolutionized the livestock handling industry when it introduced the first commercially available electric livestock prod. Since then, millions of livestock handlers worldwide have come to rely on a Hot-Shot® as a standard tool to perform their job efficiently and safely.



The Next Generation of Prod Technology: Today, Hot-Shot® continues to lead the market with the introduction of its completely new DuraProd™. Incorporating the latest technologies available, the DuraProd™ delivers consistent, superior performance in a new ergonomic design.

Benefits include:

Durability: sealed circuit ensures unit will work in all conditions **Reliability:** tested using six proprietary measures to ensure consistent performance

Safety: new patent pending Circuit Isolation Technology reduces feedback shock during use

User Comfort: new handle design featuring rubber over-molded grip, oversized trigger & hand guard

Motor with Alkaline Battery Pack	S4075HUDX	\$105.75
Motor with Rechargeable Battery Pack	S4075HUDXR	\$186.50
Replacement Motor	S40750DX1	\$89.95
Rechargeable Kit (Includes Rechargeable Battery Pack 12 Volt Charger Adapter, 110 Volt C	S4075RKIT harger Adapter, & Charg	\$125.25 er Base)
110 Volt Charger with Base	S4075XRC1	\$63.75
Alkaline Battery Pack	S4075XABP	\$38.25
Rechargeable Battery Pack	S4075XRBP	\$88.99

Green HS2000 Hot-Shot...

Customize your own HS 2000 Green Hot-Shot[®] unit the way you want it! Components are listed separately. (Please remember to order the handle unit and shaft combination you desire.)

Offers unparalleled performance in all conditions, **especially** wet animals. Permanently sealed motor is moisture proof, shockproof, and durable.



Green Handle only (batteries included)

S4075HS20 \$88.50



Green HSR 2000 RECHARGEABLE Hot-Shot Handle only

(Rechargeable Battery Pack included)

S4075RE20 **\$149.50**

RECHARGEABLE Battery Pack

\$4075RBP1 **\$80.25**

Increased capacity ni-cad battery has more capacity for longer service between charges

- **LED Charging Light** Lets you know unit is charging
- **Durable Flip Cap Plug** Protection against the elements
- Safety Switch Prevents dangerous shorting



#HOT-SHOT

SHAFT ASSEMBLIES FOR HOT SHOT FIBERGLASS SHAFT

6407501104	4=2/#	44-0-
S4075RH24	15³/₄" actual length	\$15.25
S4075RH36	27 ³ / ₄ " actual length	\$16.25
S4075RH48	$39^{3}/_{4}^{4}$ " actual length	\$17.25

FLEXIBLE SHAFT

S4075FX32 23¹/₃" actual length \$19.75 S4075FX42 331/2" actual length \$23.25

• 110 Volt Charger (must be ordered separately) S4075R110 **\$14.25**



• 12 Volt Charger

S4075CR12 **\$16.50**

(plugs into cigarette lighter)

Replacement Drive Motor for HS 2000 S4075HS12 **\$61.75**



Hot-Shot[®] High **Amperage Alkaline Batteries** S4075ALK1 **\$9.10** ea.

(for non-rechargeable Model-HS 2000) Last 34% longer than standard 'C' batteries





ALARMS

AGRI-ALERT 800EZ

Introducing the next generation of Agri Alert Alarms

User Friendly Design • Easy to Configure • Easy to Install

- New, Graphical LCD Screen:
- View information quickly and more clearly
- Intuitive screen design
- Easy navigation through menus
- Bright Tri-color status LEDs for each zone
- Easy to service PCB with plug-in connectors
- Re-settable fuses on PCB
- Integrated rechargeable back-up battery
- Programmable using PC software and SD card
- Separate plug-in phone dialer card for easy serviceability
- 2 output relays that can be activated by phone
- Can call up to 8 differenct phone numbers (home phones, pagers, cell phones, etc.)
- Recordable messages for system ID and individual zone voice labeling
- Acknowledge alarms by phone

- Call in from off site for zone temperature and system status reports
- Auxiliary 12vdc power supply
- Outdoor temperature compensation feature (requires additional card)
- Agri Alert's famous Spike Block lighting protection
- Environment proof PVC enclosure
- Non-volatile event buffer and alarm memory
- Built-in microphone for on-site listening
- 8 'supervised' zones
- Individually programmable as temperature, dry contact, or burglary zones
- Zones can be activated or bypassed individually

Call Agri Sales today for more information, pricing and available options: 1-800-642-1222

Sensaphone Remote Monitoring

The ALL NEW Sensaphone 400 offers an easy, inexpensive way to monitor a remote facility. It can be installed to monitor a variety of applications. The 400 has a built-in ability to monitor for power failures and to listen to the sound of a smoke detector. There are also four external inputs that can be connected to a variety of sensors to monitor temperature, water on the floor, humidity, and much more. One of the four external inputs already comes with a temperature sensor for monitoring temperature where the 400 is installed. When an alarm is detected, the Sensaphone 400 can notify up to four people by making voice phone calls. It will continue to make phone calls until someone responds to the call. The voice messages can be custom recorded, so you get to describe each alarm message that it speaks in your own voice. The phone interface includes a line seize feature so that extension phones are automatically disconnected when it needs to make an alarm phone call.

\$395⁵⁰ L41000400

When you need to monitor additional conditions, or need to notify more people, the 800 is the best choice. It has all of the same features as the 400, but instead of four external inputs, it is equipped with eight. And instead of being able to notify four people, it can notify eight using the same custom voice phone call technology. And like the 400, one of the external inputs comes with a local temperature sensor installed.

\$590°0 L41000800

New capabilities of both include:

- Real voice capability Record voice labels to identify the unit and each input!
- Output relay Control a device such as a thermostat, siren, or strobe, either manually OR automatically based on alarm condition!
- Line Seizure The Sensaphone can seize a phone line that is in use in order to call out.
- Phone line condition monitoring The Sensaphone monitors the integrity of the phone line. If the line is cut or disconnected, and LED will flash and (optionally) the relay output can be tripped at the same time.

Sensors can be added to:

- Detect temperature extremes in additional locations OTHER than where the Sensaphone is located
- Detect the presence of water
- Detect intrusion
- Detect humidity extremes
- Detect smoke
- Detect power outages in additional locations OTHER than the Sensaphones location.

- 4 (or 8) Alarm Inputs, Dry Contact or Temperature (-20° to 150°)
- Comes with pre-wired temperature sensor on input #1
- Built-in AC Power failure sensing
- · Built-in high sound level detection
- Built-in microphone for listening in
- 4 (or 8) Dial-Out Phone numbers, up to 32 digits each
- Intelligently dials out to numeric beepers or pagers
- 24 Hour battery backup (with user-installed batteries)
- · Battery condition monitor
- · Phone line integrity monitor
- Line seizure Output relay

Model 800



Thermalarm III

The Thermalarm III uses hermetically sealed magnetic switches to trigger an alarm condition, eliminating concerns with corrosion & particle contamination of the contacts.

- Senses both high & low temperatures
- Temperature range of 20° F to 110° F
- Connect to a simple battery operated system or to an automatic monitoring alarm system



ONLY

S7510T111

\$**48**⁹⁹

MR16 Halogen Lamps

- 6-Volt, Sealed Lead Acid, Rechargeable Maintenance-free Battery
- Completely Self-Contained
- Automatic, Low-voltage Disconnect Push-To-Test Switch
- Dual 120/277VAC operation
- V-5 Flame Retardant
- High Impact Resistant
- 14.9"L x 5.7"H x 4.2"D



\$64⁵⁰

N6024EL2H

73

FASTENING PRODUCTS

Inn-O-Plug Anchors

Inn-O-Plug Anchors are used in place of standard T-Bolts & J-Bolts. The 2 part design allows for the rounded head of the bolt to be flush with the flooring, eliminating the bolt from protruding up out of the slats or mesh flooring. Cast from poured SS these anchors are made to last & are easy to install.

T-Anchor

T-Anchor (No Bolt)	S10130875	\$3.75
10 x 90 (3 1/2") Torx 50 Bolt	S10130872	\$1.50
10 x 110 (4 1/4") Torx 50 Bolt	S10130873	\$1.65
Torx #50 Socket	S10139419	\$5.75
Installation Tool	S10130878	\$5.50

Anchor shown with Bolt



 J-Anchor (No Bolt)
 \$10130847
 \$3.50

 8 x 65 (2 1/2") Torx 50 Bolt
 \$10130889
 \$1.50

 8 x 90 (3 1/2") Torx 50 Bolt
 \$10130888
 \$1.60

 Torx #50 Socket
 \$10139419
 \$5.75

J-Anchor

Anchor shown without Bolt

Bolt Snaps

Material

3/16"

1/4"

5/16"

3/8"

7/16"

Diametter

Snap is highly resistant to rust and corrosion. Swivel eye eliminates tangling.



\$58602596 5/8" x 3.40" Chrome Plated \$1.50 \$58605750 3/4" x 3.50" Chrome Plated \$1.50

Opening

.25"

.312"

.437"

.625"

.75"

SS Springhooks

Length

2.0"

2.374"

3.125"

4.0"

4.75"

Double Bolt Snaps

Snap is highly resistant to rust and corrosion. Double bolt is for quick attachement.



SNAPTOGGLE®

Heavy Duty Hollow-Wall Anchor

The SNAPTOGGLE anchor is a heavy-duty hollow-wall anchor for use in walls, ceilings, or floors of materials such as gypsum board, drywall with a steel stud, concrete block, tile over drywall, etc. The anchor is preassembled and ready for immediate use.

- Holds up to 2x the load
- Solid metal channel resists
- vibrations and shock
 Pre-assembled and ready for
- immediate use
 Pre-installs without fixture or
- bolt
 Installs in a significantly smaller
- hole significantly smaller
- Automatically adjusts to thickness of wall, ceiling or floor
- Does NOT spin bolt installs with a screw gun
- Uses a shorter bolt no need to carry a wing
- Does NOT fall behind wall when bolt is removed



Stainless Steel Clevis Pins



Price

\$1.15

\$1.45

\$2.20

\$4.40

\$6.15

Inventory #	Size	Effective Length	Price
S6364CP12	3/16"x1"	0.859"	\$0.60
S6364CP16	3/16"x1 1/2"	1.359"	\$0.78
S6364CP36	1/4"x1"	0.859"	\$0.85
S6364CP44	1/4" x 1 1/2"	1.359"	\$1.10
S6364CP78	5/16" x 3/4"	0.563"	\$1.05
S6364CP94	5/16"x1 1/2"	1.313"	\$1.65
S6364CP142	3/8" x 1"	0.766"	\$1.65
S6364CP154	3/8" x 1 1/2"	1.266"	\$2.25

Other sizes available by special order.

Stainless Steel Cotter Pins

Length of Cotter pin is measured from underneath head to extreme short shank.

Inventory #	Diameter	Length	Price
S40907416	3/64"	2"	\$0.12
S40907317	1/16"	2 1/2"	\$0.13
S40907323	5/64"	1 1/2"	\$0.11
S40907351	1/8"	2"	\$0.17
S40907353	1/8"	3"	\$0.23
S40907378	3/16"	2 1/4"	\$0.36

Many other sizes available by special order

Stainless Steel Hair Pin Cotter

		Use on	
Inventory #	Size	Saft Size	Price
S6364HR05	.097 x 1.65	5/16" - 3/8"	\$0.50
S6364HR06	.091 x 2.00	3/8" - 1/2"	\$0.75
S6364HR08	.120 x 2.35	1/2" - 9/16"	\$1.35





COLLECTION MATERIALS			
ITEM NO. DESCRIPTION PRICE			
V5513A015	Sterile Gauze (18" x 18")	\$69.99 (200 / Pack)	
V5513A019	Semen Filters (9" Square)	\$7.69 (100 / Pack)	
V5513A022	9" x 15 Collection Bag	\$12.99 (100 / Pack)	
V55136519	14" x 18" Pooling Bag	\$20.50 (50 / Pack)	

DISPOSABLE GLOVES AND BOOTS			
ITEM NO.	DESCRIPTION	PRICE	
V4085LN01	Latex Powder Free Glove – Medium (100 / Box)	\$15.75	
V4085LN02	Latex Powder Free Glove – Large (100 / Box)	\$15.75	
V4085LN03	Latex Powder Free Glove – XL (100 / Box)	\$15.75	
V4085LP01	Latex Lightly Powdered Glove – Medium (100 / Box)	Call	
V4085LP02	Latex Lightly Powdered Glove – Large (100 / Box)	Call	
V4085LP03	Latex Lightly Powdered Glove – XL (100 / Box)	Call	
V1790NNP2	Blue Nitrile Powder Free Glove – Large (100 / Box)	\$18.75	
V1790NNP3	Blue Nitrile Powder Free Glove – XL (100 – Box)	\$18.75	
V1790NLP2	Blue Nitrile Lightly Powdered Glove – Large (100 / Box)	Call	
V1790NLP3	Blue Nitrile Lightly Powdered Glove – XL (100 / Box)	Call	
V10188887	Shoulder length O.B. Sleeve (100 / Box)	\$13.95	
V10187735	XL 4 mil Disposable Boot (25pr / Box)	\$16.25	
V55130PB6	XL & Tall 6 mil Disposable Boot (25pr / Box)	\$25.50	
V1018EB4M	3 mil Elast-A-Boot (25pr / bag)	\$15.25	
V1018EB6M	6 mil Elast-A-Boot (25pr / bag)	\$29.50	

SEMEN STORAGE UNITS			
ITEM NO. DESCRIPTION		PRICE	
ADJUSTABLE STORAGE UNIT WITH DIGITAL DISPLAY, HEATING AND COOLING OPERATION. FEATURES A WIRELESS THERMOMETER. OTHER SIZES AND COOLING ONLY UNITS ALSO AVAILABLE.			
V5513HC18	1.8 cu ft		
	Holds Approximately 80 Doses	\$625.00	
V5513HC27	2.7 cu ft		
	Holds Approximately 120 Doses	\$699.00	
V5513HC43	4.3 cu ft		
	Holds Approximately 190 Doses	\$785.00	
V5513HC60	6.0 cu ft		
	Holds Approximately 270 Doses	\$1,400.00	
V5513HC20	20.3 cu ft		
	Holds Approximately 1100 Doses	\$1,999.00	

PVC Apron

Ansell heavy-duty 20 mil PVC apron provides resistance and protection from chemicals, fats, oils and greases. It measures 35"x 45" with extra-long neck and waist ties. A stomach patch & nylon backing adds to the puncture and abrasion resistance of the apron.

\$10⁰⁰ S4085P45G



SWINE INSEMINATION SUPPLIES			
ITEM NO.	DESCRIPTION	PRICE	
/55131001	White Foam Catheter w/ Handle	.38	
/55131002	White Foam Catheter w/o Handle	.30	
/55131034	Gilt Foam Catheter w/ Handle	.28	
/55131035	Gilt Foam Catheter w/o Handle	.28	
/5513IO28	White Spiral Catheter w/ Handle	.38	
/55131036	Priority Care Lube (5oz tube)	4.50	

SEMEN PROCESSING & PACKAGING		
ITEM NO. DESCRIPTION		PRICE
V5513F001	85 ml Bottle with Break-off Cap (500/box)	.34

Kleenguard A40 Disposable Coveralls

Liquid & Particle Protection Coveralls - White

Breathable, microporous film laminate. Meets ANSI / ISEA 101-1996 sizing standard. Better liquid barrier, better particulate barrier, lower in lint than Tyvek. NFPA 99 compliant antistatic material. Passes ASTM F1670 test for penetration of blood & body fluids.

Starting at

Typical Uses:

• Fiberglass manufacturing

- Tank Cleaning
- Utilities
- Liquid Handling
- Pressure WashingMaintenance/General Manufacturing

Available in Large - 3XL

Companion™ Disinfectant Wipes

Companion™ ready to use disinfectant wipes effectively clean, disinfect and control odor. These pre-moistened 6" x 8" towelettes remove tough soils such as dirt, fecal material, blood, urine, and mildew. They leave behind a fresh citrus scent. Companion™ disinfectant wipe formulation is nonabrasive, & non-corrosive with repetitive use. Reduce your patient turnover time by using the convenient and effective Companion™ disinfectant wipes.

Available in 160 Count Tub or 60 Count Soft Pack

\$13⁹⁵

160) 6" x 8"Towelettes V58404909

Neogen® Viroxide Super™ Disinfectant

NEOGEN® Viroxide Super™, a powdered, peroxygen-based disinfectant, offers rapid broad-spectrum disinfection as part of a comprehensive biosecurity program.

NEOGEN Viroxide Super can be used for disinfection of production animal housing and equipment, boot baths, vehicles, and other hard, non-porous surfaces. NEOGEN Viroxide Super has demonstrated effectiveness against viruses similar to SARS-CoV-2 on hard, non-porous surfaces

11 lb pail

\$**68**⁷⁵

V58400811



Power Wash Guns, Hoses, & Accessories

Power Wash Quick Couplings Brass Socket - Male Thread



SIZE PRICE ITEM# P62857210 1/4" P62857217 3/8"

\$ 3.50 (Sockets have eight ball bearings \$ 4.50 Designed specifically P62857230 1/2" \$ 7.75 for high pressure

Brass Socket – Female Thread

ITEM#	SIZE	PRICE
P62857214	1/4"	\$ 3.50
P62857218	3/8"	\$ 4.50
P62857235	1/2"	\$7.75



Plated Steel Plugs – Male Thread

ITEM#	SIZE	PRICE
P62857194	1/4"	\$ 1.10
P62857196	3/8"	\$ 1.30
P62857248	1/2"	\$ 2.30



Plated Steel Plugs – Female Thread

SIZE	PRICE
1/4"	\$ 1.10
3/8"	\$ 1.30
1/2"	\$ 2.30
	1/4" 3/8"



Stainless Steel Nozzles (not pictured) ✓ 5.5 mm ✓ 1/4" MPT ✓ 4000 PSI

ITEM#	SPRAY PATTERN	PRICE
P62855500	0 degree	\$ 5.75
P62855515	15 degree	\$ 5.75
P62855525	25 degree	\$ 5.75
P62855540		\$ 5.75

Carbon Steel High Pressure Ball

Valves (not pictured)

✓ 2000 PSI Max. SIZE PRICE Pressure ✓ 1/4" Turn

ITEM# P6285BV38 3/8" \$ 20.50 P6285BV12 1/2" \$ 12.50

Relax-Action Trigger Gun

The standard ST2605 "Relax-Action" Spray Gun actually helps the operator keep the trigger open.

Fatigue is reduced. allowing longer work periods.

ST 2605 P62852605

Swivel Connector

ONLY \$875 P62853838

ST 601

Swivels at 3000 PSI3/8" MPT X 3/8" FPTNickel Plated



Suttner Power Wash Gun

 Low Pressure only Always open

3/8" FPT inlet X 1/4" FPT outlet



Power Wash Hose Assemblies

ITEM#

- Working pressure: 4,000 PSI
- Minimum burst pressure: 12,000 PSI Working temperature rating: 250° F
- Intermittent temperature: 275° F
- 3/8" Male ends, bend restrictors on both ends – one swivel end
- MSHA approved

CONSTRUCTION: Tube: Seamless black synthetic rubber, oil, and heat resistant. **Reinforcement:** One braid of high tinsel wire.

P62850300 P62850600 P62850900 P62851200

SIZE **PRICE** 25' Hose \$ 36.75 50' Hose \$ 58.25 75' Hose \$ 79.75 100' Hose \$101.25

Chemical Injector

- Brass Body
- Adjustable from 3 to 5 GPM Working Pressure 3000 PSI

Cover: Black, resistant to

abrasion, oil, and animal fats.

- with a 10% draw rate • A 35% minimum pressure drop
- is need to activate the injector
- 3/8" Socket inlet X 3/8" Plug outlet • 4' draw off tube with strainer

is included (not pictured) \$7975

P62857560

Low Pressure Brass Nozzle

- (not pictured) • 1/4" NPT
- •# 40 Orfice with 65° spray pattern
- Use with Chemical Injector

\$765 P62854065

Unloader Valve

\$53⁵⁰



194° F

- •4000 PSI max: 700 PSI min
- •12 GPM max
- Adjustable Pressure •3/8" X 3/8" X 1/4" Connections

Power Wash Trigger Guns

- Temperature rating: 250° F
- Maximum operating pressure: 4,000 PSI
- Maximum flow rate: 7 GPM
- 3/8" FNPT Inlet and 1/4" FNPT Outlet
- Temperature rating: 300° F
- Maximum operating pressure: 4,000 PSI
- Maximum flow rate: 12 GPM
- · 3/8" FNPT Inlet and 1/4" FNPT Outlet





Sewer Hoses

- Reinforced thermoplastic allows tight bend radius
- Slides easily into sewer lines · More flexibility than a standard
- pressure hose 4350 PSI maximum & 150° maximum temperature

P62852558 ¹/." x 50' \$69.75 \$138.95 P62852559 ¹/₄" x 100'

Hi-Lo Adjustable Nozzle

• 1/4" FPT Connection

Dirt Killer Nozzles, Wands, & Accessories

2000 3000 3500 4000 4500 5000

2.5

4.5

5.0

11

36" Wand: \$10.50 P6285SL36

2.0 2.0 2.0 2.0

2.5

9.0

10

13 12 12 11

\$9.75 P6285SL24

ONLY

\$**Q**50

10 9.0

1000 1500

5.0

15

20

20

Pressure Washer

Extension Wands

40 30

Molded Grip

4000 PSI Max

• 1/4" MPT on Both Ends

3.5

4.0

7.5

10

15

15

20

Sewer Cleaning Nozzles

Backward ports drive the nozzle forward

(use chart above to size)

& flush debris while the forward port

blasts into & breaks up clogs

agitation & surface cleaning

Corrosion resistant stainless

steel construction

• 1/4" FPT

• Rotating style adds extra

3.0 2.5

3.0

3.5

4.0

4.5

5.0

7.0

8.5

9.0

10

11

12

15

28" Wand:

3.5

4.0

5.0

5.5

6.5

7.0

11

12

12

13

15

20

- 3000 PSI Maximum Pressure
- 190° Maximum Temperature

• Push/Pull High To Low \$19⁷⁵ Pressure Change



\$71.25

\$71.25

Dirt Killer® Power Washer Nozzles

This large Dirt Killer Nozzle features a rotating turbine which delivers the impact of a Zero degree (0°) nozzle while covering the surface area of a twenty-five degree (25°) fan tip. This incredible performance will increase your efficiency while cutting your cleaning time in half.

IDK SERIES FEATURES:

item#

P6285ID55

P6285ID70

P6285ID80

P6285ID35 Whit

P6285ID45 Yello

- 4700 PSI Maximum
- 180° Maximum Temperature
- Used For Water Blasting Duty Cleaning

ig & Hea	avy		
z.Color	Noz.Price	Repair Kit #	Repair Kit Price
te/Orange	\$132.25	P6285RK35	\$71.25
ow/Green	\$132.25	P6285RK45	\$71.25
Black	\$132.25	P6285RK55	\$71.25
Blue	\$132.25	P6285RK70	\$71.25

\$132.25 P6285RK80

\$132.25 P6285RK10

DK SERIES FEATURES:

10.0 P6285ID10

Smaller Size

5.5

7.0

8.0

- Spins Faster
- 3200 PSI • No Lines or Streaking
- 180° Max. Temp. • For General Cleaning

Red

Brown



Dirt Killer High Pressure Filter

Inline Filter Helps

Prolong the Life of Nozzles

\$1**0**95 P6285F500

Rotating Sewer Cleaning Nozzles

1/4" FPT Inlet

Rotating style adds \$1 50 extra agitation to clear debris

3000 PSI Maximum

Inventory # P6285SC45R P6285SC55R

Stainless Steel Plug

Female Thread - 5500 PSI

P62854602 \$2.50 P62854959 \$3.15 P62855928 1/2"(3600PSI) **\$4.25**



Male Thread - 5500 PSI

\$2.50 P62851627 P62854960 3/ " \$3.15 P62854704 1/2"(3600PSI) **\$4.25**

77





P62852024 \$5.50 P62854630 \$7.50 P62855929 ¹/₂"(3600PSI) \$10.50

Male Thread - 7500 PSI

P62854629 \$5.75 3/₂"(6300PSI) P62852025 \$7.75 P62854705 \$10.75 ¹/₂"(3600PSI)

Webtex Rainwear



Features & Benefits:

- Reinforced crotch area to prevent splitting
- Heavy duty adjustable suspénder
- Adjustable waist snaps for the perfect fit
- Ankle and cuff take-up snaps for a snug/tapered fit
- Jacket with storm flap front Two front snap pockets
- on jackets Underarm vents to keep vou cool

Heavy duty ribbed material designed for use in warm or cool climates 100% waterproof

Material: Ribbed PVC on non-woven polyester .65mm material thickness

\$ 22 75 Jacket w/Hood		Ş	19 ⁵⁰	\$ 40 ⁵⁰		
		Bil	Bib Overall		3 Piece Rain Suit	
Medium Large XL XXL	M60220342 M60220343 M60220344 M60220345	Medium Large XL XXL	M60220522 M60220523 M60220524 M60220525	Medium Large XL XXL	M60220172 M60220173 M60220174 M60220175	
XXXL* *Size 3XL	M60220346 Slightly Higher P	XXXL* Pricing	M60220526	XXXL*	M60220176	

Hydrojet 1/4" Quick Couple Spray Nozzles

- Easily connect spray nozzles to your power washer
- Conveniently packed
- Includes 0°, 15°, 25°, & 40° nozzles
- * Please see chart on page77 for proper sizing

Starting At

\$15²⁵

P62850177 P62850191 5.5 P62850205 6.5 P62850576 7.0



P6285ST54

Inventory #

H1005G015

H1005G030

H1005G100

H1005G400

H1005G600

H1005G1000

H1005G3000

H1005G5000

Rotomax Rotating Nozzles

- 3500 PSI Maximum
- 200° F Maximum
- 1/4" FPT Inlet



1	Donalis at	CDM	Dulan
Inventory #	Product	GPM	Price
P6285RM01	#1 Red	2.1-2.6	\$75.50
P6285RM02	#2 Blue	2.6-4.2	\$75.50
P6285RM03	#3 Black	4.5-5.5	\$75.50
P62851185	Repair Kit	All	\$35.75
P62853308	#1 Orifice	2.1-2.6	\$15.50
P62853311	#2 Orifice	2.6-4.2	\$15.50
P62853309	#3 Orifice	4.5-5.5	\$15.50
P62851869	Ceramic Seat	All	\$22.75
P62855997	Ceramic Tip	All	\$23.25

Double Braid 6000 PSI Pressure Washer Hose

- Abrasion resistant wrapped synthetic rubber cover
- Double wire braided rubber hose
- Bend guards on each end
- Hot water rated up to 250° F
- 3/8" MNPT x 3/8" MPT swivel fittings

50' Hose P62851259 \$90.75 100'Hose P62851260 \$165.95



Dual Lance with Side Handles

- ·38" in length
- Dual 1/4" high pressure tubing
- Nozzle protectors
- ·300° F maximum
- •10.5 GPM maximum
- •1/," mpt inlet

$\cdot \frac{1}{4}$ " fpt outlets

High Pressure Ball Valves

- Zinc plated steel
- Teflon seals
- 7400 PSI maximum
- 300° F maximum
- NOT to be used with solvents

1/4" FPT P62852517 \$ 24.25 3/8" FPT \$ 26.50 P62854997 P62854998 1/2" FPT \$ 29.75



Pressure Gauges



ORDER ONLINE @ www.agrisalesinc.com

EZ Foamer

Save Time & Water by connecting the EZ Foamer to your pressure washer. This gun will allow you to foam many different cleaners & disinfectants for a much cleaner barn.

Pressure Rating: Min 870 - Max 2845 PSI 6.6 GPM Max

Temperature Rating up to 176° F EZ Foamer P1013GEZF **EZ Foamer Kit*** P1013GEZK

5 Liter Back Pack P1013185R 3 Gal Back Pack

\$42.75 P1013AGPB \$40.00

\$75.50

\$90.75

metering tips and tubing.

\$104⁷⁵ *Kit includes P62850004

Hand Crank Hose Reel

Suttner ST-56 Dual Roll Over

Nozzle Holder

Easily switch between two different nozzles without stopping. Great for

applying soap and then switching to high pressure to rinse. Water sprays

through one nozzle port at a time while a stainless steel ball covers the

Extend the life of your pressure washer hose with these industrial grade reels. Mounts either on a wall or on a bench for versatility. Use with 3/8" pressure washer hose. Choose from 2 models.

- 4000 Maximum PSI
- 225° F Maximum
- Powder Coated

200' Reel 100'Reel 1**49**⁹⁹

P62850007



High Volume Washdown Gun

Bendable Wands

18" Bendable Wand P6285FL18

ScraperSqueegee

The ScraperSqueegee is a new innovative product that allows you to scrape

standing. It has an easily replaceable neoprene squeegee that allows you to

convert from dry to wet cleanup with a simple roation of the handle. Handle

and dry with one tool! The 20" glass filled nylon head is tough and it is self

High volume, low pressure washdown gun with built in swivel. Adjustable spray pattern from 0° to 60°. Uses include food processing plants, breweries, livestock facilities, and fire suppression.

• 16 GPM

• 10.5 GPM Maximum

• 2250 PSI Maximum

• 195° F Maximum

not included.

\$20⁹⁹

S72256582

• 1/4" FPT Inlet/Outlet

- \$150⁹⁵ • 350 PSI Max • 195° F Max
- 1/2" FPT Inlet P62857052

Ideal for cleaning wheel wells on trucks and trailers



• 3600 PSI Max • 300° F Max

opposite port.

8.0 GPM Max

P6285ST56



StableScraper

The StableScraper is a standard scraper with superior durability. With a 14" glass filled nylon head it is both lightweight and durable. Great for cleaning stalls. Handle not included.

\$250

S72256508 Red Head S72256509 Blue Head S72256507 Green Head

R52126200 60"Tapered End Wood Handle \$5.50

Companion Cleaner & Disinfectant

Companion[™] is a multipurpose cleaner-disinfectant designed to be effective against a broad spectrum of organisms that may present challenges in your facilities. Companion is specifically formulated for use in veterinary practices, animal care facilities, and animal laboratories. At 1:256 dilution, Companion cleaner-disinfectant is a neutral pH product and will be non-irritating to personnel, non-corrosive to equipment, and will not peel paint or stain floor finishes. At the ½ ounce per gallon dilution, Companion cleaner-disinfectant provides a cost effective solution in your clinics bio-security efforts.

Active: Quaternary Ammonium / Glutaraldehyde.

Unique, dual-active chemistry kills Parvovirus at ½ oz.

Provides effective cleaning and disinfection in a single

Non-corrosive even after repetitive uses

79



\$15.75

V58403291 32 oz Bottle

Chemicals for the Pork Producer

SYNERGIZE

Disinfectant • Cleaner • Concentrate

SYNERGIZE combines the sterilization power of Glutaraldehyde and Quaternary Ammonium Chlorides (QAC), the most effective antimicrobial formulation. SYNERGIZE attacks

disease-bearing microorganisms through a two-step process: (1) The QAC will begin to permeate and alter the structure of the cell membrane, (2) freeing up the full power of Glutaraldehyde to "drive inside" the cell and destroy cellular function.

SYNERGIZE is extremely "user-friendly." At a 1:256 dilution, SYNERGIZE is non-irritating to personnel and animals, and non-corrosive to buildings, equipment, and vehicles.

SYNERGIZE is ideally suited for all aspects of disinfecting and sanitation on the pork production facility, including: nurseries, farrowing crates, breeding and gestation rooms, foot baths, truck washing, and all areas where effective disease prevention is crucial to animal health and performance.



Barnstorm

Descaling Detergent and Degreaser

For Cleaning and Descaling of Confinement **Buildings, Equipment, and Vehicles**

- Removes both organic and inorganic soils from surfaces prior to
- Non-corrosive to building materials, non-irritating to personnel and animals, and will not peel paint or rust truck bodies
- Use in all areas of the pork production facility for effective disease prevention and biosecurity

Recommended Application:

- 1. Turn on sprinklers for 60 minutes to wet room
- 2. Apply Barnstorm to all surfaces at a ratio of 1:64 through low-pressure sprayer.
- 3. Allow Barnstorm to remain on surface for 15-20 minutes.
- 4. Pressure wash with plain water

V10180001



Tampico Brush \$875 R52124220

AccuMax™ Dispenser

The AccuMax[™] is the first in Hydro Systems' new product line of chemical dispensers. Its a culmination of 30+ years of industry expertise and all the best features Hydro Systems has to offer. The AccuMax™ is versatile and durable, featuring patented AccuPro Technology for dilution control. Systems using AccuPro Pressure Regulation Technology eliminate dilution variance by controlling the water pressure into the unit, never allowing the dilution to "lean out" the desired dilution target. High water pressure results in improperly diluted chemicals, poor cleaning performance, and lost chemical sales. AccuPro Technology delivers accurate dilution regardless of fluctuations in water pressure.

- 1-5 GPM flow rate options
- New, expansive workspace to easily route tubes
- Easy, tool-free maintenance
- Same mounting brackets as Hydro Systems' AccuPro and AccuDose

C40938331



BioSentry® BioPhene™ Spray Disinfectant

BioSentry® BioPhene™ Spray Disinfectant is an EPA registered aerosol disinfectant that effectively controls the common viruses and bacteria that challenge the agriculture industry. In addition to controlling viruses, bacteria, and fungi, BioPhene Spray Disinfectant also eliminates odor and controls mold and mildew. BioPhene Spray Disinfectant can be used in vehicles, on footwear, or anywhere quick disinfection may be needed which makes it a great addition to your biosecurity portfolio

- Provides fast and effective disinfection
- Effective against Influenza A & Influenza B viruses
- Kills 99.9% of harmful bacteria
- Eliminates odors at the source
- Dries guickly leaving behind no residue

Active Ingredients: O-Phenylphenol 0.1%, Ethanol 63.2%, Other 36.7%

\$**8**⁴⁰ V58400910

Virkon S

Broad Spectrum activity in an easy to use tablet form

Virkon S is a balanced, stabilized blend of peroxygen compounds, surfactant, organic acids, and inorganic buffer. Virkon S is recommended for use as a hard surface disinfectant in livestock production and transportation facilities. It delivers 99.9999% kill of numerous pathogens including 31 bacterial strains, 58 viruses and 6 fungi with no evidence of resistance, eliminating the need to rotate disinfectants to avoid resistance buildup.

Active: Sodium chloride Use: Hard surface disinfectant in

Activity:

livestock production and transportation facilities Kills gram-negative and


gram-positive bacteria, viruses and fungi

Application: Hard surface



From AGRIsales inc

Tattooers & Tattoo Supplies!



CHARACTERS (EA.) ► Characters Can Be \$56⁰⁰ \$**5**⁹⁰ Changed Quickly! S4922NP01

4 Character Hog Slapper Also Available

Neoprene Inking Box

A 5.5" x 5x5" aluminum inking box with a lip around the outside that prevents the wasting of extra ink. The neoprene pad also helps to preserve the pins used with shoulder tatoos.



Model 50D Ear Tattooer

Ketchum

Smallest size for tattooing young piglets.

- Model 50D character size is 4mm (3/16").
- Model 50D forceps holds up to 7 characters in a row.

Characters may be ordered separately. CHARACTERS FOR MODEL 50D (EA.)

\$**5**05

Green Roll-On Ink

2oz. bottle

ONLY \$5⁶⁰ S49221449

PREG-TONE®

S49222288

A Fast, Safe, and Accurate Ultrasonic Pregnancy Tester for Hogs and Sheep. No lights to watch! No buttons to push!

Ultrasonic Pregnancy detection with the RENCO PREG-TONE is now a proven and accepted herd management technique. Among the numerous benefits are the followina:

- Identification of feed-wasting non producers.
- Confirmation of pregnancy in animals purchased or sold.
- Savings resulting from increase in overall operating efficiency, permitting more efficient use of expensive farrowing installations.

The patented PREG-TONE uses high frequency sound waves called ultrasound to detect amniotic fluid present during pregnancy. When this fluid is detected, the instrument produces a loud continuous tone. When used on an animal which is not pregnant, the instrument produces an intermittent tone. The intermittent tone also indicates that good skin contact is being made.

- No guessing and no guestion. Clinically proven 100% accurate on normal sows, 97% accurate on ewes.
- Loud, easy to hear tones
- Rechargeable NiMH batteries. Low battery indication
- Rugged all-metal construction... Small enough to slip in your pocket



Green Tattoo Paste



1 oz. Size

5 oz. Size

\$13⁷⁵
\$49221475

PREG-TONE II PLUS®

Pregnancy Tester for Swine.

Detect Pregnancy Fast... Accurately... Efficiently! FAST: Test is completed in seconds! Confirm pregnant or open in less than 30 seconds (at 30 days)! SAFE: All testing done externally; no harm to sow

ACCURATE: Accuracy proven by many thousands of producers!

DURABLE: Tough plastic, acid resistant. Will last for years! INEXPENSIVE: 9 Volt replaceable battery will last

for months! SIMPLE: One Hand Operation! Use any oil for skin

contact. No lights to watch! OPTIONAL: An earphone attachment is available for those extra noisy conditions.

OUALITY: RENCO has over 30 years experience designing and manufacturing ultrasound equipment.

Preg-Tone II Plus Preg-Tone II Plus w/ optional Earphone

S7035PT02 S7035PT03

Personal Care & Cleaning Products

Deodorizing Body Wash

OPTIONAL BRACKET AND PUMP AVAILABLE

Specially formulated to remove odors from skin, hair, and hands. Use as a normal hand soap or shampoo to remove most types of odors, leave in hair approximately 2 minutes.

16 Oz. bottle \$8²⁵ P1013BW16

1 Gallon Jug \$30⁰⁰ P1013BW01



\$1.50 / Roll (85 sheets/roll) R52121220

> 100% recycled paper, 2-ply

Zep Quick Clean Disinfectant

Kills 99.9 percent of germs and bacteria, including cold and flu viruses Eliminates common kitchen and bathroom hacteria

Antibacterial formula cleans and disinfects in one step

> \$**5**⁷⁵ R9012CD32



Multifold Hand Towel Odor Eliminator

Multi-purpose deodorizer designed to remove odors from rooms, offices, & clothing.

Use as rinse additive in washing machine to eliminate odors from clothing.



1/2 Gallon Jug \$**9**95

250 towels per pack, 16 packs per case

\$2.79 Each



Antibacterial Lotion Hand Soap

This lotion soap effectively removes bacteria with normal use while treating experience. Thick, antiseptic hand soap is enhanced with emollients for softer, smoother hands. Antibacterial formula makes it essential for work areas and any-\$7499 / Case where else interactions are required.



Cherry Bomb Gel Hand Cleaner

R52121040

Effective in removing even the toughest of grease and grime while its formula includes a moisturizer to protect hands from drying or cracking even with repeated washings. A premium blend of solvents and natural pumice cleans and removes a wide range of stains with a mild cherry scent.

* Also Available in Orange

each R9012HC48

48 oz

Iron Shaped Scrub Brush

Overall Length 6"

\$2.60



Saversoft **Toilet Rolls**

100% recycled, per roll. 96 rolls per case



6

Blue Latex Palm Coated Glove

This glove is coated with a Blue Latex coating on the palm and fingers for improved grip and wear. This is a very popular glove for many applications such as: Assembly, maintenance, packaging and household

Coating provides abrasion resistance and a safe, sure grip. Crinkle finish on palm and fingers minimizes wear in critical areas. Cotton knit shell offers breathability, dexterity, and comfort.

Available in size X-Large

- **Chore Glove** Heavy guilted double ply
- Soft 100% cotton flannel · Ideal for most chores
- · Outstanding value

Brown Jersey Glove Medium weight

- brown jersey Cotton/ramie blend
- Knit wrist
- · Stretches for comfort
- **Dotted Knit Glove**
- Cotton/poly blend • Wear on either hand
- · Elasticized wrist
- PVC Grip dots on both sides



\$730

M45050414

Large

78¢ / pair

85¢ / pair

M4505CB11

M45050835

/ pair

Cordova **ION-Chill™ Gloves**

- High Visibility Orange Terry Shell
- **Brushed Acrylic Interior** Sandy Latex Palm Coating

M40853888



Chemical Resistant Gloves

- 13"Length Mild Chemical
 - Resistant • 15 mil thickness
 - Unlined Size XL

\$2⁸⁰ M45051510

Cowhide Leather Glove

- Top grain cowhide leather
- Elastic at wrist for snug fit
- Soft and durable
- Excellent for most uses \$750
- Large M450562LG M450562XL





Premium Grain Goatskin Leather Glove

Elastic at wrist for snug fit

M450524XL

- Extremely soft
- Keystone thumb
- Large M450524LG





your hands to a pleasant handwashing



2-ply, 500 sheets





Countertop 8" Brush

SCRAPERS & HOES

Order Toll Free! 1-800-642-1222

STAINLESS STEEL

UTILITY SCRAPER

\$**33**²⁵

S4702US19

POLY FLOOR SCRAPER

\$**44**²⁵

S4702SSP5

Back plate for

extra strength

Natural fiber resists heat & chemicals R52125408

Curved handles

for a more

Reversible

Poly non-stick surface!

Heavy Duty

blade!

grip!

comfortable



R52122005

\$44.25 R5212H236

Handle

\$11.50 R5212932A

Floor Finish Mop Heads

Designed for finish application and high volume usage.

Only \$18.75 R5212S543



Cleaning Products

STAINLESS STEEL

SCRAPER

\$**43**⁵⁰

S4702SS24

7" x 24" Stainless Steel

60° Angle Handle

Reversible

Push Brooms Handle sold separately

Fine/Medium Sweep

Resists heat and chemicals. Trim 2" R52120218 18" Brush

\$16.99 R52120224 24" Brush \$21.50 36" Brush R52120236 \$37.00

Heavy-Duty Floor Sweep

18" Brush R52120518 \$14.75 24" Brush \$19.75 R52120524

Metal Tip Threaded Handle – 60" Overall Length

R5212U136 \$6.75

Fiberglass Handle R5212S636 \$14.75 60" Yellow Fiberglass Handle is mesh-veiled to prevent splintering.

Our scrapers are super tough!

For farm, commercial, industrial, and home use. They can be used for

various tasks such as removal of ice, snow, barn floor accumulation, etc.

S4702SS12

12" Stainless Steel

Blade with a

60° Angle

Complete

10" x 24"

Blade!

48" Handle

Slippery Scraper

Weighs less than

steel scrapers

Pushes easily

Wears sharp

Cleans quickly

Does not: rot,

rust, or corrode

\$37⁹⁹

S1807BG12

Galvanized braces

Heavy duty handle

STAINLESS STEEL LIVESTOCK HOE

Metal Handle Braces

Reinforce floor sweep handles to prevent breakage. Hardware included.


Large (24" - 48") R5212U119 \$6.50 R5212U120 Small (18" – 24") \$3.35

Gilmour Professional Commercial Hose

Double-reinforced rubber-and-vinyl construction resists kinks, abrasion and the toughest conditions.

3/4" x 100'





CALL US TOLL FREE 1-800-642-1222

Hurricane Ultra II Fogger Electric Portable Aerosol Applicator

The Hurricane Ultra II Fogger dispenses both oil and water-based products. The Hurricane Ultra II is capable of dispensing disinfectants, deodorizers, germicides, and insecticides. With an adjustable output of 0-4.5 gallons per hour, this versatile unit gives you the power to handle both large and small area. wherever aerosol particle chemical treatment is needed. The Hurricane Ultra II is ideal for use in spraying industrial and residential areas. Farms, greenhouses, warehouses, animal care facilities, sanitation,

germicidal spraying and disease control programs a kets where the Hurricane Ultra II is used.

110 Volt 1 Gallon Tank Capacity

V10162790

Hudson FOG® Electric

Atomizer

The H.D. Hudson portable FOG® Electric Atomizer

outputs a 22-46 micron particle size mist for indoor or

outdoor use. The unit is adjustable 1.5 to 14 gallons

per hour and operates on standard 110 Volt power.

Includes a large commercial coiled hose for directing

chemical mist. Lightweight poly tank design that has

Please call for price and availability

Pumpless™ Battery Powered Sprayer

- Translucent tank with liquid visibility
- Adjustable nozzle sprays a mist to a straight stream
- Rechargeable lithium ion battery
- Sprays approximately 18-gallons in a single charge
- Convenient padded shoulder strap
- Thumb-operated on-off switch
- USB charger included
- Double telescoping wand, extends from 16" to 35"
- 1.3-gallon capacity

39⁷⁵ C40255BPL



Multi-Purpose Hand Sprayer

HD Hudson provides this easy to pump adjustable hand sprayer. Select from a long tight stream to a fine mist. The tough poly jar has a large opening for easy filling.

- Locking thumb-operated control valve
- Excellent for pest control, disinfectants, solvents, livestock marking and fabric sealants

Convenient 2 Liters size \$1 199

Super Sprayer®

- Sprays a wide range of chemicals
- Stable, 6-footed translucent tank with large funnel top
- Kem-Oil™ 48" braided power sprayer style hose
- Large, comfortable poly Thrustless[™] control valve with
- 18" fiberglass/poly spray wand
- Two professional style nozzles both flat fan and cone Locking pressure release valve
- HPP™ High Performance Pump with glove-sized comfort
- 1 Year warranty

3 Gallon

\$**43**⁹⁵ C40250162

C40250163



C30400080

HANDI Farm

Sprayer

- Useful for insecticides, disinfectants, & farm chemicals
- Mixes chemicals directly with water at adjustable preset rations
- Five Mixing rates: 1:256, 1-200, 1:150, 1:128, & 1:100

Close-out Pricing \$169⁹⁹

a 2 gallon capacity.

C40259598

Foamaster[®]

Clean and/or disinfect with foaming degreasers, detergents, disinfectants, acid or caustic cleaners, or soaps.

Animal cages • Dairy equipment • Trucks, cars and other equipment

the surface being cleaned.

Model 481 \$**85**⁵⁰

Hydro Foamer Applicator

HydroFoamer hose end proportioners combine

provide a thick, rich foam for more "cling" time on

automatic dilution with convenient control of

where and how solution is applied. Foamers

C4093H481

96 oz. Container

Accurately mixes and sprays foaming chemicals

- Foam generating wand creates a thick, clinging foam
- Detach handle for a powerful spray rinse
- For cleaning, degreasing or disinfecting when a foam is desired to increase surface contact time
- Easy to fill wide mouth, chemical resistant polyethylene half gallon bottle
- Adjustable Ratios 1:128, 1:64, 1:32, 1:20, 1:10

Call Today 800-642-1222

Garden Hose Clamp Couplers

Repair the end of your garden hose with these reusable nylon and ABS plastic repair couplers.

Gilmour Heavy Duty Quick Connectors

Switching out your water hoses and accessories is guick and easy

with this set of Quick Connectors from Gilmour. These connectors

provide a leak free fast on / fast off connection use after use. Made

comfortable and easy to secure. Push-pull ring for instant connection

\$10.75

from solid brass with rubber grips for long lasting durability yet

For use with 5/8" or 3/4" Garden Hose

C3040001F Female C3040001M Male \$1.95



Gilmour Pro Industrial Hot Water Spray Nozzle

Durable die-cast zinc construction with reinforced brass stem withstands drops and rough use. Hot water rated to handle temperatures up to 160 degrees Fahrenheit. ThermoGuard overmold protects hands from heat and remains comfortable.

- 100 PSI Rating
- Flow control dial customizes force of the water stream



The Last Hose You'll Ever Buy!

Patent pending 8-ply construction

Flexogen Water Hose

- Over 500 PSI burst strength
- Double tire cord reinforced for streath
- Exceptionally rugged all weather hose
- 5/8" Diameter

50'Hose C30408050 100'Hose C30408100

\$32.50 \$57.75

Gilmour Pattern Master® Sprinkler

C304009QM \$4.25

C304009OS

Customize your sprinkler's spray and never over-water again. Create your own spray pattern to fit any irregularly shaped area of lawn. Flexible ring customizes spray distance at 12 different points for the ultimate in precise watering.

• Up to 5,800 sq. ft. coverage

between watering tools.

Male Coupler

Set of Each

Female Coupler C304009QF \$7.50

- 86-ft. diameter circular spray (43-ft. spray distance)
- Adjustable collar for partial- to full-circle coverage
- Easily change the distance of your spray by pulling up the pegs to shorten spray reach or pulling down the pegs to lengthen 12 points of spray distance
- Impact-resistant, rust-proof polymer construction with no-tip sled base for added stability \$19⁷⁵
- Lifetime warranty

C30400196

Rubber Hose Washers

Designed to keep all accessories and hose connections tight and leak free. Replace the worn out and cracked hose washers with these new rubber washers that fit in all standard female thread garden hose couplings.

10 rubber washers per pack

C304001RW



Professional Twist Cleaning Nozzle

All-metal body with overmold provides durability and comfort during extended use.

- Durable metal construction
- Adjustable water flow from powerful jet to light rinse
- Curved ergonomic handle
- · Large easy turn dial
- Lifetime warranty

C30404018



Professional Classic Fireman's Nozzle

Designed for the pros, this watering tool delivers the durability of die-cast zinc construction and comfortable, ergonomic handle for superior comfort and control.

- Heavy-duty, die-cast zinc construction for to withstand rough use
- 250 PSI to weather high water pressure
- Large on/off lever with added spray control
- Adjustable spray head alters spray from powerful jet to light rinse
- Lifetime warranty

C30405503



STANLEY



Rubber Mallet

Tough rubber head molded to a lacquered handle



S70857522

10" Groove Joint Pliers

- Adjustable-width jaw designed for grasping and turning
- Used for plumbing, automotive and general applications
- Rust-resistant chrome finish
- Machined jaws help grip items securely



S70854024

6 Piece Punch Kit

Features & Benefits

- Ideal for marking metal or making indentations for starting drill holes
- One-piece construction forged for strength
- Hardened, quenched and tempered for long life and durability
- Powder-coated finish for easy visibility



Wonder Bar® Pry Bar

Get the prying power you need with the 12-3/4" Wonder Bar® Pry Bar. The strong high-carbon steel hand tool is designed to give you excellent leverage for pulling nails, lifting, and scraping.



SharpShooter® Heavy Duty Staple Gun

- Easy-squeeze handle reduces hand fatigue
- · Anti-jam mechanism saves time on the job
- Durable aircraft-aluminum housing withstands heavy use
- Delivers high power and deep penetration
- Easy-slide full-stick staple load
- Uses Stanley SharpShooter TRA700 or Arrow T-50 heavy duty staples



3 Piece Cushion Grip Nail Set

- Grip is slip-resistant in all weather conditions and ribbed to absorb shock, improving precision
- Long length enables user to set nails in hard-to-reach areas
- Fully hardened, precision-milled steel for long life
- Long, beveled tip for easy nail head alignment
- Color coded by tip size for quick identification

• Patented design developed for professional use \$**8**95



FATMAX® 20oz 1 Piece Steel Hammer

- Patented AntiVibe technology minimizes vibration and shock
- Forged, one-piece steel construction for increased strength and durability
- Slip-resistant handle for a secure grip and added comfort
- Precision balanced
- Smooth Face / Rip Claw

S70851293



3 Piece Basic Plier Set

Features & Benefits

- · Pliers set designed for grasping, bending and cutting
- Oil-resistant dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications

Includes: 6" Slip Joint Pliers 6" Diagonal Pliers 6" Long Nose Pliers



Stanley FatMax® Snap-Off Knife

The Stanley FatMax® 18mm Snap-Off Knife features a stainless steel barrel that is rust resistant for a longer life. A push button cartridge release stores spare blades for fast blade change and a blade wiper removes excess debris, to prolong the life of the knife.



S70850481

100' Laser Distance Measurer

Stanley's STHT77138X TLM99 laser distance measurer determines distance up to 100 feet (30 meters) with an accuracy of plus or minus 3/32-inch (2 millimeters). The TLM99 also calculates area and volume. Its continuous measurement tracking locates your target quickly and easily, allowing for one-person use on a busy job site.

Accuracy +/- 3/32" (2mm)

\$18⁹⁵

- Measures distance, calculates area & volume
- Automatic calculations make job estimates quick & easy
- Continuous measurement tracking function finds distance from a target quickly & easily
- Addition/subtraction convenient way to calculate \$10525 in the field without a calculator or manual math





1-800-642-1222

Dewalt 7 Piece Masonry Drill Bit Set

This Dewalt seven piece drill bit set provides function and durability for all your rugged drilling needs. Applications include drilling nice, neat holes into masonry, concrete, rock, and artificial stone.

S75205207



DeWalt 12" Premium Aluminum Square

Stamped-in contrasting color graduations for better readability with an extra-thick extruded aluminum body that holds up to heavy-duty use, ideal for use as saw guide. The large base helps provide better grip on materials. Scribe line notches for marking



DeWalt 100' Fiberglass Tape Measure

The 100 ft. Fiberglass Long Tape has a 3/4 in. blade with double-sided print making it easy to read and record measurements. The blade contains 64 fiberglass strands to increase durability and help prevent stretching and inaccurate measurements over time. The 3:1 gear mechanism offers improved ergonomics and makes it quick and easy to rewind the tape after use. A new wide ring at the end of the blade is designed

to catch onto grade stakes, and the housing has a built-in clip for the ring for easy storage and transportation.

> \$**28**⁹⁵ S70854145



Retractable Utility Knife

- Rugged metal body for prolonged tool life
- Rapid load[™] blade changing system for quick blade changes
- Blade storage for convenient access to new blades
- Retractable blade offers variable cut depth
- · Dual material handle for improved grip and control

\$**Q**95

Crimping Pliers

- Crimps 10 to 22 AWG terminals and connectors
- Chrome vanadium steel forged pliers for strength and durability
- Bi-material cushion handle for strong grip and comfort
- Precision induction hardened laws for strength
- High leverage pivot for improved crimping, griping and cutting power

\$25⁹⁵



AGRIsales inc.

12" Pushlock Pliers

- Slim head design fits into tight places
- Push-lock technology with 17 locking positions for faster jaw adjustment
- V-jaw design for multi-purpose gripping
- Induction heat treated jaws for extra durability
- Bi-material cushion handle for strong grip and comfort
- 7" Handle Length

DEWALT

4.5" Jaw Capacity 1.5" Jaw Tip Size

\$28⁹⁵

S70850271



Folding Hex Key (SAE)

- Push-button locking feature locks in 3 positions at 90°,135° and 180°
- Durable and ergonomic construction steel side plate for torque
- Includes 8 of the most commonly used hex key sizes



DEWALT 1 Piece Steel Hammers

The 1 pc. Steel Hammer features optimal weight distribution for a controlled swing. It includes a side nail puller which allows you to quickly and easily remove nails. With a durable, one piece steel construction, it is sure to withstand harsh conditions on the job.

- Rip Claw
- Smooth Face Straight Handle
- Nailing Hammer



16 oz

S70851048

S70851054

S70851005

87

22 oz

See our complete line of Stanley & DeWalt Tools online @ www.agrisalesinc.com

ELECTRICAL SUPPLIES

Model #MM400

Klein Auto Ranging Multimeter

Auto ranging voltage

Measures AC/DC Voltage - 600V

Measures AC/DC Current- 10A

• Measures capacitance, temperature and frequency

- Capacitance 200uF
- Temperature -4~1832°F
- Frequency 1MHz
- Resistance Range $40M\Omega$
- Audible continuity with loud buzzer
- Data hold and range hold
- Back light display

\$**65**⁵⁰

N4092M400

NSi Industries Miniterm Kits

These kits have been carefully designed to include the most popular NSi miniterm terminals. The reusable cases are made of extremely durable polypropylene. They provide the ultimate



in organization and convenience. Clearly labeled on the inside lid for easy reorganization. Kits come in convenient sizes for easy carrying and easy storing.

175 Piece Miniterm Kit with Tool S7570MTK2 \$17.25 493 Piece Deluxe Miniterm Kit S7570MTK0

Non-Contact Voltage Tester

- Non-contact detection of voltage
- High intensity, bright green LED indicates the tester is operational
- When voltage is detected, a high intensity, bright red LED illuminates and a warning tone sounds.
- Auto power-off feature conserves and extends battery life.
- 50 to 1000 Volt AC power operating range allows broad application.
- Package contains insert card w/ integrated owner's manual and 2 AAA 1.5 volt batteries.



N4092CVT1

Replacement Power Supply Cords

Made from SJOW material Molded male plug 9' Length



\$9.50 N1780R394 \$12.50 N1780R392 \$19.25

Vinyl Replacement Plugs & Connectors

Rated for 15 Amps / 125 Volt Fits 0.25" - 0.655" Cord Diameter



Vinyl Plug (Male) N17804867 \$3.60 Vinyl Connector (Female) N17804887

Heavy Duty for rugged use indoors & outdoors

All Weather Extension Cords

- Stays flexible down to -58 F
- Maintains it strength up to 211 F Unbreakable molded-on connectors
- Manufactured to meet OSHA standards

Meets all UL requirements

Length	Gauge	125V Rating	Inventory	Price
25	12/3	15 AMPS	N17809025	\$35.50
50	12/3	15 AMPS	N17809050	\$64.75
100	12/3	15 AMPS	N17809100	\$123.50



PVC Pipe Straps

Inventory #	Size	Price
S7509PS05	1/2"	\$0.30
S7509PS07	3/4"	\$0.35
S7509PS10	1"	\$0.40
S7509PS12	1 1/4"	\$1.25
S7509PS15	1 1/2"	\$1.40
S7509PS20	2"	\$1.50



Rayovac Workhorse™ **Flashlights**

2D LED Hanging Ring Flashlight

Be prepared for anything. With 55 hours of runtime on RAYOVAC® Zinc Chloride batteries and a tough polypropylene body, this flashlight can get you through tough situations.

- 3 LEDs and 20 Lumens
- Beam distance: 32 Meters
- Tough polypropylene body
- Impact resistant to 7 Feet
- Water, grease and corrosion resistant
- Consumer preferred comfort grip

N3050WHH2



DeWalt® Jobsite LED Headlamp Flashlight

The DWHT81424 LED Headlamp Flashlight offers a great source of light and hands free operation. The 200/50 lumens with a High/Low setting offers the user enough light for all applications, but allows you to turn down the brightness when you don't need it. The headlamp offers a shatter resistant lens and is dust & water resistant for increased durability. Features a new on/off motion sensor. Extended run time allows this unit to run 6 hours 30 minutes on the high setting and 24 hours on the low setting. A durable headlamp that has been rated for a 2 meter drop

batteries which are included.

S70851424

test makin it job site tough. Runs on 3 AAA

Arlington Strain Reliefs

1/2" Cord Connector Cord Range: 0.200"-0.472"

\$75

S4985CG50



ELECTRICAL & WIRING SUPPLIES

Wire Connectors





Item	Color	Range	Min	Max	Price Ea.	100-499	500+
S75705100	Yellow	22-10 Ga	#2-#18	3 #12	13¢	11¢	10¢
S75705101	Red	22-6 Ga	2 #14	5 #12	18¢	17¢	15¢

Non-Winged

Winged

Item	Color	Range	Min	Max	Price Ea.	100+
S75701435	Orange	22-14 Ga	3 #20	4 #16 w/ 1 #20	12¢	9¢
S75701475	Grey	22-16 Ga	3 #22	#20 w/ 1 #22	9¢	8¢

Push-On Terminals

- · .250" Width
- PVC Vinvl Insulated
- 600 Volt Max

ltem	Color	Туре	Size	Price Ea.
S75704910	Red	Female	22-18 Ga	14¢
S75704920	Blue	Female	16-14 Ga	14¢
S75704930	Yellow	Female	12-10 Ga	16¢
S75704310	Red	Male	22-18 Ga	14¢
S75704320	Blue	Male	16-14 Ga	14¢
S75704330	Yellow	Male	12-10 Ga	16¢

Self-Adjusting Wire Stripper

• Adjustable stopper controls the length of the core strip



Butt Connectors

- Vinyl Insulated
- 600 Volts Maximum
- 221° F

ltem	Color	Size	Price Ea.	100+
75701005	Red	22-18 Ga	12¢	10¢
75702005	Blue	16-14 Ga	12¢	10¢
75704230	Yellow	12-10 Ga	15¢	12¢



Spade Terminals

- Crimp on connection
- PVC Vinyl Insulated
- 600 Volt Max

ltem	Color	Stud Size	Size	Price Ea.
S75704610	Red	#8	22-18 Ga	10¢
S75704620	Blue	#8	16-14 Ga	10¢
S75704630	Yellow	#8	12-10 Ga	14¢
S75704611	Red	#10	22-18 Ga	10¢
S75704621	Blue	#10	16-14 Ga	10¢
S75704631	Yellow	#10	12-10 Ga	12¢



S52158300

• Wire crimper crimps 10-22 AWG insulated, 10-22 AWG non-insulated and 7-9mm ignition terminals

• Wire cutter extends versatility

Strips wire from 10-24 AWG

ProTouch™ grips provide maximum comfort and reduced hand fatigue

Wire Stripper / Crimper / Cutter

- 6 Stripping stations for 10-24 AWG
- Wire cutting jaw with scissor-action spring
- Pliers style nose allows pulling and looping of wire • Quick release lock protects blade when not in use



\$14²⁵ 552158309





Heavy Duty Receptacle

Leviton Commercial Grade 20 Amp 125 Volt White

N3050CR20



Black Electrical Tape

3/4" x 60" 7 mil

S71001420



Pole Switch 120/277 Volt Extra Heavy Duty

20 Amp Double

Back & Side Wired 1 \$13⁵⁰

S30500AC2

Leviton Single Pole Switches



15 Amp 120 Volt Residential Grade

\$**7**40 N30501451

20 Amp 120/277 Volt Commercial Grade Pictured

\$**3**⁴⁹ N30501574

LIVESTOCK SCALES

Raytec WayPig **Litter Scale**

The WayPig litter scale conveniently provides the information you need to maximize the efficiency of your hog operation. An entire litter can be placed in the portable WayPig at one time, as the scale handles loads up to 200 pounds.

The new, oversize scale, specially designed for WayPig, quickly gives you a clear, precise readout of the total.

SPECIFICATIONS

45.5" 37" Overall height Overall length 21.5" Overall width 21" Box height 32" Box length 19.5" Box width

Weighs up to 200 lbs. (90 kgs) 6" caster wheels - All Swivel



S7019C252

Way Pig 300 Market Hog Scale

The WayPig 300 scale's capacity is 300 pounds, shown in 1-lb. increments

the operator and livestock is kept to a minimum. A hydraulic damper system helps the scale operate more quietly and makes it easier to acquire an accurate reading. In addition, it helps to increase scale life.

on a large, easy-to-read dial. In addition to being fast and accurate, stress on

The WayPig 300 has two optional wheels mounted at one end which allow easy scale movement. Since it is only 21 inches wide, it can easily fit into very narrow spaces. One person can move it into place and begin the weighing operation within minutes.

> Hog Scale

\$1200°° S7019H300

feature an advanced,

system. More accurate

cables or torsion bars

which eliminates most

bouncing and swaying.

patented weighing

than any other farm

scale. There are no

\$109²⁵

Wheel & **Handle Kit**

Osborne Accu-Arm Scales Osborne Accu-Arm Scales **Scales are fully customizable with**

• Digital or Mechanical Scale heads

many options which inlcude:

- 18" or 24" overall width
- Side-opening or center-opening gates
- Standard painted steel or special-order hot-dip galvanized finish
- Open or closed top
- Center- or side-mounted weigh arm

Due to the many optional features, please call us for pricing!

Carcass Carts

- Extended top guide for more bed length
- 10" pneumatic tires for easy movement
- Scoop-like design for easy on and easy off
- Rounded corners
- 18" wide x 48" high
- 800 pound capacity

F1013RWSP



Generation II Carcass Cart

- Reclining bed for balance
- 25' of 3/16" galvanized aircraft cable
- · 20" frame width
- 1" solid rod frame
- Pneumatic tires & casters
- 4-point anchor system
- 2 Speed hand winch
- 1200 pound capacity



(call for current pricing)



Raytec Scale Heads

Replacement mechanical scale heads for the Raytec series of scales

Litter Scale S7019S252 \$120.00

Pictured

 100^{00}_{each}

F1013RW11

Way Pig 300 Scale S7019H301 \$128.75

Way Pig 500 Scale S7019H501 \$127.25



Digital Hanging Scale

- Heavy-Duty metal scale
- 110 lbs maximum capacity
- 36" tape measure built in Low battery indicator
- Weighs pounds, kg, & ounces



L10169940



ORDERING INFORMATION

Order Toll Free! 1-800-642-1222



Phone Orders

Call Toll Free! 1-800-642-1222 FAX 1-402-665-2401

We accept VISA, Discover, American Express, or Master Card. Our order desk is open from 8:00a.m. to 5:00 p.m. Monday through Friday (Central time.)

Mail Orders

We will accept written orders, however, we ask that you call first for a freight and insurance quote. We ship UPS, next day air, 2nd day air, parcel post, and common carrier.

New Customers Please See Page 2

Claims —

If merchandise arrives damaged, be sure to note the damage on the freight bill. In case of a damaged UPS package, if the product is damaged — accept the product but notify the UPS office at once! UPS then will return the damaged product to us with no further charges.

Returns

All merchandise must be accompanied by our Return Goods Authorization Tag. Call us if you have a return, we will mail the RGA.

— Guarantee –

Our quarantee is simple. You must be completely satisfied with every item or return it in the condition it was received for a refund.

AgriSales, Inc. does reserve the right to charge a restocking charge if you order incorrectly. Special order items may be returned only if AgriSales, Inc. can readily return the item to our vendor.

Prices subject to change without notice.

If you have any questions about your account, you may now email us at accounting@agrisales-inc.com. If you would like to know about a product or service, or would like to order, feel free to email us at sales@agrisales-inc.com.

www.agrisales-inc.com

ORDER FORM



Use this order form to mail in your order. Or call us on our toll free number: **800-642-1222**

You can also FAX your order to us by dialing: **1-402-665-2401**

_	PTO: IS THIS A NEW ADD address to update	DRESS? If so, please inclue our files.	de your old			
ADDI	RESS					
	TATEZIP					
	TIME PHONE NO. (IF PROBLEM ARISES) ()					
	ENCLOSED IS PAYMENT — CHECK OR MONEY ORDE	er 🔲 OPEN ACCOU	NT			
ACCOU	JNT NUMBER	EXPIRATION DATE SE	CURITY CODE #			
QTIY.	ITEM	PRICE EACH	TOTAL PRICE			
If more	I space is desireduse blank sheet of paper. TOTA	L PRICE OF MERCHANDISE				
	Add 5.5%	tax if delivered in Nebraska				
		INSURANCE & SHIPPING				
wome	A Nebraska Corporation /ned and staffed by men and n that have a lifetime association with American Agriculture.	EMITTED WITH ORDER	nc			

www.agrisales-inc.com CALL 1-800-642-1222 FOR FREIGHT CHARGES

91

FAX YOUR ORDER! 1-402-665-2401 EMAIL ORDERS: sales@agrisales-inc.com

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.



PRSRT STD U.S. POSTAGE PAID CERESCO, NE PERMIT NO. 12

Call Today 800-642-1222

Monday - Friday 8:00 am - 5:00 pm Central

Order Online 24 Hours A Day! www.agrisales-inc.com